

INDEX OF AUTHORS' NAMES.

TRANSACTIONS. 1880.

A.

Atkinson, R. W., on perthiocyanate of silver, 226.

B.

Bachhoffner, G. H., obituary notice of, 255.

Baker, H., on a crystal of diamond, 579.

Balmain, W. H., obituary notice of, 256.

Bayley, T., on the colour-properties and relations of the metals, copper, nickel, cobalt, iron, manganese, and chromium, 828.

— on the reflection from copper, and on the colorimetric estimation of copper by means of the reflection cuprimer, 418.

Bedson, P. P., on some derivatives of phenylacetic acid, 90.

Bedson, P. P., and A. J. King, acetyl-orthoamidobenzoic acid, 752.

Bell, Chichester A., and F. L. Teed, on a simple method of determining vapour-densities in the barometric vacuum, 576.

Bell, J. Wilson, obituary notice of, 257.

Blyth, A. Wynter, a new and simple apparatus for the treatment of substances in open dishes by volatile solvents, 140.

Brown, F. D., the comparative value of different methods of fractional distillation, 49.

C.

Carnelley, T., action of heat on the mixed vapours of benzene and toluene. Two new methylene-diphenylenes, 701.

Carnelley, T., and W. Carleton-Williams, the melting and boiling points of certain inorganic substances. 125.

Church, A. H., a chemical study of vegetable albinism. Part II. Respiration and transpiration of albino foliage, 1.

Claisen, L., and E. Moritz, on the synthetical production of new acids of the pyruvic series, 691.

D.

Davies. See Smith.

Day, T. Cuthbert, experiments on germinating barley, 645.

Dobbin, L., on some reactions of tertiary butyl iodide, 236.

Dowson, E., obituary notice of, 258.

Dupré, A., the detection of foreign colouring-matters in wine, 572.

E.

Evans. See Frankland.

F.

Frankland, E., on the action of organo-zinc compounds upon nitriles and their analogues, 560.

— on the spontaneous oxidation of organic matter in water, 517.

Frankland, E., and J. C. Evans, on the action of zinc ethyl on benzonitrile, 563.

Frankland, E., and C. C. Graham, on a new method of preparing dinitro-ethylic acid, 570.

— on the action of organo-zinc compounds upon nitriles and their analogues (second notice), 740.

Frankland, E., and D. A. Louis, action of zinc ethyl on azobenzene, 560.

Frankland, E., and H. K. Tompkins, action of zinc ethyl on phenyl acetonitrile, 566.

Frankland, P. F., on the action of diazonaphthalene upon salicylic acid, 746.

Frankland. See also Halcrow.

G.

- Glass, W., obituary notice of, 258.
 Graham. See Frankland.
 Groves, C. E., determination of nitrogen in carbon compounds, 500.
 Groves, C. E. See also Stenhouse.

H.

- Halcrow, Miss L., and E. Frankland, on the action of air upon peaty water, 506.
 Hartley, W. N., an examination of terpenes for cymene by means of the ultra-violet spectrum, 676.
 Hodgkinson, W. R., preliminary notice on the action of sodium on some ethereal salts of phenylacetic acid, 481.
 Hodgkinson. See also Perkin.
 Huggon, W., obituary notice of, 259.

J.

- Japp, F. R., on α - and β -phenanthrene-carboxylic acids, with remarks on the constitution of phenanthrene, 83.
 — on the action of organo-zinc compounds on quinones (second notice), 408.
 Japp, F. R., and E. Wilcock, on the action of benzaldehyde on phenanthraquinone, both alone and in presence of ammonia, 661.
 Jones, H. Chapman, on polysulphides of sodium. Part I. Sodium pentasulphide, 461.

K.

- Kay, W. E., on the sulphides of vanadium, 728.
 King. See Bedson.
 Kingzett, C. T., contributions to the history of putrefaction. Part I, 15.
 — report on the atmospheric oxidation of phosphorus, and some reactions of ozone and hydric peroxide, 792.

L.

- Louis. See Frankland.

M.

- Marcet, W., on the mode of application of Pettenkofer's process for the determination of carbonic acid in expired air, 493.
 Marsden, R. S., on a new boron-copper compound of the formula B_2Cu_3 , 672.
 McLeod, H., note on the formation of ozone during the slow oxidation of phosphorus, 118.
 Menke. See Wright.
 Mercer, J., obituary notice of, 260.
 Mills, E. J., on the lecture-illustration of chemical curves, 453.
 Moritz. See Claisen.
 Morley, H. F., on methylated dioxethylenamines, 232.
 Morris, G. H., on α -methyl-hydroxy-succinic acid, the product of the action of anhydrous cyanic acid upon ethyl aceto-acetate, 6.
 Muir, M. M. P., note on chemical equilibrium, 424.
 — on essential oil of sage, 678.
 Muir, M. M. P., and C. Slater, on the influence exerted upon the course of certain chemical changes by variations in the amount of water of dilution, 60.

N.

- Neville, R. H. C., and A. Winther, on the formation of amidosulphonic acids by the action of concentrated sulphuric acid, 625.
 — on the influence of the amido-group on the orientation of bromine or NO_2 in the benzene-nucleus, as illustrated by the preparation of the six possible dibromotoluenes, the three possible tribromotoluenes, the three possible tetrabromotoluenes, and various other bromo- and bromonitro-derivatives of toluene, 429.

P.

- Peake, W. A. See Warington.
 Perkin, A. G., on the action of nitric acid on diparatolylguanidine, 696.
 Perkin, W. H., on the analysis of organic bodies containing nitrogen, 121, 457.
 — on dibromanthraquinones and the colouring-matters derived from them, 554.
 — on the products of the oxidation of paratoluidine, 546.

Perkin, W. H., junr., and W. R. Hodgkinson, on the action of benzyl chloride on phenyl acetate, 721.

— on the action of sodium on phenylic acetate, 487.

Pickering, S. U., on the basic sulphates of iron, 807.

— on the reaction between sodium thiosulphate and iodine. Estimation of manganese oxides and potassium dichromate, 128.

Plimpton, R. T., on the action of ammonia and the amines upon naphthoquinone, 633.

R.

Rennie. See Wright.

S.

Sakurai, J., on metallic compounds containing bivalent hydrocarbon-radicals, 658.

Schunck, E., notes on the purple of the ancients (continuation), 613.

Shenstone, W. A., note on igasurine, 235.

Slater, C. See Muir.

Smith, Watson, analysis of the ash of the wood of two varieties of the eucalyptus, 416.

— note on a convenient form of lead-bath for Victor Meyer's apparatus for determining the vapour-densities of high-boiling substances, together with a few slight modifications, 491.

— note on an improved form of oven for heating sealed tubes and avoiding risks of explosions, 490.

Smith, Watson, and G. W. Davies, on pyrene, 413.

Smith, Watson. See also Takamatsu.

Stenhouse, J., and C. E. Groves, contributions to the history of the orcins. Betorecinol, and some of its derivatives, 395.

T.

Takamatsu, T., and Watson Smith, on pentathionic acid, 592.

Teed. See Bell.

Thorpe, T. E., on the relation between the molecular weights of substances and their specific gravities when in the liquid state, 141, 327.

Thorpe, T. E., and J. I. Watts, on the specific volume of water of crystallisation, 102.

Tidy, C. Meymott, river water, 247.

Tompkins. See Frankland.

V.

Valentin, W. G., obituary notice of, 260.

Veley, V. H., on some higher oxides of manganese and their hydrates, 581.

W.

Warington, R., and W. A. Peake, on the determination of carbon in soils, 617.

Warington, R., on the determination of nitric acid as nitric oxide, by means of its reaction with ferrous salts. Part I, 468.

Watts. See Thorpe.

Wilcock. See Japp.

Williams, W. Carleton-, see Car-nelley.

Wills, T., obituary notice of, 261.

Winther. See Nevile.

Wright, C. R. A., and A. E. Menke, fourth report to the Chemical Society on "Researches on some points in Chemical Dynamics." Sections II and III, 757.

— notes on manganese dioxide, 22.

Wright, C. R. A., and E. H. Rennie, fourth report to the Chemical Society on "Researches on some points in Chemical Dynamics." Section I, 757.

— on the action of benzoyl chloride on morphine, 609.

Wright, Lewis T., note on the products of combustion of coal gas, 422.

Y.

Young, S., note on the precipitation of iron with ammonium succinate, 674.

INDEX OF SUBJECTS.

TRANSACTIONS. 1880.

A.

Absorption spectra of copper, cobalt, and iron, 834, 836.
— of the salts of chromium and manganese, 835.
Acetoluide, dibrom-, 434.
Acetone, physical properties of, 212.
— table of the rate of expansion of, 213.
Acetyl chloride, preparation and physical properties of, 186, 188.
— table of the rate of expansion of, 189.
Acetylorthoamidobenzoic acid, and its salts, 752.
Air, action of, on peaty water, 506.
— expired, apparatus for the analysis of, 495.
Albinism, vegetable, chemical study of. Part II, 1.
Albino foliage, respiration and transpiration of, 1.
Allyl alcohol, physical properties of, 210.
— table of the rate of expansion of, 211.
Aluminium, action of, on aqueous sodic hydrate, 456.
Amidosulphonic acids, formation of, by the action of concentrated sulphuric acid, 625.
Amido-group, influence of, on the orientation of bromine or NO_2 in the benzene nucleus, 429.
Ammonic hydrogen, typical, test for the absence of (foot note), 665.
Analysis of organic bodies containing nitrogen, &c., 121.
Aniline, physical properties of, 221.
— table of the rate of expansion of, 222.
Anniversary meeting, March 30th, 1880, 247.
Annular caoutchouc joint, 505.
Anthracene, 712.
Anthrapurpurin, 557.
Anthraquinones, dibrom-, and the colouring matters derived from them, 554.

Anthraquinones, dibromo-, decomposition of, with caustic alkali, 556.
— preparation of, 555.
Antimony, determination of the specific volume of, 387.
Apparatus for determining vapour-densities, 148.
— for the analysis of air expired, 495.
— for the determination of nitrogen in carbon compounds, 502.
— for the estimation of nitric acid as nitric oxide, new form of, 477.
— for the treatment of substances in open dishes by volatile solvents, 140.
Arsenic, determination of the specific volume of, 387.
— trichloride, physical properties of, 352.
— table of the rate of expansion of, 354.
— trifluoride, preparation and physical properties of, 351.
— table of the rate of expansion of, 352.
Ash of the wood of two varieties of the eucalyptus, analysis of, 416.
Atomic weight, errors of, 370.
Azobenzene, action of zinc ethyl on, 560.

B.

Balance sheet of the Chemical Society, 263.
— Research Fund, 264.
Barbatic acid, 405.
Barium chloride, influence of temperature on the decomposition of, by potassium oxalate in aqueous solution, 78.
Barium parabromometanitrophenylacetate, 98.
Barley, absorption of oxygen during germination of, 648.
— germinating, experiments on, 645.
— production or liberation of water, by internal chemical change, during germination of, 653.

Barley, quantity of carbonic anhydride produced during the germination of, 646.

Benzacin, 569.

Benzalquin of phenanthrene, 666.

Benzanilide, fusion point of, 745.

Benzcyanidin, 743.

Benzene, action of heat on, 701.
— and toluene, action of heat on the mixed vapours of, 701, 702.
— nucleus, influence of the amidogroup on the orientation of bromine or NO_2 in, 429.

Benzenylamidophenanthrol, 671.

Benzhydrolene, 711.

Benzoic acid, orthoamido-, hydrochloride, 755.
— — parabromometanitro-, 97.

Benzonitrile, action of zinc ethyl on, 563.

Benzoquinone, action of diphenylamine on, 644.

Benzoylic cyanide, action of zinc ethyl on, 742.

Benzyl acetate, action of benzyl chloride on, 721.
— chloride, action of aluminium chloride on, 726.
— — and phenyl acetate, action of aluminium chloride on a mixture of, 724.

Benzyl-phenol, 724, 726.

Benzyl-phenyl acetate, 724.
— — action of sodium on, 485.
— — preparation of, 485.

Benzyl phenylhydrocinnamate, 486.

Betorcinol, preparation of, 396.
— the acid which yields, 405.
— dibromo-, 401.
— dichloro-, 399.
— moniodo-, 403.
— mononitroso-, 404.
— tetrabromo-, 400.
— tetrachloro-, 398.

Bitumene from action of heat on the mixed vapours of benzene and toluene, 714.

Boiling point, errors in the determination of, 374.
— points of certain inorganic substances, 125.
— of liquids, determination of, 158.

Boron-copper compound of the formula B_2Cu_3 , new, 672.

Bromine, boiling point of, 172.
— determination of the specific volume of, 384.
— specific gravity of, 172.
— table of the rate of expansion of, 173.
— thermal expansion of, 173.

Bromoform, physical properties of, 201.
— table of the rate of expansion of, 203.

Butyl iodide, tertiary, 236.
— — — decomposition of, by sodium, 241.
— — — decomposition of, with water, 237.
— — — decomposition of, with zinc oxide, 239.

C.

Camphocarbonic acid, 686.

Camphol, 686.

Caoutchouc joint, annular, 505.

Carbon, estimation of, in soils, 617.
— bisulphide, physical properties of, 363.
— — table of the rate of expansion of, 364.
— tetrachloride, physical properties of, 199.
— — table of the rate of expansion of, 201.

Carbonic acid, mode of application of Pettenkofer's process for the estimation of, in expired air, 493.

Carminaphe, 641.

Cedrene, sage-, 679, 680.

Chemical changes, certain, influence exerted upon the course of, by variations in the amount of water of dilution, 60.
— curves, lecture illustration of, 453.
— dynamics, researches on some points in, 757.
— equilibrium, note on, 424.

Chloral, physical properties of, 191.
— table of the rate of expansion of, 192.

Chlorine, determination of the specific volume of, 383.

Chloroform, physical properties of, 196.
— table of the rate of expansion of, 197.

Chloropicrin, physical properties of, 198.
— table of the rate of expansion of, 198.

Chlorosulphonic acid, preparation of, and physical properties of, 358.

Chromium, absorption spectra of the salts of, 835.
— copper, nickel, cobalt, iron, and manganese, colour-properties and relations of, 828.
— determination of the specific volume of, 391.

Chromyl dichloride, physical properties of, 362.

— table of rate of expansion of, 362.

Cinnamyl-methyl ketone, 723.

Citraconic anhydride, 12.

Citramalic acid, constitution of, 13.

Coal gas, note on the products of combustion of, 422.

Cobalt, absorption spectrum of, 834, 836.

— copper, nickel, iron, manganese, and chromium, colour-properties and relations of, 828.

— sulphate, anhydrous, specific gravity of, 112.

— sulphates, hydrated, specific gravities of, 112.

Colour-coefficients, 829.

Colouring matters derived from dibrom-anthraquinones, 554.

— foreign, detection of, in wine, 572.

Copper, absorption spectrum of, 834, 836.

— colorimetric estimation of, by means of the reflection cuprimer, 418.

— nickel, cobalt, iron, manganese, and chromium, colour-properties and relations of, 828.

— reflection from, 418.

— spongy metallic, relations between time, temperature, and rate of oxidation of, by hot air, 785.

— sulphate, anhydrous, specific gravity of, 103.

— sulphates, hydrated, specific gravities of, 104.

Cresyl acetate, action of sodium on, 489.

Cyanbenzene, 568.

Cyanogen, action of zinc-ethyl on, 740.

— disulphide, 232.

Cyaphenine, 563.

Cymene, an examination of terpenes for, by means of the ultra-violet spectrum, 676.

D.

Deoxidation, amount of, produced in given times at different temperatures, 764, 769, 771, 775, 780, 783.

— relations between time and temperature requisite to produce given amounts of, 769.

— time required to produce given amounts of, at different temperatures, 765, 771, 775, 781, 784.

Dephlegmator, distillation with, 50.

Diacetylorthoamidobenzoic acid, 756.

Diamond, crystal of, 579.

Diazonaphthalene, action of, on salicylic acid, 746.

Diazonaphthalenesulphonic acid, 632.

Dibenzoylmorphine, 609.

Di-isobutyl, physical properties of, 219.

— table of the rate of expansion of, 220.

Dilatometers for determining the vapour-density of liquids, 155.

Dimethylbutylmethane, or ethyl-amyl, physical properties of, 216.

— table of the rate of expansion of, 217.

Dimethyldioxethylenamine, 234.

Dioxethylenamines, methylated, 232.

Diparatolyguanidine. See Guanidine.

Diphenyl, 705, 706.

Diphenylenemethanes, properties of, 717.

Dipropionyl dicyanide, 695.

Distillation with dephlegmator, 50.

— with long tube, 51.

Disulphuryl chloride, physical properties of, 360.

Dithionic acid, reaction of, with reagents, 608.

Ditoly, preparation of, 701.

E.

Epichlorhydrin, physical properties of, 206.

— table of the rate of expansion of, 208.

Essential oil of sage, 678.

Ethane, pentachlor-, preparation, and physical properties of, 192, 193.

— table of the rate of expansion of, 193.

Ethoxyphosphorus chloride, preparation and physical properties of, 345.

— table of the rate of expansion of, 347.

Ethyl acetate, action of benzyl chloride on, 721.

Ethyl aceto-acetate, action of anhydrous hydrocyanic acid, 6.

Ethyl phenyl-acetate, action of sodium on, 481.

Ethyl-amyl or dimethylbutylmethane, physical properties of, 216.

— table of the rate of expansion of, 217.

Ethylene chloriodide, boiling point of, 180.

— preparation of, 179.

— specific gravity of, 180.

— table of the rate of expansion of, 181.

— thermal expansion of, 181.

— dibromide, boiling point, 177.

Ether, ozonised, 801.
 Ethylene dibromide, specific gravity of, 177.
 ——— table of the rate of expansion of, 178.
 ——— thermal expansion of, 177.
 ——— dichloride, boiling point of, 182.
 ——— specific gravity of, 182.
 ——— table of the rate of expansion of, 183.
 ——— thermal expansion of, 182.
 Ethylic acid, dinitro-, new method of preparing, 570.
 Ethylidene dichloride, boiling point of, 183.
 ——— physical properties of, 183, 184.
 ——— table of the rate of expansion of, 186.
 Eucalyptus, analyses of the ash of the wood of the two varieties of, 416.
 Expansion, thermal, errors in the determination of, 374.
 ——— of several liquids, table of, 366.

F.

Ferric oxide, reduction of, by hydrogen and by carbon oxide, 757, 766, 769, 772.
 ——— reduction of, from ignition of ferrous sulphate by hydrogen, 760.
 ——— time required to produce given amounts of deoxidation of, at different temperatures, 765.
 ——— sulphate, 807.
 ——— action of heat on solutions of, 815.
 ——— decomposition of, by boiling water, 813.
 ——— precipitation of, with various amounts of Na_2CO_3 , 811.
 ——— reaction between metallic iron and, 825.
 Ferrous sulphate, anhydrous, specific gravity of, 114.
 ——— sulphates, hydrated, specific gravities of, 114.
 Flood water, circumstances which influence the character of, 291.
 ——— of the River Thames; and analyses of, 286.
 Fluorene, 715.
 Fluorine, determination of the specific volume of, 385.
 Fractional distillation, comparative value of different methods of, 49.

G.

Göргеu's oxide of manganese, 582.

VOL. XXXVII.

Guanidine, dinitrodiparatolyl-, 697.
 ——— nitrate, 697, 698.
 ——— diparatolyl-, action of nitric acid on, 696, 697.
 ——— action of nitric acid on, in presence of alcohol, 698.
 ——— preparation of, 696

H.

Heat, amount of, produced or abstracted by the solution of certain sulphates in water, 117.
 Heptane, physical properties of, 214.
 ——— table of the rate of expansion of, 215.
 Hydric sulphate, aqueous, action of zinc on, 454.
 Hydrocarbon, $\text{C}_{32}\text{H}_{28}$, 713.
 Hydrocarbon-radicals, bivalent, metallic compounds containing. Part I, 658.
 Hydrocyanic acid, anhydrous, action of, on ethyl aceto-acetate, 6.
 Hydrogen peroxide, estimation of, 802, 805.
 ——— some reactions of, 792.
 Hydroxylic hydrogen, test for the absence of (foot note), 665.

I.

Igasurine, note on, 235.
 Iodine, determination of the specific volume of, 385.
 ——— monochloride, preparation of, 174.
 ——— properties of, 175.
 ——— specific gravity of, 176.
 ——— table of the rate of expansion of, 176.
 ——— and sodium thiosulphate, reaction between, 128.
 Iodosalicyclic acid, 749.
 Iron, absorption spectrum of, 834, 836.
 ——— copper, nickel, cobalt, manganese, and chromium, colour properties and relations of, 828.
 ——— metallic, reaction between, and ferric sulphate, 825.
 ——— precipitation of, with ammonium succinate, 674.
 ——— sulphates, basic, 807.
 Isobutyl acetate, 485.
 ——— phenyl-acetate, primary, action of sodium on, 485.
 Isotributylene, 239, 241.
 Itamalic acid, constitution of, 14.

3 L

L.

- Lead-bath, note on a convenient form of, for Victor Meyer's apparatus for determining the vapour-densities of high-boiling substances, together with a few slight modifications, 491.
- Lecture illustration of chemical curves, 453.
- Liquids, determination of the boiling points of, 158.
- determination of the specific gravities of, 161.
- determination of the thermal expansion of, 161.
- table of the relative volumes of several, 367.
- table of the thermal expansion of several, 366.
- table showing the formulæ, molecular weights, boiling points, specific gravities, and specific volumes of several, 371, 372.

M.

- Magnesium sulphate, anhydrous, specific gravity of, 106.
- sulphates, hydrated, specific gravities of, 106.
- Manganese, absorption spectra of the salts of, 835.
- copper, nickel, cobalt, iron, and chromium, colour properties and relations of, 828.
- dioxide, 22.
- — precipitated by bromine, 40.
- — preparation of, by the action of alcohol or glycerol on potassium permanganate, 35.
- — preparation of, by the action of potassium permanganate on manganese sulphate, 36.
- — preparation of, by the action of sulphur dioxide on potassium permanganate, 34.
- — preparation of, by the action of sulphuric acid on potassium permanganate, 33.
- — preparation of, from manganese nitrate, 45.
- — preparation of, from manganese perchloride, 32.
- — preparation of, from potassium permanganate by nitric acid, 25.
- — relations between time, temperature, and rate of reduction of, by hydrogen and by carbon oxide, 775.

- Manganese, G6rgeu's oxide of, 582.
- oxides, estimation of, 136.
- some higher oxides of, and their hydrates, 581.
- superoxide, 40.
- volumetric estimation of, 42.
- Manganous sulphate, anhydrous, specific gravity of, 113.
- sulphates, hydrated, specific gravities of, 113.
- Melting points of certain inorganic substances, 125.
- Mercuric iodomethide, 661.
- methylene iodide, mono-, 660.
- Metallic compounds containing bivalent hydrocarbon-radicals. Part I, 658.
- Metatoluidine, metabromorthonitro-, 630.
- monobromo-, preparation of, 431.
- tribromo-, 440.
- Methane, trichlorobrom-, preparation of, and physical properties, 203.
- Methyl paranitrophenylacetate, 91.
- Methylated dioxethylenamines, 232.
- Methylene chloride, physical properties of, 194.
- — table of the rate of expansion of, 195.
- Methylene-diphenylene, γ - and δ -, 705, 708, 710, 715.
- dibromo-, 710.
- quinone, γ - and δ -, 709, 711.
- Methylene-diphenylenes, constitution of, 719.
- properties of, 717.
- two new, 701.
- Methylene iodide, action of mercury and mercurous iodide on, 658.
- α -Methyl-hydroxysuccinic acid, 6.
- — constitution of isomerides of, 13.
- — dry distillation of, 11.
- — reduction of, 11.
- — salts of, 8.
- Molecular weights of substances and their specific gravities, relation between, when in the liquid state, 141, 327.
- Monomeric methylene iodide, 660.
- Monomethyldioxethylenamine, 233.
- Morphine, action of benzoyl chloride on, 609.

N.

- Naphthalene, 706.
- Naphthoquinol, preparation of, 635.
- Naphthoquinone, acetyl-derivative of the diphenylamine-derivative of, 644.
- action of ammonia on, 641.

- Naphthoquinone, action of ammonia and the amines on, 633.
 — action of aniline on, 635.
 — action of dimethylamine on, 642.
 — action of diphenylamine on, in presence of hydrochloric acid, 642.
 — action of ethylamine on, 640.
 — action of methylamine on, 639.
 — action of paratoluidine on, 638.
 — diphenylamine-derivative of, action of reducing agents on, 645.
 α -Naphthoquinone, preparation of, 634.
 Naphthoquinone anilide, preparation of, 635.
 — action of zinc and hydrochloric acid on, 637.
 Naphthylaminesulphonic acid, 632.
 Naphthylazq- α -naphthol, 752.
 Naphthylazosalicylic acid, 747.
 — decomposition of, by tin and hydrochloric acid, 748.
 Nickel, copper, cobalt, iron, manganese, and chromium, colour-properties and relations of, 828.
 — sulphate, anhydrous, specific gravity of, 111.
 — sulphates, hydrated, specific gravities of, 111.
 Nitric acid, action of, on potassium permanganate, 23.
 — estimation of, as nitric oxide by means of its reactions with ferrous salts, 468.
 — new form of apparatus for the estimation of, as nitric oxide, 477.
 Nitriles and their analogues, action of organo-zinc compounds on (second notice), 740.
 Nitrogen, analysis of carbon compounds containing, 121, 457.
 — determination of, in carbon compounds, 500.
 — specific volume of, 143.
 — tetroxide, physical properties of, 224.
 — table of the rate of expansion of, 225.

O.

- Obituary notices, 251.
 Octane, physical properties of, 217.
 — table of the rate of expansion of, 218.
 Oil of sage, some optical properties of constituents of, 688.
 Organic bodies containing nitrogen, &c., analysis of, 121, 457.
 Organic matter in water, spontaneous oxidation of, 517.

- Orthocresol, dinitro-, 631.
 Orthocresolmetasulphonic acid, 631.
 Orthodiazotoluenesulphonic acid, 628.
 Orthoparaditoly, 707.
 Orthotoluidine, action of, on orthoamidotoluenemetasulphonic acid, 631.
 — sulphate, action of heat on, 625.
 — metabromometanitro-, constitution of, 432.
 — preparation of, 432.
 Oven, note on an improved form of, for heating sealed tubes, and avoiding risks of explosions, 490.
 Oxidation, amounts of, produced in given times at various temperatures, 790.
 — lengths of time in minutes requisite to produce given amounts of, 790.
 Oxygen, dissolved, rate of disappearance of, 525.
 — specific volume of, 143.
 Ozone, action of, on turpentine, &c., 800.
 — formation of, during the slow oxidation of phosphorus, 118, 795.
 — some reactions of, 792.

P.

- Paracresol, dinitro-, 631.
 Paradiazotoluenemetasulphonic 631.
 Paradiphenyl-benzene, 705, 712.
 Paratoluidine, some products of the oxidation of, 546.
 Paratolyphenyl, 706.
 — preparation of, 701.
 Paratolyurea, diamido-, and its hydrochloride, 700.
 — dinitro-, 699.
 — reduction of, 700.
 Peaty water, action of air on, 506.
 Pentachlorethane, table of the rate of expansion of, 193.
 Pentathionic acid, 592.
 — preparation of, 605.
 — reaction of, with reagents, 608.
 Pentathionic and tetrathionic acids, synthesis of, from the same materials, 604.
 Pettenkofer's process for the estimation of carbonic acid in expired air, mode of application of, 493.
 Phenanthraquinone, 712.
 — action of benzaldehyde on, both alone and in the presence of ammonia, 661, 666.

- Phenanthrene, 711.
 — benzalquin of, 666.
 — constitution of, 83, 87.
 β -Phenanthrene-carboxylic acid, distillation of, with soda-lime, 85.
 — oxidation of, 85.
 Phenanthrene-carboxylic acids, 83, 86.
 Phenanthrene-ethylquinol, behaviour with caustic alkali, 410.
 — distillation of, with zinc-dust, 410.
 — isolation of, 408.
 — oxidation of, 409.
 Phenanthrene-quinone, action of zinc-ethyl on, 408.
 — constitution of, 411.
 Phenanthrylic ether of phenyl-phenanthryl-carbinol, 666.
 Phenolbidiazobenzene, 752.
 Phenyl acetate, action of benzyl chloride on, 721.
 — action of sodium on, 487.
 — preparation of, 487.
 — and benzyl chloride, action of aluminium chloride on a mixture of, 724.
 Phenylacetic acid, derivatives of, 90.
 — dibromo-, 96.
 — α - and β -bromamido-, 100, 101.
 — α -bromamido-, hydrochloride of, 100.
 — α - and β -bromonitro-, 99, 101.
 — orthobromo-, 95.
 — orthonitro-, 92.
 — parabromo-, 94.
 — parabromometamido-, 98.
 — parabromometanitro-, 97.
 — paramido-, 92.
 — paranitro-, 91.
 Phenylacetoneitrile, action of zinc-ethyl on, 566.
 — preparation of, 566.
 Phenyl-phenanthryl-carbinol, phenanthrylic ether of, 666.
 Phosphenyl chloride, physical properties of, 347.
 — table of the rate of expansion of, 348.
 Phosphorus, atmospheric oxidation of, 792, 795.
 — determination of the specific volume of, 386.
 — formation of ozone during the slow oxidation of, 118.
 — tribromide, physical properties of, 335.
 — relative volumes of, 337.
 — trichloride, preparation and physical properties of, 333.
 — table of the rate of expansion of, 335.
 Phosphoryl bromochloride, preparation and physical properties of, 343.
 — table of the rate of expansion of, 345.
 — chloride, preparation and physical properties of, 337.
 — table of the rate of expansion of, 340.
 Picoline, physical properties of, 223.
 — table of the rate of expansion of, 224.
 Polluted rivers, rate of oxidation in, 519.
 — water, rate of oxidation of, when strongly agitated with air, 524.
 Potassium dichromate, estimation of, 138.
 — oxalate in aqueous solution, influence of temperature on the decomposition of barium chloride by, 78.
 — permanganate, action of nitric acid on, 23.
 Propionic acid, 694.
 Propionitrile, 741.
 — physical properties of, 205.
 — table of the rate of expansion of, 206.
 Propionyl cyanide, 692.
 — polymeric, 692.
 Propionylformic amide, 692.
 — acid, 691, 693.
 — reduction of, 695.
 Propiophenone, 744.
 Propyl acetate, 483.
 — phenyl-acetate, action of sodium on, 483.
 Purple dyeing in modern times, 613.
 Purple of the ancients, 613.
 — yarn from Nicaragua, examination of a sample of, 614.
 Putrefaction, 15.
 Pyrene, 413.
 — crystalline form of, 413.
 — vapour-density of, 415.
 Pyruvic series, synthetical production of new acids of, 691.
- Q.**
- Quinones, action of organo-zinc compounds on, 408.
- R.**
- River Lea, analysis of the filtered water of, 274.
 — Nile, analysis of the water of, 277, 290.

- River Severn, analysis of the water of, 282.
 — Shannon, analysis of the water of, 284.
 — Thames, analysis of the filtered water of, 268.
 — — analysis of the unfiltered water of, 275.
 — — flood water of, and analysis of, 286.
 River water, 268.
 — — how far statistics warrant us in condemning or in approving the supply of, for drinking purposes, 319.
 — — influence of flood-water on the general purity of, 286.
 — — peat or vegetable impurity of, 293.
 — — sewage or animal pollution of, 300.
 — — the various sources of impurity to which it is subject, and the means whereby purity is maintained by nature, or may be effected by art, 286.
 Rivers, strongly polluted, rate of oxidation in, 519.
 Reflection cuprimeter, colorimetric estimation of copper by means of, 418.
 Relative volumes of several liquids, table of, 367.
 Report, Third, of the Research Fund Committee, 265.
 Research Fund Committee, Third Report of, 265.
 Respiration of albino foliage, 1.

S.

- Sage camphor, 684, 685.
 — cedrene, 686.
 — oil, some optical properties of constituents of, 688.
 Salicylic acid, action of diazonaphthalene on, 746.
 — — iodo-, 749.
 Salviol, 680, 685.
 — action of phosphoric anhydride, phosphorus pentachloride, and bromine on, 683, 684.
 — action of heat on, 684.
 Silicon, determination of the specific volume of, 386.
 — tetrachloride, preparation and physical properties of, 327.
 Silver perthiocyanate, 226.
 Sodium hydrate, aqueous, action of aluminium on, 456.
 — pentasulphide, 461.

- Sodium pentasulphide, action of cadmium carbonate on, 467.
 — — action of water on, 465.
 — — atmospheric oxidation of, 465.
 — — constitution of, 468.
 — — polysulphides, methods of analysis, 461.
 — — preparation of, 462.
 — — preparation of highest sulphide avoiding excess of sulphur, 464.
 — — thiosulphate and iodine, reaction between, 128.
 Soils, estimation of carbon in, 617.
 Specific gravities of certain metallic sulphates, 103.
 — — and molecular weights of substances, relation between, when in the liquid state, 141, 327.
 — — gravity, errors, 373.
 — — of liquids, determination of, 161.
 — — volume of water of crystallisation, 102.
 — — volumes of certain elements, determination of, 383.
 Sulphates, amount of heat produced or abstracted by the solution of certain sulphates in water, 117.
 Sulphothionyl chloride, physical properties of, 356.
 Sulphur, determination of the specific volume of, 389.
 — — specific volume of, 143.
 Sulphuryl dichloride, preparation and physical properties of, 359.
 — — table of rate of expansion of, 360.

T.

- Table for conversion of mercurial thermometer degrees into those of the air thermometer, 154.
 — — showing the formulæ, molecular weights, boiling points, specific gravities, and specific volumes of several liquids, 371, 372.
 Temperature, influence of, on the decomposition of barium chloride by potassium oxalate in aqueous solution, 78.
 Terpene of sage oil, 682.
 Terpenes, an examination of, for cymene by means of the ultra-violet spectrum, 676.
 Tertiary butyl iodide, 236.
 — — — decomposition of, by sodium, 241.

- Tertiary butyl iodide, decomposition of, with water, 237.
 ——— decomposition of, with zinc oxide, 239.
- Tetrathionic acid, preparation of, 605.
 ——— reaction of, with reagents, 608.
 ——— and pentathionic acids, synthesis of, from the same materials, 604.
- Thames at Reading, rate of oxidation in, 522.
- Thermal expansion of liquids, determination of, 161.
- Thermometer, mercurial, degrees, table for conversion of, into those of the air thermometer, 154.
- Thionic acids, characteristic reactions of, 608.
- Thionyl chloride, preparation and physical properties of, 354.
 ——— table of the rate of expansion of, 356.
- Thiophosphoryl chloride, preparation and physical properties of, 341.
 ——— table of the rate of expansion of, 343.
- Tin, determination of the specific volume of, 386.
 ——— tetrachloride, and physical properties of, 331.
 ——— table of the rate of expansion of, 333.
- Titanium, determination of the specific volume of, 386.
 ——— tetrachloride, physical properties of, 329.
 ——— table of the rate of expansion of, 330.
- Toluene, action of heat of, 702.
 ——— dibromo-, symmetrical, preparation of, 436.
 ——— dibromonitro-, 434.
 ——— metadibromo-, 436.
 ——— orthodibromo-, 439.
 ——— preparation of, 439, 443.
 ——— parabromometabromo-, preparation of, 438.
 ——— parabromorthobromo-, 439.
 ——— preparation of, 439, 441, 442.
 ——— parametatribromo-, 445.
 ——— pentabromo-, 450.
 ——— and benzene, action of heat on the mixed vapours of, 701, 702.
- Toluenemetasulphonic acid, orthamido-, action of orthotoluidine on, 631.
 ——— paramido-, 631.
- Toluenesulphonic acid, dibromamido-, 627.
 ——— orthoamido-, 626.
 ——— constitution of, 628.
- Toluenes, ortho-meta-dibromo-, preparation of, 431.
- Toluenes, six possible tribromo-, preparation of, 446.
 ——— bromo-, influence of the amidogroup on the orientation of bromine or NO_2 in the benzene-nucleus, as illustrated by the preparation of, 429.
 ——— three possible tetrabromo-, preparation of, 449.
- Toluidine, dibromo-, 434.
- Tolyltriparatolylenetriamine, 552.
- Transpiration of albino foliage, 1.
- Trichloroacetyl chloride, preparation and physical properties of, 189, 190.
 ——— table of the rate of expansion of, 190.
- Trichlorobromomethane, table of the rate of expansion of, 204.
- Trimethylcarbinol, 238.
- Triparatolylenetriamine, 548.
- Trithionic acid, reaction of, with reagents, 608.
- Tubes, sealed, note on an improved form of oven for heating, and avoiding risks of explosions, 490.

V.

- Vanadium, determination of the specific volume of, 388.
 ——— disulphide, 734.
 ——— pentasulphide, 738.
 ——— sulphides, 728.
 ——— trisulphide, 735.
- Vanadyl trichloride, physical properties of, 349.
 ——— table of the rate of expansion of, 350.
- Vapour-densities, apparatus for determining, 148.
 ——— of high-boiling substances, note on a convenient form of lead-bath for Victor Meyer's apparatus for determining, together with a few slight modifications, 491.
 ——— simple method of determining, in the barometric vacuum, 576.
- Vegetable albinism, chemical study of. Part II, 1.
- Volumes, relative, of several liquids, table of, 367.

W.

- Water, flood, circumstances which influence the character of, 291.
 ——— of the River Thames, and analysis of, 286.
 ——— of dilution, influence exerted upon

the course of certain chemical changes by variation in the amount of, 60.
 Water of the Lea, filtered, analysis of, 274.
 — of the Nile, 277, 290.
 — of the Severn, analysis of, 282.
 — of the Shannon, analysis of, 284.
 — of the Thames, filtered, analysis of, 268.
 — of the Thames, unfiltered, analysis of, 275.
 — of the Thames at Reading, rate of oxidation in, 522.
 — oxidation experiments with polluted, 309.
 — peaty, action of air on, 506.
 — polluted, rate of oxidation of, when strongly agitated with air, 524.
 — river, 268.
 — — how far statistics warrant us in condemning or approving the supply of, for drinking purposes, 319.
 — — influence of flood water on the general purity of, 286.

Water, river-, peat or vegetable impurity of, 293.
 — — sewage or animal pollution of, 300.
 — — the various sources of impurity to which, is subject, and the means whereby purity is maintained by nature, or may be effected by art, 286.
 — spontaneous oxidation of organic matter in, 517.
 Wine, detection of foreign colouring matters in, 572.

Z.

Zinc, action of, on aqueous hydric sulphate, 454.
 — sulphate, anhydrous, specific gravity of, 108.
 — sulphates, hydrated, specific gravities of, 108.

ERRATA.

Page	Line	
42	1	<i>for loss read no loss.</i>
500	1	„ correction of the vol. of air in cylinder for 2° F. = 15 c.c. <i>read correction</i> „ „ „ = 8 c.c.

This will make the result on p. 500, line 7—

$$x = 0.436 \text{ gram CO}_2 \text{ instead of } 0.435 \text{ gram CO}_2.$$