

Accia Journal

with long tipical. lower - 10m of the site
& deeper.

Oct 8^o. 11^o. 30. - ^{Spent with top} ~~found~~ on right-side (Viewed
Canted
in for base) for to 6" to 12" length in bed

to put in traps on 6 length piece from -

Also traps on 1m of opposite lower & long

at least facing side. [If of recent origin

with worn with a floor]

Oct 15. found traps on right - small with
cut work, to 6 length before to work

Oct 19^o 11 a.m. ^{to the top} ~~found~~ 3 length ^{on} ~~at~~ 2 feet under
traps. falling from length of 22 inches

traps. falling from length of 22 inches

Oct. 25 I ~~think~~ ^{think} ~~with~~ ^{with} ~~in~~ ⁱⁿ ~~the~~ ^{the} ~~traps~~ ^{traps} ~~at~~ ^{at} ~~the~~ ^{the} ~~base~~ ^{base}

- 24 m ~~with~~ ^{with} ~~at~~ ^{at} ~~the~~ ^{the} ~~base~~ ^{base} ~~of~~ ^{of} ~~the~~ ^{the} ~~traps~~ ^{traps} ~~at~~ ^{at} ~~the~~ ^{the} ~~base~~ ^{base}

- 25 15 m to traps; 5 2 length on each trap chiefly

fell in the same space, but I found ~~in~~ ⁱⁿ ~~the~~ ^{the} ~~traps~~ ^{traps} ~~at~~ ^{at} ~~the~~ ^{the} ~~base~~ ^{base}

- 25 m work. Oct 29^o - I return here I find 5

(2) length traps at 1m ^{from} ~~at~~ ^{from} ~~the~~ ^{the} ~~base~~ ^{base} ~~of~~ ^{of} ~~the~~ ^{the} ~~traps~~ ^{traps} ~~at~~ ^{at} ~~the~~ ^{the} ~~base~~ ^{base}

Nov '27-77

Insectant Accia

Shook a leaf for 2' The other leaf but not when it came
into view of stem, but to 2 Terminal pinnae opened

(a) Both sides the 45° + 10° pinnae of 25° , at 6 o'clock
the lower leaflet,
then, the, below a 10' the to make what the pinna
of the pinna
on opposite sides, find with each the in. branches
then was shown 45° . The leaflet, and toward
side of pinna, at 6 o'clock, becoming the pinna by
compression of the portion of the leaflet, curved into
the lower pinna the edge of the lamina of the leaflet

pointed kindly upwards, + the vein in a vertical position
as I tried
for groups of leaves as to be in the lamina + not to
fit the riblets. - I expected to move each group
in known to vertical position of the pinna very deep, but
to connect them to become more separate than for

Nothing. The leaflet on opposite sides of pinna, not to be
in opposition, so that the upper lamina, ^{and} ~~is~~ ^{all} ~~is~~
of directed to edge of pinna. ~~is~~ ^{is} vertically.

[I find 1 cm of stem on 10 inch long & have 4 or 5 pairs of
long pinnae - I found rapidly first when leaf joins
stem, he could not perceive the leaf was raised or separate.

(29) Note 7. Ignored for i with $\frac{1}{2}$ the 100% of water at
about 90° , it is the 0.9 at $\approx 100^\circ$ because of
pressure in effect.