

Oct apogostomum

March 20 to May 1 21"

Sp. 1. Lined (19) to the side of White Cl., before the bed, partly; it

has been partly in the ring of the corn bag & then to bed.

and left then went the in corn pt. found to corn to the

& corn went in the bag. From 90 30' to 1" and study up, with

my own circumstances. From 20 to 70 20' circumstances & I can

give the apogostomum by particular part about apogostomum; containing

very all with, of the in 1 next morning. We can have the

Kind of evidence of apogostomum being under circumstances.

When the was last last Cl. found a few degrees below horizontal

& the Cl. of March 19 90 above horizontal. It then was at angle

near 60 in 23 30' the Cl. within 100 to 1000 feet of the bag

was parallel to earth in the bag —

The filament was found to find the bed of another bed

& the very slightly circumstances, very slightly found to be

in the bag; during the night was very slightly. These find

the bed are very well subject to apogostomum as to

Apogostomum, due to the great to great of Cl. being seen

& great of the bed (author's Frank ?) of found

very at base.

June 12-15 1878

Alps get the first

American Oaks

Young Oaks 10" wide height - today they are, found from 40

The top of the oak 5' below horizon - stand like

Cypripedium - (will fall & then rise - ^{dry} leaf magenta)

then the oak of Cypripedium: - (see the way -) I think

containing here evidence of light incubation - at 30°

of American filices at 32° above the horizon -

begin to rise at ^{9:30} 12° a.m. on 12° & continued to 10° 45' p.m.

Had water very little ^{rest} dry with, & afterwards were with

after damp - from dry fine day, 10° above horizon

with the oak evidence of to me, greater than before

dry on the upper surface - the lower dry - 10° above

for 8° above the horizon 7 p.m.: Comparing this the oak with

the oak of Cypripedium I can hardly find ^{the oak} like circumstances.

37° is

June 3-7-78

(see Cypripedium paper for History of Observation)

O. de Lancian.

Apr. 1895.

15th
14th
13th

12th

10th 45' P.M. ~ 12th

1.33
1.10
1.00
1.00
1.00
1.00
1.00
1.00
1.00

10th 2nd

h. 32

II. Scrophulariaceae.

Mimulus luteus,



I do not know what type had better be used here ~~is~~ for the family. It might be

look different for that for genus, either a trifle larger or more spaced. The same type will have to be used at h. 46

type such as used at
of this type to be
for ~~name of genus~~
as heading for
new genus.