

CATALOGUE
OF THE
PLANTS UNDER CULTIVATION
IN THE
GOVERNMENT BOTANIC GARDEN,
ADELAIDE, SOUTH AUSTRALIA.

RICHARD SCHOMBURGK, Dr. Phil., Director,

KNIGHT OF THE IMPERIAL ORDER OF THE CROWN, THE ORDER OF MERIT OF PHILIP THE MAGNANIMOUS, AND THE ORDER MEMB. IMPERIAL CAROL. LEOPOLD. ACADEMY LONDON; COR. MEMB. ROYAL BOT. SOC. EDINBURGH; HON. MEMB. GEOGR. SOC. VIENNA AND BERLIN; COR. MEMB. COR. MEMB. HORTIC. SOC., BERL. SOC. PHYSICO. MEDICA., ERDANG HON. MEMB. HORT. SOC., VICTORIA; COR. MEMB. ROYAL SOC. TASMANIA; AND HON. MEMB. CHAMB. OF MA

Schob
23
Turk Agr. Experiment Station.


PRESENTED BY R. Schomburgk, Director.

RECEIVED Feb. 10. 1883.



ADELAIDE:

PRINTED BY W. C. COX, GOVERNMENT PRINTER, NORTH-TERRACE.



PALM-HOUSE.

CATALOGUE
OF THE
PLANTS UNDER CULTIVATION
IN THE
GOVERNMENT BOTANIC GARDEN,
ADELAIDE, SOUTH AUSTRALIA.

RICHARD SCHOMBURGK, Dr. Phil., Director,
KNIGHT OF THE IMPERIAL ORDER OF THE CROWN, THE ORDER OF MERIT OF
PHILIP THE MAGNANIMOUS, AND THE ORDER OF THE CROWN OF ITALY;
MEMB. IMPERIAL CAROL. LEPOLD. ACADEMY; COR. MEMB. ZOOLOG. SOC.,
LONDON; COR. MEMB. ROYAL BOT. SOC., LONDON; COR. MEMB. BOT. SOC.,
EDINBURGH; HON. MEMB. GEOGR. SOC., DRESDEN; COR. MEMB. GEOGR. SOC.,
VIENNA AND BERLIN; COR. MEMB. SOC. NATIONALE, CHERBOURG, FRANCE;
COR. MEMB. HORTIC. SOC., BERLIN AND FRANKFORT O/M; COR. MEMB.
SOC. PHYSICO. MEDICA., ERLANGEN; HON. MEMB. BOT. SOC. MAGDEBURG;
HON. MEMB. HORT. SOC. VICTORIA; HON. MEMB. ROYAL SOC., N. S. WALES;
COR. MEMB. ROYAL SOC. TASMANIA; HON. MEMB. AGRIC. AND HORT. SOC.,
AND HON. MEMB. CHAMB. OF MANUFACTURES, ADELAIDE, ETC., ETC.



ADELAIDE:
PRINTED BY W. C. COX, GOVERNMENT PRINTER, NORTH-TERRACE.

1878.

E R R A T A .

- Page vii. For "Myroxylon" read "Myroxylon."
" viii. " " canditum" read " candidum."
" 65. " " Encalyptus" read " Eucalyptus."
" 111. " " Jasminium" read " Jasminum."
" 102. " " Pantaneae" read " Pandaneae."

PREFACE.

SINCE the publication in 1871 of my first Catalogue of the Plants under cultivation in the Garden, the collection, by the constant introduction of new plants, mostly procured by exchange with kindred institutions, has been increased, exclusive of florists' flowers, from 6,000 to 8,500 species.

The rapid increase necessitated a new edition of the Catalogue. In the new issue, instead of the former alphabetical arrangement, I have adopted the natural arrangement, which brings together all the plants that are nearest related to each other and have a similarity, enabling the student of botany, particularly in this Colony, to become soon acquainted with them.

To facilitate to non-botanists the finding of a particular plant, an index of the orders and genera has been attached; also the list of English names of the plants, where such exist. This will be useful, particularly to those amateurs who know the English names and may be desirous of becoming acquainted with the botanical ones.

I have added again the abbreviations of the names of the botanic authorities annexed to the genera and species of the plants, which would be unintelligible to a great many persons in the Colony if the full names of the authors were not given.

For the foreign recipients of this Catalogue, I think it is not without interest if I preface it with a brief description of our climate, its extremes, the difficulty we have to contend with in regard to acclimating introduced plants, especially those from tropical, frigid, or Alpine zones (as their well-doing depends entirely upon the climate), and the plants from other parts of the globe which will become accustomed to our climate, and those which will not thrive outdoors.

Our summer season includes the months of December, January, and February, when the temperature on the plains frequently exceeds 100° in the shade, and 130° to 140° in the sun. In 1876 the thermometer registered in December 114° 2' in the shade, and 162° 6' in the sun. This degree of heat has only been exceeded on two former occasions, viz., in 1865, when the thermometer registered, on the 9th January, 116° 3', and the 14th January, 1862, when the reading was 115° in the shade and 165° in the sun. Such a temperature produces very injurious

effects on the introduced plants, especially those from cooler climes, and leaves even injurious traces on the native vegetation.

During the blowing of a hot wind the thermometer and the wet bulb thermometer show often a difference of 30° to 40°, and it is that which enables persons to bear the heat of our summer and carry out their usual pursuits in the field or elsewhere, which in a tropical climate would be impossible.

The changes of temperature during the summer are often very sudden, so that in a short time the thermometer falls from 90° or 100° to 60° or 70°.

Our summer months are characterized by great heat, hot winds, and dryness. Often not a drop of rain falls for eight or ten weeks, and it is during this time that not only the indigenous but the acclimatized vegetation suffers materially. The ground becomes so hot and cracks, that even the occurrence of a heavy fall of rain serves only to clear the leaves from dust, as it evaporates as quickly as it falls.

The autumn season includes in Australia the months of March, April, and May, and is one of our genial and beautiful parts of the year. The temperature falls rapidly, only reaching 70° to 90° in the shade, the mean being 64° 6'; and in the month of May it is only 58° 2'. The northern winds become cooler, the solar radiation is considerably reduced, and heavy dews begin to fall at night. The indigenous vegetation, which has suffered through the summer, awakes to new life, and trees and shrubs put forth fresh growth, while the leaves of the European deciduous trees and shrubs get their autumnal tints and drop.

June, July, and August constitute our winter, our rainy season, which is usually marked by frequent rain and strong winds; but it happens also often that we have to content ourselves with remarkable dry winters, the mean temperature during the three months being 54° to 55° 7'. Heavy hoar frosts and frosts appear often during night. The lowest temperature registered in 1876 and '77, during the month of July, has been 30° and 28°, the lowest experienced in the plains near Adelaide. Such heavy frosts have most disastrous effects upon the tropical and subtropical plants in the gardens.

The spring season, the most genial and most beautiful in South Australia, not surpassed in any other part of the world, includes the months of September, October, and November, the mean temperature during the first two months being 60° to 70°.

At this time of the year, the gardens are in their best floral beauty—trees, shrubs, perennials, annuals, emulate each other in regard to their flowers, which are of such size, richness in color, and perfection as a

northern gardener can scarcely imagine. But early-appearing hot winds in November destroy those floral beauties in the course of a few hours.

The average fall of rain during the year in the plains of Adelaide is 19in. to 21in.; but the distribution is unequal, even on plains not far apart, each showing a great difference in the rainfall.

In the Mount Lofty Ranges, about eight miles distant from Adelaide, the average of rainfall is 40-677in.

According to our indefatigable Government Astronomer, Charles Todd, C.M.G., the lowest rainfalls have been:—In 1850, when only 11·644in. fell; in 1859, 11·647; in 1857, 12·650in.; in 1854, 13·437in., and in 1871, 14·926in. The highest fall near Adelaide was in 1875, when 31·455in. fell.

This climatic sketch refers only to the plains around Adelaide. In the southern parts, and in the hills, the temperature is much cooler, and the rainfall, as already mentioned, much heavier.

From the foregoing it can be imagined that not all the plants from other countries will thrive with us.

The Alpine and tropical ones suffer not only from our dry atmosphere, but the latter also from the cold during the winter months. In the hills the Alpine plants and those of other cool countries grow exceedingly well, but the tropical ones are destroyed by the frosts, which in such localities are even severer than on the plains.

Not many European and North American forest trees prosper with us in the plains. Only the elm, plane, ash, chestnut, poplar, locust tree grow vigorously, while the oak, lime, birch, horse chestnut, maple, thrive only slowly, and suffer materially from the drought. All the attempts to grow the beautiful beech tree in the plains have failed, and even in the hills it grows only slowly, while the other trees mentioned thrive most luxuriantly in those localities.

It is the same with the coniferous trees. The most vigorous growing European pines on the plains are only *Pinus halepensis* Mill., *Pinaster*, Ait., and *Pinea* Linn. All other kinds show only a very moderate growth. *Pinus sylvestris*, Linn. and the genera *Picea* and *Abies* are of a lingering growth, while *Pinus Larix* Linn. succumbs to the slightest hot winds and droughts. Of this fine tree not one specimen is met with in South Australia.

Of the Californian coniferous trees only such as appear' at an elevation of 1,000 to 2,000 feet do remarkably well in the plains of South Australia, especially *Pinus insignis* Dougl., which reaches often in the course of ten to twelve years a height of 40 to 50 feet, with a stem of 5 feet in circumference. The *Cupressus* and *Thujas* thrive also

luxuriantly with us, although some kinds of the first seem to have a short duration of life in South Australia, especially *Cupressus macrocarpa* Hartw., which, after a very rapid growth, dies suddenly when about twelve to sixteen years old. *Wellingtonia gigantea* does not delight in our climate, although growing the first year tolerably well, but later it ceases to grow, and dies slowly.

Very few of the Himalayan conifers prosper in the plains, especially such as appear at an elevation of 7,000 to 8,000 feet, viz., *Abies Smithiana* Loud., *Brunoniana* Lindl., *Picea Pindrow* Loud., *Webbiana* Loud., *Pinus Gerardiana*, Wall., *excelsa* Wall., &c. Their growth is very slow, and they succumb in a few years to the droughts and hot winds. Only *Cedrus Deodara* Roxb. and *Pinus longifolia* Roxb. doing well with us, although *Cedrus Deodara* in their native state appear at an elevation of from 5,000 to 12,000 feet.

Still more difficult is the existence of the Japan conifers. None will prosper luxuriantly out of doors with us. *Thuiopsis*, *Retinospora*, *Chamaecyparis*, *Cryptomeria* are of a lingering growth, and much injured by hot winds and droughts. The beautiful umbrella pine *Sciadopitys verticillata* Siebold. can scarcely be kept alive indoors. None of the *Taxus*, may they be natives of Europe, America, or East India, prosper with us.

I have already pointed out that some of the tropical trees and shrubs do not object to our climate, and thrive tolerably well. I will only mention the most noteworthy.

Of the Chinese and Japanese flora *Paulownia imperialis* Siebold, *Laurus Camphora* Willd., *Broussonetia papyrifera* Vent., *Stillingia sebifera* Michx., *Aralia papyrifera* Hook., *Koelreuteria paniculata* Laxm., *Sophora japonica* Linn., *Eriobotrya japonica* Lindl., *Rhus succedanea* Linn., *Hibiscus rosa sinensis* Linn., *Euonymus japonicus*, Linn., *radicans* Zucc., &c.; but the handsome Japanese maple, *Acer polymorphum* Spach., in its numerous varieties, despise our climate entirely. They even will not grow in our greenhouses.

From the East Indian flora the following genera thrive well with us in the open air, viz. :—*Erythrina*, *Rhaphiolepis*, *Bauhinia*, *Lagerstroemia*, *Guilandia*, *Poinciana* *Gillesii* Hook. *Poinciana pulcherrima* Linn. is too tender.

The Chinese, Japanese, and East Indian Alpine plants, viz., camellias, rhododendrons, azaleas, as already mentioned, will not stand our dry and hot summers out of doors, but find a genial climate in the hills and gullies, at an elevation of 1,000 to 2,000 feet, where they reach the same perfection that we are used to see them at home.

From the South American flora *Jacaranda mimosaeifolia* Don., *Myroxylon peruiferum* Knth., *Brugmansia*, *Begonias*, and *Tecomas*.

Only some of the African palms prosper with us in the open ground, viz., the date palm, *Phoenix dactylifera*, Linn., *reclinata* Jacq., *Chamaerops humilis* Linn., *Palmetto* Michx. From tropical Australia, *Corypha australis* R. Br., and from other tropics *Sabal Blackburnia* Glzbr., *Chamaerops Fortunii*.

The South Australian climate suits all the succulent plants which develop out of doors to great perfection, especially *Yuccas*, *Aloes*, *Agaves*, *Fourcroyas*. *Aloe americana*, *mexicana*, and *Fourcroya* flower generally in their twelfth year after planting, their flower-spikes reaching the size and height (30 to 40 feet) as I have met them during my travels in South America. Of the *Cacteae* the same may be said, as only the smaller kinds want protection in summer from the scorching sun's rays, and in winter from the heavy rains.

The growth and well-doing of the perennials, more particularly those of cooler climes, are very problematical. Only such as root deeply in the ground will withstand our dry summer. We do not succeed with the perennial *Phloxes* (although the annual *Phloxes* do remarkably well, even throughout the summer months), *Delphiniums*, *Campanulas*, and *Aconitums*; in fact, most of our handsome European perennials succumb to our summer.

The annuals in general grow most luxuriantly during the winter and part of the spring months, and arrive at great perfection, especially the stocks, which reach so extraordinary a size as at home would be considered an exaggeration if described. But our climate is fatal to the handsome and favorite autumn flower the China Aster, which, even in a very favorable season, will only produce small insignificant flowers; and, strange to say, all its endless varieties, viz., quilled, Victoria, paeony-flowered, chrysanthemum asters go back to the original type.

Also the handsome *Dahlias* will not prosper on the plains, their flowers being only small, and suffering from the slightest hot wind; but in the hills they attain perfection.

Indeed the aspect of our gardens during the summer months would be a very dreary one if it was not for the *Petunias*, *Verbenas*, *Zinnias*, *Zonale Pelargoniums*, *Tagetes*, *Amaranths*, and *Gomphrenas*. These annuals develop their flowers, with a little help of water, to perfection unknown at home. Of the splendour of the oleanders, which bloom during the summer months, no northern gardener can have any conception. The masses, size, colour, and fragrance of their flowers surpass those produced in their native country; and these lovely plants are in bloom during all our summer months.

The roses will attain similar perfection if we have a favorable season; but, alas, this happens very rarely. The roses have to contend against two enemies, viz., the rose blight and the hot winds. The first scourge can be mitigated by cleaning, but against the hot winds we have no remedy. No flower is more injuriously affected by hot winds; and the small buds are even destroyed by only moderately hot winds, appearing as if a fire had run over them. The dark-colored flowers suffer most. The rose season in 1877 of South Australia has never been surpassed. The roses were free of blight, and the atmosphere throughout September and October being cool, with a cloudy sky and occasional showers, produced a profusion of flowers not uncommonly five to six inches in diameter.

Bulbous and tuberous plants from the Cape thrive with us as vigorously as in their native country, chiefly the *Gladiolus*, *Brunswigias*, *Haemanthus*, *Watsonias*, *Ixias*, *Babianas*, *Ornithogalums*, &c. The same is the case with *Hippeastrums*, *Amaryllis*, *Crinums*, *Pancratiums*, *Alstroemerias*, &c., from any part of the globe. Not so, however, with the *Liliums*. Only *Lilium candidum*, *longiflorum* Thunb., and *eximium* Siebold, thrive well with us out of doors, while all other species, especially those from Japan, will not prosper in the open ground. The same dislike to our climate has also *Fritillaria imperialis* Linn., which never produces flowers, and the bulb dies within a year or two after its introduction. The tulips and hyacinths also find our climate in the plains unsuitable. The tulip bulbs will produce flowers for a year or two, but they gradually dwindle away after the second year. Hyacinths produce good flowers the first year, but afterwards the bulbs divide into numerous suckers, which produce no flowers until they are separated and planted, requiring two or three years before they again flower, again to divide into numerous offsets.

Ranunculus and *Anemones* produce the first year splendid flowers, especially the former; but the *Anemone* tubers show the same decay as the tulips, and dwindle away often already the second year. The *Ranunculus* begin to fail the third or fourth year. *Narcissus*, *Tacetas* and various other kinds delight in our climate, and attain to great perfection, except the varieties of *Narcissus poeticus*.

In the plains it is impossible to grow ferns out of doors—not even the few South Australian species, which are found growing in the hills and gullies, unless planted in very shady, moist, and protected places.

Regarding the plants grown under glass, the summer months of South Australia are not at all genial to the luxuriant growth of orchids, on account of the dry and hot atmosphere. To grow them on wooden blocks is not practicable at all. Though the orchid-houses be kept close,

shady, and damp, the hot air, especially in a fierce-blowing hot wind, will penetrate into the house and injure their air-roots, if growing on blocks, thus checking the growth of the plants materially, so that some time elapses before the roots show young growth again. The only prevention is to grow the plants in orchid-pots in sphagnum for the protection of the roots. During the summer months great attention is required for the plants in the stoves, conservatories, palm and green houses. To protect the plants from the burning rays of the sun the houses must be shaded by blinds. In fact, the effects of the sun on the glass act like a burning-glass, so that the leaves of the plants exposed to the sun's rays are burned in a very short time. On days when the thermometer shows 130° to 140° in the sun, every precaution is necessary to keep the temperature down in the houses.

With the exception of the intertropical fruits, although there are only a few of these, all fruits from other parts of the globe thrive most luxuriantly in South Australia, and come to such perfection in size, and frequently in flavor, as is hardly known in other countries; and many fruits are found to improve materially by the change, as the climatic conditions often succeed in modifying and improving their condition. On the plains grow apples, pears, apricots, peaches, nectarines, oranges, citrons, lemons, plums, cherries, figs, almonds, mulberries, olives, and grapes; while in the hills and gullies besides are grown strawberries, raspberries, gooseberries, currants, walnuts, chestnuts, filberts, &c.

The apples grow to great sizes, but do not always possess the same fine flavour as at home, and contain more acidity. The apple trees suffer much from the attack of the American blight, for which no radical remedy is at present known. The trees which grow in the hills or in rich soil suffer most, and succumb at last to this scourge. The pears grow to perfection, and maintain the same flavor as in the old country.

The fruit of the peaches, apricots, plums, reach to a size and contain a flavor unknown in Europe. The cherries do not attain the perfection of home. All the stone-fruit producing trees are short-lived, especially those of the peach, which live scarcely fourteen to sixteen years. This early decline may be owing to the quick, luxuriant growth and early and excessive bearing, circumstances which produce over-stimulation and early exhaustion.

It often happens that by a fierce, hot north wind the parts of fruit, viz., apples, pears, plums, apricots, and peaches, on the plains, which are exposed to the north become quite black, and are, in the true sense of the word, "baked." Such days we are experiencing at the present time. During the last eight days the reading of the thermometer has

been from 98° to 110° in the shade; but on the 10th of January it was scarcely endurable. At about 3 o'clock p.m. the thermometer registered at the Botanic Garden 116° in the shade and 166° in the sun. That such a temperature must prove very destructive to our introduced plants can easily be imagined. In fact, the leaves of trees and shrubs have the appearance as if a fire had run over them.

The finest grapes are grown in the plains and the slopes of the Mount Lofty range facing the plains. Here they grow to a great size, the summer months ripen them to the greatest perfection; and the South Australian wine must obtain a high character in foreign markets. For the last five years the oidium has made its appearance in our vineyards, but not with such bad results as in Europe. Also the *Phylloxera* has appeared in the vineyards of our neighbour Colony, Victoria, and may, it is feared, also attack our vineyards. From this it will be seen that the Australian vigneron, like the European, have to contend against the two greatest scourges which can invade a vine-growing country.

The cultivation of the olive is a great success, and the oil considered perfect.

All vegetables can be grown during the autumn and winter on the plains; but in no comparison so successfully as in the hills, where are raised the finest vegetables and other culinary herbs throughout the year in great abundance. Cauliflowers two feet in diameter are often seen in the market—cabbages, asparagus, turnips, artichokes, leeks, onions, beet, carrots, potatoes, endive, lettuce, celery, cucumbers, water and sweet melons growing to an extraordinary size, and of the finest flavor.

The cucumbers and water and sweet melons grow most luxuriantly on virgin soil, but if grown on the same spot several years running (although manured) the fruit degenerate in size and flavour, and ultimately produce no fruit at all.

That South Australian cereals are considered to be the finest grown in the world is pretty well known.

When a new comer visits for the first time our Agricultural and Horticultural Shows, and observes the fine display of the splendid flowers, fruits, vegetables, and cereals in their utmost perfection, he must consider South Australia a favored land; and it is, indeed, surprising, that our fickle climate, with its extremes, droughts, hot winds, can produce such developed specimens of Nature's gifts.

R. SCHOMBURGK, PHIL. DR., Director.

January 20th, 1878.

ABBREVIATIONS.

AUTHORITIES QUOTED.

[Those marked * are dead.]

- Adans Adanson, M., a French botanist.*
Ait. Aiton, W. D., Director of Kew Garden.*
All. Allioni, C., a Piedmontese botanist.*
Andr. Andrews, H., an English botanist.
Arn. Arnott, G. A., a Scotch botanist.
Arrab. Arrabida, Don A. da, a Brazilian botanist.
Audib. Audibert, a French botanist.

Backh. Backhouse, J., an English botanist and traveller.
Bail. Bailey, J. W., an American Professor of Botany.
Baker, J. G. an English botanist.
Balb. Balbis, J. B., Professor of Botany, Turin.
Balf. Balfour, J. H., Professor of Botany, Edinburgh.
Banks Banks, Sir J., a celebrated English botanist and traveller.*
Bapt. Baptist, J. A., nurseryman in Sydney, N.S.W.
Barneoud, M. a French botanist.
Bartl. Bartling, F. G., Professor of Botany, Gottingen.*
Bart. Barton, B. C., Professor of Botany, Philadelphia.
Batem. Bateman, J., an English botanist.
Baumg. Baumgarten, J. C. G., a German botanist.
Bbrst. Bieberstein, Marshall F. V., a celebrated Russian botanist.
Beauv. Beauvois, Palisot de, a French botanist.
Behr. Behr, Dr., a German botanist.
Benth. Bentham, G., a celebrated English botanist.
Berg. Bergius, J., Professor of Botany, Stockholm.*
Bernh. Bernhardi, J. J., a German botanist.
Bert. Bertero, C. J., a celebrated Piedmontese botanist and traveller.
Bess. Besser, W. J. J., a Russian botanist.
Bivon. Bivona, Bernardi A., a Sicilian botanist.
Blanch. Blanchet, A., a botanist and traveller in Brazil.

- Blum. Blume, C. L., a celebrated Dutch botanist and traveller in Java.*
- Boiss. Boissier, E., one of the celebrated Swiss botanists of the present time.
- Boj. Bojer, an English botanist.
- Bong. Bongard, H. G. von, a Russian botanist.
- Booth. Booth, C., a celebrated nurseryman, Hamburg.
- Bosc. Bosc, L., late Director of the Royal Gardens, Paris.*
- Bory. Bory, de St. Vincent, a French botanist and traveller.
- Bouchè. Bouchè, C., Inspector of the Botanic Garden, Berlin.
- A. Br. Braun, A., Professor of Botany, and Director Botanic Garden, Berlin.
- P. Br. Brown, P., an Irish botanist.
- R. Br. Brown, R., a celebrated English botanist.*
- Brong. Brongniart, A., Professor of Natural History, Paris.
- Brouss. Broussonet, P. M. A., a French botanist and traveller.*
- Bruce, J. an eminent botanist.*
- Burch. W. Burchel, an English botanist.
- Brot. Brotero, F. A.*
- Buchan. Buchanan, (Hamilton), a Scottish botanist.
- Bunge, A. a German botanist.
- Burm. Burmann, W. J., Professor of Botany at Amsterdam.*
- Caley. Caley, G., an English botanist and traveller.
- Carey. Carey, M., an American botanist.*
- Carriere. a French botanist.
- Cassin. Cassini, H., a French botanist.*
- Cav. Cavanilles, A. J., a Spanish botanist.*
- Cels. Cels, J. M., a celebrated French nurseryman.
- Cerv. Cervantes, V., a Mexican botanist.
- Chaix. Chaix, a French botanist.
- Chmss. Chamisso, A. von, a celebrated German botanist.*
- Collad. Colladon, T. F., a Swiss botanist.
- Colebr. Colebrooke, H. Th., a botanical traveller in E. India.
- Colv. Colville, C., a botanist.
- Comm. Commerson, P., a French botanist and traveller.*
- Corr. Correa, J. F., a Portuguese botanist.
- Court. Courtois, R. J., Professor of Botany, and Director of the Botanic Garden of Lübeck.*
- Cunn. Cunningham, A., an English botanist.
- Cunn. Cunningham, R., an English botanist.
- Curt. Curtis, W., an English botanist.
- Dec. Decandolle—father,* son,* and grandson, eminent botanists of Geneva.
- Decasn. Decaisne, J.. Professor of Botany, of Paris.
- Delar. Dela Roche, a French botanist.
- Delil. Delile, A. R., a French botanist and traveller.
- Den. Denson, J., an English botanist.

- Desf. Desfontaines, R. L., Professor of Botany, of Paris, and traveller in Africa.*
- Desv. Desvaux, N. A., a French botanist.
- Desr. Dessrousseaux, a French botanist.
- Dietr. Dietrich, A., a German botanist *
- Don Don, David and George, both celebrated English botanists.*
- Dougl. Douglas, D., Collector of Plants, and traveller in North America.*
- Dryand. Dryander, J., a Sweedish botanist.*
- Dumort. Dumortier, B. L., a Belgian botanist.
- Dun. Dunal, M. F., Professor of Botany, of Montpellier.
- Duraz. Durazzini, an Italian botanist.
- DuRoi. Du Roi, a German botanist.*
- D'Urvil D'Urville, J., a French traveller and botanist.*
- Eckl. Ecklon, F., a German botanist, and traveller in Africa.
- Ehrh. Ehrhart, F., a German botanist.*
- Endl. Endlicher, S., Professor of Botany, Vienna.*
- Englm. Engelman, C. W., a German botanist.
- Fisch. Fischer, F. L. de, Director of the Botanic Garden, St. Petersburg.*
- Flueg. Fluegge, J., a German botanist.*
- Forsk. Forskal, P., a Swedish botanist.*
- Forst. Forster, G., a Professor of Natural History, of Halle.*
- Fort. Fortune, an English botanist.*
- Fras. Fraser, Ch., an English botanist and traveller.*
- Funck. Funcke, H. C., a French botanist.
- Gaert. Gaertner, J., a German botanist.
- Gardener an English botanist.
- Gaudich. Gaudichaud, A., a French botanist and traveller.
- Gawl. Gawler (Ker), J. B., an English botanist.
- Gay Gay, J., a French botanist.
- Gill. Gillies, Dr. A., a botanical collector in Chili.
- Gledit. Gleditsch, a Professor of Botony, of Berlin.*
- Gouan. Gouan, A., a Professor of Botany, and Director of Botanic Garden, Montpellier.*
- Grah. Graham, R., Professor of Botany, University of Edinburgh.
- Gray. Gray, A. S. A., an American botanist.
- Guers. Guersent, L. B., a French botanist.
- Guilfoyle. Guilfoyle, nurseryman in Sydney, N. S. Wales.
- Gusson. Gussone, G., an Italian botanist.
- Hall. Haller, A. von, a celebrated Swiss botanist.
- Hammilt. Hammilton, F., a Scotch botanist.
- Hanst. Hanstein, Dr., a German botanist.

Hartm.	Hartmann, K. L., a German botanist.
Hart.	Hartig, Th., a German Professor of Botany.
Hartw.	Hartweg, A., a German botanical traveller.
Hassk.	Hasskard, J. C., a Dutch botanist.
Harv.	Harvy, an English botanist.
Haw.	Haworth, A. H., an English botanist.*
Heist.	Heister, L., a German Professor of Botany.*
Heldr.	Heldreich, Th. von, a German botanist.
Hellen.	Hellenius, F., a German botanist.
Hens.	Henslow, an English botanist.
Herb.	Herbert, W., an English writer on amaryllidaceous plants.*
Herd.	Herder, Dr. F. von, a Russian botanist.
Heuff.	Heuffel, J., an Hungarian botanist.
Hil.	St. Hilaire, A., a French botanist, and traveller in South America.*
Hill, W.	Director Botanic Garden, Brisbane.
Hochst.	Hochstetter, Ch. F., a German botanist.*
Hoess, F.	a German forester.
Hoffmsg.	Hoffmannsegg, Count J. C., a celebrated German botanist.
Hook.	Hooker, Sir W.,* and J. Hooker, son, celebrated botanists, and Directors of the Botanic Garden, Kew.
Hopp.	Hoppe, D. H., Professor of Botany, Regensburg.
Hornm.	Hornemann, Professor of Botany, and Director of Botanic Garden, Copenhagen.
Hort.	Hortorum, of the Gardens.
Houst.	Houston, G., an English botanist.
Houtte.	Houtte, von L., a celebrated nurseryman at Ghent.
Howe.	Howe, an English botanist.
Hsskl.	Hasskarl, J. C., a Dutch botanist in Java.
Huds.	Hudson, W., an English botanist.
Hueg.	Huegel, Baron C., Director of the Botanic Garden, Vienna.
Humb. & Bonpl.	Humboldt, A. von, the celebrated traveller and botanist.* Bonplant, A., a celebrated botanist, his fellow traveller.*
Jacq.	Jacquin, J. F. B. de, a celebrated Austrian botanist.*
Jungh.	Junghuhn, F., a Dutch botanist.
Juss.	Jussieu, A. L. de, a celebrated French systematical botanist.*
Karst.	Karsten, C. A., a German Professor of Botany.
Karw.	Karwinsky, Baron, a Bavarian botanist and traveller.
Ker.	Ker, J. B. (Gawl.), an English botanist.
Kit.	Kitaibel, P., Professor of Botany, and Director of the Botanic Garden, Pesth.

- Kl. Klotzsch, M., a celebrated German botanist, and
Oustos of the Herbarium, Berlin.*
- Knght. Knight, Sir Th., an English botanist*
- Knth. Kunth, S., Professor of Botany. Berlin.*
- Koch. Koch, C., Professor of Botany, Berlin.
- Koch. Koch, W., Director Botanic Garden, Erlangen.
- Koen. Koenig, J. G., a celebrated German botanist.
- Kotschy, Th. A German botanist
- Kze. Kunze, G., Professor of Botany, Leipsic.*
- Labill. Labillardiere, J. J., a celebrated French botanist.
- Lag. Lagasca, M., Professor of Botany, and Director
Botanic Garden, Madrid.
- Lam. Lamark, J. B. de Monnet, a celebrated French botanist.*
- Lamb. Lambert, A. B., an English botanist.
- Lapeyr. Lapeyrouse, P., Picot, a celebrated French botanist
and traveller.
- Laws. Lawson, Th., an English botanist ..
- Laxm. Laxman, E., a Swedish botanist.* ..
- Ledb. Ledebour, C. F. de, a celebrated Russian botanist.
- L'Herit. L'Heritiere, C. L. de Brutelle, a celebrated French
botanist.*
- Lehm. Lehmann, J. G., a German Professor of Botany.*
- Lem. Lemaire, C., a French botanist.
- Lesch. Leschenault de la Tour, a French botanist.
- Less. Lessing, C. F., a German botanist.
- Lestib. Lestiboudois, J. B., a French botanist.*
- Lind. Linden, J. J., a celebrated traveller and nurseryman in
Brussels.
- Lindl. Lindley, J., a celebrated English Professor of Botany.*
- Link. Link, H. F., Professor of Botany, and Director of
Botanic Garden, Berlin.*
- Linn. Linnaeus, the celebrated Swedish naturalist.*
- Llav. LaLavy, P. A., a French botanist.
- Lodd. Loddiges, K., a celebrated nurseryman, London.*
- Loefi. Loeffling, P., a Swedish botanist and traveller in South
America.*
- Loisl. Loiseleur, Deslengschamps, a French botanist
- Lour. Loureiro, J. de, a Portuguese botanist and traveller.*
- Low. Lowe, R. T., an English botanist and traveller.*
- Lyon. Lyon, J., a North American botanist and traveller.*
- Mack. Mackay, J. T., an English botanist.
- Mass. Masson, F., an English botanist.*
- Math. Matthieu, a distinguished nurseryman at Berlin.
- Maxim. Maximilian, Prince of Neuwied, a distinguished
naturalist and traveller in South and North America.*
- Medic. Medicus, F. C., a German botanist.*
- Meisn. Meisner, C. F., Professor of Botany, Basil.

- Metz. Metzger, J., Inspector of the Botanic Garden at Heidelberg.
- Mey, E. Meyer, E. H., a German botanist.
- Mhlbrg. Muehlenberg, H., a German botanist.*
- Michx. Michaux, A., a French botanist and traveller.*
- Miers. An English botanist.
- Mik. Mikan, J. C., a German Professor of Botany.*
- Mill. Miller, J., an English scientific garden botanist.*
- Miq. Miquel, F. A., a Dutch botanist.
- Mirbl. Mirbel, E. F., Professor of Botany, Paris.
- Moc. Mocino, J., an Italian botanist.
- Molin. Molina, J. J., a missionary and botanist, Paris.
- Moench. Moench, C., a celebrated German botanist.
- Mon. Monro, a botanist.
- Moore. Moore, C., Director of the Botanic Garden, Sydney.
- Moore. Moore, T., an English botanist.
- Morr. Morren, E., Professor of Botany at Luettich.
- Morett. Morretti, G., an Italian botanist.
- Moric. Moricaud, St., a Swiss botanist.
- Mhlbgr. Muehlenberg, H., a German botanist.
- Muell. Mueller, A., a German botanist.
- Muell., F. Mueller, F. Baron von, Government Botanist, Victoria.
- Murr. Murray, J., Professor of Botany, Gottingen.*
- Neck, J. v. A German botanist.
- Nees. Nees, von Esenbeck, a celebrated Professor of Botany, and Director of the Botanic Garden, Breslau.*
- Nocc. Nocca, D., Professor of Botany, and Director Botanic Garden, Pavia.
- Nutt. Nuttal, Th., Professor of Botany, Philadelphia.
- Oliv. Olivier, G. A., a French naturalist.
- Orteg. Ortega, B. G., Professor of Botany, and Director of the Botanic Garden, Madrid.
- Otto. Otto, F., Inspector Botanic Garden, Berlin.*
- Pall. Pallas, P. S. de, a Russian botanist and traveller.
- Parlat. Parlatore, an Italian botanist.*
- Parm. Parmentier, a Belgian botanist.
- Paxt. Paxton, Sir J., a celebrated English horticulturist.*
- Penny, G. An English botanist.
- Perrot. Perrotet, S., a French botanist and traveller.
- Pers. Persoon, a celebrated French botanist.*
- Pet. Thou. Petit Thouars, A. du, a celebrated French botanist and traveller.
- Pfeiff. Pfeiffer, L. D. M., a German botanist.
- Plum. Plumier, C., a French botanist.*
- Pohl. Pohl, J. E., Professor of Botany, Vienna.*

- Poir. Poiret, J. L. M., a French botanist.
 Pourr. Pourret, A., a French botanist.
 Presl. Presler, C. B., a Bohemian botanist.
 Pr. Prince, C., nurseryman in New York.
 Pursh Pursh, F. A., a German botanist.
 Putr. Putterlick, A., Curator of the Imperial Herbarium,
 Vienna.*
- Rafin. Rafinesque, C. F., a French botanist.
 Redout. Redouté, P. K., a French botanist and flower painter.
 Regl. Regel, E., Director Botanic Garden, St. Petersburg.
 Reichb. Reichenbach, H. L., Professor of Botany, Dresden.
 Reichb. fil. Reichenbach, son, Professor of Botany, and Director
 of the Botanic Garden, Hamburg.
 Reinw. Reinward, H. G. C., Professor of Botany, Leyden.*
 Reiss. Reisseck, a German botanist.*
 Retz. Retzius, A. J., Professor of Natural History, London.*
 Richards Richardson, J., an English botanist.
 Risso Risso, A., an Italian botanist.
 Rumph. Rumphius, G. E., a celebrated Dutch naturalist.*
 Roche. Rochel, A., an Hungarian botanist.*
 Roel. Roeling, J. C., a German botanist.*
 Roezl. Roezel, a botanist and collector in Mexico.
 Roem. & Schult. Roemer, J. J., and Schultes, J. A., both distinguished
 German botanists.
 Rosc. Roscoe, W., an English botanist.
 Roth. Roth, A. W., a German botanist.*
 Royl. Royle, I. F., an English botanist.
 Row. Rowland, J., an English botanist.
 Roxb. Roxburgh, W., Director of the Botanic Garden, Madras.*
 Rudg. Rudge, an English botanist.*
 Ruiz & Pav. Ruiz, H.,* and Pavon, J.,* both celebrated Spanish
 botanists.
 Rudol. Rudolph, C. A., a German botanist.
 Russeck Russeck, an English botanist.
 Russ. Russell, A., an English botanist.*
 Sabin. Sabine, T., an English botanist.
 Salsb. Salisbury, an English botanist.
 Salm. Prinz de Salm Dyck, J., an illustrious German botanist.
 Savign. Savigny, J. C., a French botanist.
 Savi. Savi, G., an Italian Professor of Botany, Pisa.*
 Schau. Schauer, J. C., Professor of Botany, Breslau.*
 Scheele, A. A German botanist.
 Schlechtd. Schlechtendal, D. F. L. de, a German botanist.*
 Scheidw. Scheideweiler, a Belgian Professor of Botany.
 Schied. Schiede, C. J. W., a German botanist and traveller.
 Schkr. Schkuhr, a German botanist.*
 Schleich. Schleicher, J. C., a Swiss botanist.

- Schomb. Schomburgk, Sir Robert, a distinguished naturalist and traveller in South America.*
- Schomb. Schomburgk, Richard, a traveller in British Guina, and Director of the Botanic Garden, Adelaide, South Australia.
- Schott Schott, H., Director of the Botanic Garden, Vienna.*
- Schousb. Schousboe, P. K., a Danish botanist in Morocco.
- Schrad. Schrader, H. A., a German botanist.
- Schrank Schrank, F. von Paula, a German botanist, and Director of the Botanic Garden, Münich*.
- Schreb. Schreber, J. C. D. von, a German Professor of Natural History.*
- Schult. Schultes, J. A., a German botanist.*
- Schulz. Schultz, C. H., a Professor of Botany, Berlin.*
- Scop. Scopoli, J. A., Professor of Natural History, Pavia.*
- Sello. Sellow, F., a German botanist and traveller in Brazil.*
- Seem. Seeman, B., a celebrated German traveller, a botanist.*
- Sering. Seringe, N. C., a French botanist.
- Siebol. Siebold, P. F. von, a Dutch botanist and traveller in Japan.*
- Sibth. Sibthorp, J., an English botanist.
- Sims. Sims, J., an English garden botanist.
- Smith Smith, Sir J. E., a celebrated English botanist.*
- Soland. Solander, D. C., an English botanist.*
- Sond. Sonder, W., a celebrated German botanist.
- Son. Sonnerat, P., a French botanist.
- Spach. Spach, A., a French naturalist.*
- Sparm. Sparrman, A., a Swedish botanist.
- Spr. Sprengel, C. de, a celebrated German botanist.*
- Steud. Steudel, E. T., a German botanist.*
- Stev. Steven, C. von, a Russian botanist.
- Swtz. Swartz, O., a celebrated Swedish botanist.*
- Sweet Sweet, R., an English garden botanist.*
- Taush Taush, J. F., an Hungarian botanist.
- Ten. Tenore, M., Professor of Botany, and Director Botanic Garden, Naples.
- Teysm. Teysmann, J. E., a Dutch botanist, and Director of the Botanic Garden, Buitenzorg, Java.
- Thunb. Thunberg, C. P., a celebrated Swedish Professor of Botany.*
- Torr. Torrey, J., Professor of Botany, New York.
- Tournef. Tournefort, a celebrated French botanist.*
- Tratt. Trattinik, L., a Curator of the Botanic Museum, Vienna.*
- Traut. Trautvetter, F. R. von, Professor of Botany, Kew.
- Trem. Treméaux, a French botanist.
- Trécul A French botanist.

- Trin. Trinius, C. B. von, a Russian botanist.*
 Turecz. Turczaninow, W., a Persian botanist.
 Turtsch. Turtschaniof, U. von, a Russian botanist.
 Vahl Vahl, M., a Professor of Botany, Copenhagen.*
 Veitch Veitch, James, celebrated nurseryman, London.
 Vent. Ventenan, S. P., a French botanist.*
 Verschaff. Verschaffelt, a distinguished nurseryman, Belgium.*
 Vill. Villars, D., a French Professor of Botany.*
 Vogel Vogel, E., a German botanist.
 Vr. Vries, U. A. de, Professor of Botany, Amsterdam.*
 W. K. Waltenstein, Count F. A., and Kitaible, P., Professor
 of Botany and Director of the Botanic Garden, Pesth.
 Wall. Wallich, N., formerly Director of the Botanic Garden,
 Calcutta.
 Walt. Walter, Th., an American botanist.
 Wats. Wats, H. C., an English botanist.
 Walp. Walpers, G. W., a celebrated German botanist *
 Wnghm. Wangenheim, F., a German botanist.
 Weihe Weihe, A., a German botanist.
 Webb Webb, P. B., an English botanist and traveller.
 Weinm. Weinmann, J. A., Inspector of the Imperial Garden,
 Pawlowsk.
 Wender. Wenderoth, W. J., Professor of Botany, and Director
 Botanic Garden, Marburg.
 Wendl. Wendland, J. C., a German botanist.*
 Willd. Willdenow, C. L. de, a celebrated German Professor
 of Botany, Berlin.*
 With. Withering, G., an English botanist.*
 Wght. Wight, R., Director of the Botanic Garden, Madras.
 Zucc. Zuccarini, J. G., a Bohemian botanist.

LIST OF SIGNS USED.

↳	Tree or Shrub—woody plants.
↳ shr.	Shrub.
und. shr.	Soft-wooded Shrub.
¶	Perennial.
♂	Biennial Plant—lasting only two years.
○	Annual Plant—lasting only one year.
︵	Climbing Plant.
cr.	Creeping Plant.
tr.	Trailing Plant.
blb.	Bulbous Plant.
tubr.	Tuberous Plant.
aq.	Aquatic Plant.
ep.	Epiphyte.
evgr.	Evergreen Plant.
decid.	Deciduous Plant.
(st.)	Stove Plant.
(g. h.)	Green-House Plant.
(o. d.)	Out-Door Plant.

GOVERNORS OF THE BOTANIC GARDEN.

HON. SIR H. AYERS
W. WYATT, Esq., M.D., J.P.
C. DAVIES, Esq., M.D., J.P.

S. DAVENPORT, Esq., J.P.
Hon. W. EVERARD, J.P.
W. CAVENAGH, Esq., M.P.


Ex Officio Members.

THE SPEAKER | THE MAYOR OF ADELAIDE
THE PRESIDENT of the AGRICULTURAL and HORTICULTURAL SOCIETY.

DISTRIBUTION OF PLANTS.

The Director is alone authorized to furnish plants, seeds, and cuttings, to public establishments and private persons, subject to the following rules:—

1. Plants valuable in agriculture, medicine, or arts, and specimens required for artistic, scientific, educational, or benevolent purposes, gratuitously supplied.
2. No new ornamental plants to be distributed by root or cutting until two years in the garden.
3. Such plants of this description, as they can be spared, will be offered in exchange for animals, plants, and seeds.



PALM-HOUSE—CENTRAL GROUP.

CATALOGUE OF PLANTS.

DICOTYLEDONES.

Ordo. RANUNCULACEAE. Jussieu.

Tribus. Clematideae.

Clematis LINN.

Virgin Bower.

- | | | | | | |
|--------------------|---|---|---------|-----------|-----------------------------------|
| blanda Hook. | h | — | evgr. | (o. d.) | E. Australia |
| coriacea Dec. | h | — | evgr. | (o. d.) | E. Australia |
| erecta All. | γ | — | (o. d.) | S. Europe | |
| florida Thunb. | h | — | decd. | (o. d.) | Japan |
| Fortuni Hort. | γ | — | (o. d.) | Japan | |
| Gouriana Roxb. | h | — | evgr. | (o. d.) | Tropical India, Malayan Peninsula |
| indivisa Willd. | h | — | evgr. | (o. d.) | N. Zealand |
| integrifolia Linn. | γ | — | (o. d.) | S. Europe | |
| lanuginosa Lindl. | h | — | decd. | (o. d.) | China |
| microphylla Dec. | h | — | evgr. | (o. d.) | S. Australia |
| montana Buchan. | h | — | evgr. | (o. d.) | Nepal |
| smilacifolia Wall. | h | — | evgr. | (o. d.) | Nepal, Himalayas, Java |
| Standishii Hort. | h | — | evgr. | (o. d.) | Japan |
| Viticella Linn. | h | — | decd. | (o. d.) | Europe |

Tribus. Anemoneae.

Thalictrum LINN.

Meadow Rue.

- | | | | |
|---------------------|----------------------|---------------|---------|
| angustifolium Jacq. | γ | (o. d.) | Germany |
| " | var. laserpitifolium | | |
| concinnum Willd. | γ | (o. d.) | Europe |
| foeditum Linn. | γ | var. glabrum. | (o. d.) |
| glaucum Desf. | γ | (o. d.) | Europe |
| majus Jacq. | γ | (o. d.) | Europe |

Anemone LINN.	<i>Wind Flower.</i>
apennina Linn.	♀ tubr. (o. d.) Italy
hortensis Linn.	♀ tubr. (o. d.) <i>Star Anemone.</i> Italy
japonica Zucc.	♀ tub. (o. d.) Japan
memorosa Linn.	♀ tubr. (o. d.) Europe
palmata Linn.	♀ tubr. (o. d.) Africa
pavonina Lam.	♀ tubr. (o. d.) Europe
vitifolia Buchan.	↳ (o. d.) Nepal

Adonis LINN.	<i>Pheasant's Foot.</i>
autumnalis Linn.	⊕ (o. d.) Europe
vernalis Linn.	♀ (o. d.) Europe

Tribus. Ranunculeae.

Ranunculus LINN.	<i>Crowfoot.</i>
-------------------------	------------------

acontifolius Linn.	♀ (o. d.) Europe
acris Linn.	♀ (o. d.) Europe
asiaticus Linn.	♀ tubr. (o. d.) Orient
bulbosus Linn.	♀ tubr. (o. d.) Europe
bullatus Linn.	♀ tubr. (o. d.) S. Europe
lanuginosus Linn.	♀ (o. d.) Europe
monspeliacus Linn.	♀ tubr. (o. d.) France
repens Linn. fil.	♀ (o. d.) Europe
rutaefolius Linn.	♀ (o. d.) Europe
Spruneri Hort.	♀ tubr. (o. d.)

Tribus. Helleboreae.

Helleborus LINN.	<i>Hellebore.</i>
-------------------------	-------------------

antiquorum A. Br.	♂ (o. d.) Orient
niger Linn.	♀ (o. d.) Europe

Nigella LINN.	<i>Love in the Mist.</i>
----------------------	--------------------------

damascena Linn.	⊕ (o. d.) S. Europe
Fontanesiana Hort.	⊕ (o. d.)
sativa Linn.	⊕ (o. d.) S. Europe

Aquilegia LINN.	<i>Columbine.</i>
------------------------	-------------------

astrata Koch.	♀ (o. d.) Germany
canadensis Linn.	♀ (o. d.) N. America
elata Ledb.	♀ (o. d.) Siberia
formosa Fisch.	♀ (o. d.) Kamtschatka
glandulosa Fisch.	♀ (o. d.) Siberia
glauca Lindl.	♀ (o. d.) Himalayas
vulgaris Linn.	♀ (o. d.) Europe

Delphinium LINN. *Larkspur.*

- Ajacis Linn. ♂ (o. d.) S. Europe
 azureum Michx. ♀ (o. d.) America
 chinensis Fisch. ♀ (o. d.) China
 consolida Linn. ♂ (o. d.) S. Europe
 formosum Hort. ♀ (o. d.)
 grandiflorum Linn. ♀ (o. d.) Europe
 nudicaule Torr & Gray. ♀ (o. d.) California
 Requinii Dec. ♀ (o. d.) Majorca
 speciosum Bbrst. ♀ (o. d.) Caucasus

*Tribus. Paeonieae.***Paeonia LINN.** *Peony.*

- Moutan Sims. ♂ deed. (o. d.) China
 officinalis Willd. ♀ (o. d.) Europe
-

Ordo. DILLENIACEAE. De Candolle.*Tribus. Dillenieae.***Wormia ROTTB.**

- alata R. Br. ♂ shr. evgr. (o. d.) Australia

Hibbertia ANDR.

- fasciculata R. Br. ♂ und. shr. evgr. (o. d.) E. Australia
 volubilis And. ♂ evgr. (o. d.) E. Australia

Candollea LABILL.

- cuneiformis Labill. ♂ shr. evgr. (o. d.) W. Australia
-

Ordo. CALYCANTHACEAE. Lindley.**Calycanthus LINN.** *Allspice Tree.*

- floridus Linn. ♂ shr. decd. (o. d.) Carolina

“ var. aurantiacus

- occidentalis macrocarpa Hook. ♂ shr. decd. (o. d.) Japan

Chimonanthus LINDL. *Japan Allspice.*

- fragrans Lindl. ♂ shr. decd. (o. d.) Japan
 ramiflora Roxb. ♂ shr. decd. (o. d.) Japan

Ordo. MAGNOLIACEAE. De Candolle.

*Tribus. Wintereae.***Drimys** FORST.

avillaris Forst. ♂ evgr. (o. d.) Magellan
digitata Hook. ♂ evgr. (o. d.) S. America

Illicium LINN.

anisatum Linn. ♂ shr. evgr. (o. d.) Japan
floridanum Linn. ♂ shr. evgr. (o. d.) Florida
religiosum Sieb. & Zucc. ♂ shr. evgr. (o. d.) Japan

*Tribus. Magnolieae.***Magnolia** LINN.

bicolor Hort. ♂ shr. decd. (o. d.)
conspicua Salisb. ♂ decd. (o. d.) China
fuscata Andr. ♂ shr. evgr. (o. d.) China
 " var. *annonaefolia*
 " " *Campbelli*
grandiflora Linn. ♂ evgr. (o. d.) China
Nerbertiana Hort. ♂ (o. d.)
pnrpurea Curt. ♂ shr. decd. (o. d.) China
superba Hort. ♂ (o. d.)

Liriodendron LINN. *Tulip Tree.*

tulipifera Linn. ♂ decd. (o. d.) N. America

Ordo. ANONACEAE. Dunal.

*Tribus. Unoneae.***Cananga** RUMPH.

odorata Teysm. ♂ evgr. (st.) Java

Atrabotrys R. Br.

odoratissima R. Br. ♂ shr. evgr. (st.) India

*Tribus. Mitrephoreae.***Monodora** DUN.

grandiflora Dun. ♂ evgr. S. America

*Tribus. Xylopeae.***Anona LINN.** *Custard Apple.*

- Cherimolia Mill. ♂ evgr. (st.) S. America
 muricata Linn. ♂ evgr. (st.) S. America
 reticulata Linn. ♂ evgr. (st.) S. America

*Tribus. Miliuseae.***Eupomatia R. Br.**

- Bennettii F. Muell. ♂ shr. evgr. (o. d.) E. Australia
 laurina R. Br. ♂ shr. evgr. (o. d.) E. Australia
-

Ordo. MENISPERMACEAE. De Candolle.

*Tribus. Cissampelieae.***Sarcopetalum F. MUELL.**

- Harveyanum F. Muell. ♂ — evgr. (o. d.) Australia

Stephania LOUR.

- hernandiaeifolia Hook. ♂ — evgr. (o. d.) Java, N. Australia
-

Ordo. BERBERIDEAE. Ventenant.

*Tribus. Lardizabaleae.***Akebia DECAISN.**

- quinata Decaisn.

*Tribus. Berbereae.***Berberis LINN.** *Berberry.*

- Aquifolium Pursh. ♂ shr. evgr. (o. d.) N. America
 asiatica Roxb. ♂ shr. evgr. (o. d.) E. Indies
 Bealii Hook. ♂ shr. evgr. (o. d.) China
 carolineana (?). ♂ shr. evgr. (o. d.) N. America
 chinensis Desf. ♂ shr. evgr. (o. d.) China
 crataegina Dec. ♂ shr. deed. (o. d.) Asia
 Darwinii Hook. ♂ shr. evgr. (o. d.) Chile

Berberis—continued.

- diversifolia* Steud. ♂ shr. evgr. (o. d.) Monte Video
dulcis D. Don. ♂ shr. evgr. (o. d.) Magellan St.
Ehrenbergii Kze. ♂ shr. evgr. (o. d.) Mexico
fasciculata Sims. ♂ shr. evgr. (o. d.) S. America
Fortunei Lindl. ♂ shr. evgr. (o. d.)
fuchsioidea Hort. ♂ shr. evgr. (o. d.)
globularis (?). ♂ shr. evgr. (o. d.)
ilicifolia Forst. ♂ shr. evgr. (o. d.) T. del Fuego
Jamesonii Ch. Lem. ♂ shr. evgr. (o. d.) Quito
japonica Lindl. ♂ shr. evgr. (o. d.) Japan
latifolia Ruiz. & Pav. ♂ shr. evgr. (o. d.) Peru
laxiflora Schrad. ♂ shr. evgr. (o. d.) N. America
Leschenaultii Wall. ♂ shr. evgr. (o. d.) E. Indies
microphylla Forst. ♂ shr. evgr. (o. d.) Magellan
nepalensis Spr. ♂ shr. evgr. (o. d.) Nepal
Neubertii (?) Hort. ♂ shr. evgr. (o. d.)
provincialis Audib. ♂ shr. decd. (o. d.) France
sanguinolenta Schrad. ♂ evgr. (o. d.)
sibirica Pall. ♂ shr. decd. (o. d.) Siberia
stenophylla Hort. ♂ shr. evgr. (o. d.)
tenuifolia Lindl. ♂ shr. evgr. (o. d.) Vera Cruz
Thunbergii Dec. ♂ shr. evgr. (o. d.) Japan
vulgaris Linn. ♂ shr. decd. (o. d.) Europe
 " var. *asperma*
 " " *hypoleuca*
 " " *purpurea*
 " " *variegata*

Leontice LINN.

- Leontopetalum* Linn. ♀ (o. d.) Italy

Nandina THUNB.

- domestica* Thunb. ♂ shr. evgr. (o. d.) China

Podophyllum LINN.

- Emodi* Wall. ♀ (o. d.) N. America
peltatum Linn. ♀ (o. d.) N. America
-

Ordo. NYMPHAEACEAE. Salisbury.

Sub Ordo. *Nymphaea*.**Nuphar Sm.**

- lutea* Sm. ♀ aq. pl. (o. d.) Europe

Nymphaea LINN. *Water Lily.*

- alba Linn. ♀ aq. pl. (o. d.) Europe
 ampla Dec. ♀ aq. pl. (o. d.) India
 blanda Meyer. ♀ aq. pl. (o. d.) Guiana
 coerulea Savig. ♀ aq. pl. (o. d.) Egypt
 dentata Schum. & Thun. ♀ aq. pl. (o. d.) Sierra Leone
 gigantea Hook. ♀ aq. pl. (o. d.) N. Australia
 Lotus Linn. ♀ aq. pl. (o. d.) Egypt
 poicila Lehm. ♀ aq. pl. (o. d.) S. America
 thermalis Dec. ♀ aq. pl. (o. d.) Hungaria

Victoria SCHOMB.

- Regia Schomb. ♀ aq. pl. (st.) S. America
-

Ordo. SARRACENIACEAE. Endlicher.

Sarracenia LINN.

- Drummondii Croom. ♀ (g. h.) N. America
 purpurea Linn. ♀ (g. h.) N. America
-

Ordo. PAPAVERACEAE. Jussieu.

*Tribus. Eupapavereae.***Papaver LINN.** *Poppy.*

- alpinum Linn. ♀ (o. d.) Europe
 orientale Linn. ♀ (o. d.) Levant
 pinnatifidum Moris. ♀ (o. d.) Italy
 pyrenaicum Willd. ♀ (o. d.) Pyrenees
 Rhoeas Linn. ♂ (o. d.) *French Poppy.* Europe
 somniferum Linn. ♂ (o. d.) *Opium Poppy.* Europe

Argemone LINN.

- grandiflora Sweet. ♂ (o. d.) Mexico
 mexicana Linn. ♂ (o. d.) Mexico
 ochroleuca Sweet. ♂ (o. d.) Mexico

Arabis LINN. *Water Cress.*

alpina Linn. ♀ (o. d.) Europe
Turrita Linn. ♂ (o. d.) Europe

*Tribus. Alyssineae.***Lunaria LINN.** *Honesty.*

biennis Moench. ♂ (o. d.) S. Europe

Aubrieta ADANS.

deltoidea Dec. ♀ (o. d.) S. Europe

Vesicaria LAM. *Bladder Pot.*

sinuata Poir. ⊖ (o. d.) Spain

Alyssum LINN. *Madwort.*

saxatile Linn. var compactum. ♀ (o. d.) Russia

*Tribus. Sisymbrieae.***Hesperis LINN.** *Rocket.*

matronalis Linn. ♀ (o. d.) Europe

Erysimum LINN.

Peroeskianum Fisch & Mey. ⊖ (o. d.) Caucasus

*Tribus. Lepidineae.***Jonopsidium REICHB.**

acaule Reichb. ⊖ (o. d.) Lisbon

Lepidium LINN. *Pepperwort.*

campestre Linn. ⊖ (o. d.) Europe

*Tribus. Thlaspideae.***Iberis LINN.** *Candy Tuft.*

amara Linn. ⊖ (o. d.) Europe

gibraltaricar Linn. ♂ (o. d.) Gibraltar

sempervirens Linn. ♀ (o. d.) Candia

Tenoreana Dec. ♀ (o. d.) S. Europe

umbellata Linn. ⊖ (o. d.) Italy

*Sub Tribus. Isatideae.***Isatis LINN.** *Woad.*

tinctoria Linn. ♀ (o. d.) Europe

Ordo. CAPPARIDEAE. Ventenant.

*Tribus. Cleomeae.***Cleome** LINN.

pentaphylla Linn.	⊖	(o. d.)	E. India
viscosa Linn.	⊖	(o. d.)	E. India

*Tribus. Cappareae.***Capparis** LINN.*Caper Bush.*

canescens Banks.	↳	evgr.	(o. d.)	N. Australia
Mitchelli Lindl.	↳	shr. evgr.	(o. d.)	Australia
nobilis F. Muell.	↳	evgr.	(o. d.)	E. Australia
spinosa Linn.	↳	shr. decd.	(o. d.)	S. Europe

Thylachium LOUR.

Sinningi (?). ↳ shr. evgr. (?)

Ordo. RESEDACEAE. De Candolle.

*Tribus. Resedaceae.***Reseda** LINN.*Mignonette.*

fruticulosa Linn.	♀	(o. d.)	Europe
Luteola Linn.	⊖	(o. d.)	Weld. Europe
odorata Linn.	⊖	(o. d.)	Egypt

Ordo. CISTINEAE. De Candolle.

Cistus LINN.*Rock Rose.*

albidus Linn.	↳	und. shr. evgr.	(o. d.)	Spain
corboriensis Pourr.	↳	und. shr. evgr.	(o. d.)	Spain
creticus Linn.	↳	und. shr. evgr.	(o. d.)	Tauria
hirsutus Lam.	↳	und. shr. evgr.	(o. d.)	Spain
incanus Linn.	↳	und. shr. evgr.	(o. d.)	Spain
ladaniferus Linn.	↳	und. shr. evgr.	(o. d.)	Spain
laurifolius Linn.	↳	und. shr. evgr.	(o. d.)	Spain
laxus Ait.	↳	und. shr. evgr.	(o. d.)	Spain
Leodon Lam.	↳	und. shr. evgr.	(o. d.)	S. Europe
longifolius Lam.	↳	und. shr. evgr.	(o. d.)	Spain

Cistus—continued.

- monspeliensis Linn. ♂ und. shr. evgr. (o. d.) S. Europe
 parviflorus Lam. ♂ und. shr. evgr. (o. d.) S. Europe
 populifolius Linn. ♂ und. shr. evgr. (o. d.) S. Europe
 salvifolius Linn. ♂ und. shr. evgr. (o. d.) S. Europe
 tauricus Presl. ♂ und. shr. evgr. (o. d.) Tauria
 Tuberaria Linn. ♂ und. shr. evgr. (o. d.) S. Europe
 undulatus Dun. ♂ und. shr. evgr. (o. d.) S. Europe
 vaginatus Ait. ♂ und. shr. evgr. (o. d.) Teneriffe
 vulgaris Spach. ♂ und. shr. evgr. (o. d.) S. Europe

Helianthemum PERS. *Sun Rose.*

- Andersonii Sweet. ♂ und. shr. evgr. (o. d.) Hybrid
 canescens Sweet. ♂ und. shr. evgr. (o. d.) S. Europe
 formosum Dun. ♂ und. shr. evgr. (o. d.) S. Europe
 glutinosum Pers. ♂ und. shr. evgr. (o. d.) S. Europe
 hyssopifolium var. cupreum Tenör. ♂ und. shr. evgr. (o. d.)
 S. Europe
 majoranaefolium Dec. ♂ und. shr. evgr. (o. d.) S. Europe
 mutabile Pers. ♂ und. shr. evgr. (o. d.) S. Europe
 rhodanthum Dun. ♂ und. shr. evgr. (o. d.) Spain
 rosmarinifolium Pursh. ♀ und. shr. evgr. (o. d.) Canada
 sulphureum Willd. ♂ und. shr. evgr. (o. d.) Spain
 variabile Spach. ♂ und. shr. evgr. (o. d.) S. Europe
 " var. tomentosum C. Koch
-

Ordo. VIOLARIEAE. De Candolle.

*Tribus. Violeae.***Corynostylis** MART.

Hybanthus var. albiflora Mart. ♂ ~ evgr. (st.) S. America

Viola LINN. *Violet.*

- cornuta Linn. ♀ (o. d.) Europe
 odorata Linn. ♀ (o. d.) Europe
 tricolor Linn. ♂ (o. d.) Europe
-

Ordo. BIXINEAE. Kunth.

*Tribus. Bixaeae.***Bixa** LINN. *Annona.*

Orellana Linn. ♂ evgr. (st.) S. America

*Tribus. Oncobeae.***Oncoba** FORSK.

Kraussiana Blanch. ♂ shr. evgr. (o. d.) R. Natal

*Tribus. Flacourtieae.***Azara** RUIZ & PAV.

integrifolia Ruiz & Pav. ♂ shr. evgr. (o. d.) Chili

Scolopia SCHREB.

Brownii F. Muell. ♂ shr. evgr. (o. d.) E. Australia

Flacourtieia COMM.

cataphracta Roxb. ♂ shr. evgr. (o. d.) E. India

Aberia HOCHST.

Caffra Har. ♂ evgr. (o. d.) S. Africa

Ordo. PITTOSSOREAE. R. Brown.

Pittosporum BANKS.

bicolor Hook. ♂ evgr. (o. d.) E. Australia

Colensoi Hook. fil. ♂ evgr. (o. d.) N. Zealand

cornifolium A. Cunn. ♂ shr. evgr. (o. d.) N. Zealand

crassifolium Banks. ♂ shr. evgr. (o. d.) N. Zealand

eugeniooides A. Cunn. ♂ evgr. (o. d.) N. Zealand

“ fol. varieg.

ferrugineum Ait. ♂ evgr. (o. d.) E. Australia

phillyraeoides Dec. ♂ evgr. (o. d.) Australia

revolutum Ait. ♂ shr. evgr. (o. d.) Australia

rigidum Hook fil. ♂ shr. evgr. (o. d.) N. Zealand

rhombifolium A. Cunn. ♂ evgr. (o. d.) Australia

Tobira Ait. ♂ shr. evgr. (o. d.) China

“ fol. varieg.

tenuifolium Banks & Sol. ♂ evgr. (o. d.) N. Zealand

undulatum Vent. ♂ evgr. (o. d.) E. Australia

venulosum (?). ♂ evgr.

viridiflorum Sims. ♂ shr. evgr. (o. d.) C. G. Hope

Hymenosporum F. MUELL.

flavum F. Muell. ♂ evgr. (o. d.) E. Australia

Bursaria CAV.

spinosa Cav. ♂ shr. evgr. (o. d.) Australia

Marianthus HUEG.

bignoniaceus F. Muell. ♂ (o. d.) S. Australia

Citriobatus A. CUNN.

miltiflorus Cunn. ♂ shr. evgr. (o. d.) Australia

Billardiera SM.

cymosa F. Muell. ♂ shr. evgr. (o. d.) S. Australia
longiflora Labill. ♂ shr. evgr. (o. d.) E. Australia

Sollya LINDL.

heterophylla Lindl. ♂ shr. evgr. (o. d.) E. Australia

Ordo. TREMANDREAE. R. Brown.

Platytheca STEETZ.

galioides Steetz. ♂ und. shr. evgr. (o. d.) W. Australia

Ordo. POLYGALEAE. Jussieu.

Polygala LINN.

Milkwort.

coreifolia Thunb. ♂ shr. evgr. (o. d.) C. G. Hope
grandiflora Lodd. ♂ shr. evgr. (o. d.) C. G. Hope
myrtifolia Linn. ♂ shr. evgr. (o. d.) C. G. Hope
oppositifolia Linn. ♂ shr. evgr. C. G. Hope
speciosa Sims. ♂ shr. evgr. (o. d.) C. G. Hope

Muraltia NECK.

Heisterii Dec. ♂ und. shr. evgr. (o. d.) C. G. Hope

Mundia KUNTH.

spinosa Dec. ♂ und. shr. evgr. (o. d.) C. G. Hope

Ordo. CARYOPHYLLEAE. Jussieu.

*Tribus. Sileneae.***Dianthus LINN.***Pink.*

alpinus Linn.	♀	(o. d.)	Europe
attenuatus Sm.	♀	(o. d.)	Spain
arenarius Linn.	♀	(o. d.)	Europe
atrorubens All.	♀	(o. d.)	S. Europe
bannaticus Heuff.	♀	(o. d.)	Europe
barbatus Linn.	♂	(o. d.)	Europe
bicolor Bbrst.	♀	(o. d.)	Tauria
caesius Sm.	♀	(o. d.)	Europe
capitatus Dec.	♀	(o. d.)	Caucasus
Carthusianorum Linn.	♀	(o. d.)	<i>Sweet William.</i> Europe
Caryophyllus Linn.	♀	(o. d.)	<i>Carnation.</i> S. Europe
caucasicus Sims.	♀	(o. d.)	Caucasus
chinensis Linn.	♂	(o. d.)	<i>Chinese Pink.</i> China
"		var. <i>imperialis</i>	
corymbosus Sib.	○	(o. d.)	Asia
cruentus Fisch.	♀	(o. d.)	Siberia
deltoides Linn.	♀	(o. d.)	Europe
dentatus Fisch.	♀	(o. d.)	Siberia
fragrans Bbrst.	♀	(o. d.)	Caucasus
Hedgewigii Regl.	○	(o. d.)	<i>Japanese Pink.</i> Japan
petraeus W. K.	♀	(o. d.)	Hungary
plumarius Linn.	♀	(o. d.)	<i>Common Pink.</i> S. Europe
pulchellus Pers.	♀	(o. d.)	Spain
pungens Linn.	♀	(o. d.)	Spain
Scheuchzeri Reichb.	♀	(o. d.)	Alps
serotinus W. K.	♀	(o. d.)	Hungary
serrulatus Desf.	♀	(o. d.)	Africa
superbus Linn.	♀	(o. d.)	Europe
sylvaticus Hopp.	♀	(o. d.)	Germany
viscidus Bory.	♀	(o. d.)	Greece

Tunica SCOP.

saxifraga Scop.	♀	(o. d.)	Europe
-----------------	---	---------	--------

Gypsophila LINN.

altissima Linn.	♀	(o. d.)	Siberia
elegans Bbrst.	○	(o. d.)	Tauria
paniculata Linn.	♀	(o. d.)	Italy
perfoliata Linn.	♀	(o. d.)	S. Europe
trichotoma Wender.	♀	(o. d.)	Europe

Saponaria LINN.*Soapwort.*

calabrica Guss.	♀	(o. d.)	Calabria
multiflora Linn.	♀	(o. d.)	Germany
ocymoides Linn.	♀	(o. d.)	Europe
officinalis Linn.	♀	(o. d.)	Europe
orientalis Linn.	○	(o. d.)	Orient

Silene LINN.*Catchfly.*

alpestris Jacq.	♀	(o. d.)	Alps
Armeria Linn.	○	(o. d.)	Europe
Bergerii Schott.	♀	(o. d.)	Italy
compacta Fisch.	♂	(o. d.)	Caucasus
fabaria Sm.	♀	(o. d.)	Sicily
italica Pers.	♂	(o. d.)	Italy
livida Willd.	♀	(o. d.)	Carniola
nutans Linn.	♀	(o. d.)	Europe
orientalis Linn.	○	(o. d.)	Europe
ornata Ait.	♂	(o. d.)	C. G. Hope
Otites Sm.	♀	(o. d.)	Europe
pendula Linn.	○	(o. d.)	Sicily
quinquevulnera Linn.	○	(o. d.)	Europe
tatarica Pers.	○	(o. d.)	Russia
trinervia Sebast.	○	(o. d.)	Italy
vespertina Retz.	○	(o. d.)	S. Europe
viridiflora Linn.	♂	(o. d.)	S. Europe

Cucubalus LINN.*Cambion.*

bacciferus Linn.	♀	(o. d.)	Europe
------------------	---	---------	--------

Lychnis LINN.

chalcedonica Linn.	♀	(o. d.)	Levant
Coeli rosa Desr.	○	(o. d.)	S. Europe
coronaria Desr.	♀	(o. d.)	Tauria
corsica Loisl.	♀	(o. d.)	Corsica
fulgens Fisch.	♀	(o. d.)	Siberia
flos-Jovis Desr.	♀	(o. d.)	Germany
Haagaena Hort.	♀	(o. d.)	
Sieboldii v. Houtte.	♀	(o. d.)	Japan
Viscaria Linn.	♀	(o. d.)	Europe

*Tribus. Alsineae.***Spergula LINN.***Spurry.*

arvensis Linn.	♀	(o. d.)	Europe
pilifera Dec.	♀	(o. d.)	Corsica

Ordo. PORTULACEAE. Jussieu.

Portulaca LINN. *Purslane.*

- Gillesii Hook. ♂ (o. d.) Chili
 grandiflora Camb. ♂ (o. d.) Brazil
 Thellusoni Lindl. ♂ (o. d.) Brazil

Calandrinia HUMB & BONPL.

- glauca Schrad. ♀ (o. d.) Chili
 speciosa Lindl. ♀ (o. d.) California
 umbellata Dec. ♂ (o. d.)
-

Ordo. TAMARISCINEAE. Desvaux.

*Sub Tribus. Tamarisceae.***Tamarix** LINN. *Tamarisk.*

- chinensis Lour. ♂ decd. (o. d.) China
 gallica Linn. ♂ decd. (o. d.) S. Europe
-


Ordo. HYPERICINEAE. Lindley.

*Tribus. Hypericeae.***Hypericum** LINN. *St. John's Wort.*

- calycinum Linn. ♂ und. shr. decd. (o. d.) Europe
 canariense Linn. ♂ shr. decd. (o. d.) Isl. Canary
 elegans Steph. ♀ (o. d.) Russia
 erectum Thunb. ♀ (o. d.) Japan
 floribundum Ait. ♂ und. shr. decd. (o. d.) Isl. Canary
 Gebleri Ledb. ♀ shr. decd. (o. d.) Siberia
 grandifolium Chois. ♂ und. shr. evgr. (o. d.) Teneriffe
 japonicum Thunb. ♀ (o. d.) Japan
 oblongifolium Chois. ♂ und. shr. evgr. (o. d.) Nepal
 olympicum Linn. ♀ (o. d.) Levant
 orientale Linn. ♀ (o. d.) Orient
 perforatum Linn. ♀ (o. d.) Europe
 repens Linn. ♀ (o. d.) S. Europe
 tetrapterum Fries ♀ (o. d.) Germany
 tomentosum Linn. ♀ (o. d.) S. Europe

Androsaemum ALL.

- officinale All. ♂ und. shr. (o. d.) S. Europe



PALM-HOUSE—FERN GROUP AND FOUNTAIN.

Ordo. **GUTTIFERAE.** Jussieu.

Tribus. Clusiaceae.

Clusia LINN.

liboniana Lind. ♂ evgr. (st.) S. America

Tribus. Garcineae.

Garcinia LINN.

Livistoni (?) ♂ evgr. (st.) E. India.

Xanthochymus ROXB.

pictoriis Roxb. ♂ evgr. (st.) India.

Tribus. Calophylleae.

Calophyllum LINN.

Inophyllum Linn. ♂ evgr. (st.) Java, Ceylon, India

Ordo. **TERNSTROEMIACEAE.** De Candolle.

Tribus. Marcgravieae.

Marcgravia LINN.

paradoxa (?) ♀ (st.) S. America

Tribus. Ternstroemieae.

Eurya THUNB.

latifolia (?) fol. varieg. ♂ shr. evgr. (st.) Japan

Tribus. Gordonieae.

Camellia LINN.

japonica Linn. ♂ shr. evgr. (g. h.) Japan

Thea LINN. *Tea.*

chinensis Sims. ♂ shr. evgr. (g. h.) China

Ordo. MALVACEAE. Jussieu.

Tribus. Malveae.

Malope LINN.

trifida Cav. ♂ (o. d.) Barbary

Kitaibelia WILLD.

vitifolia Willd. ♀ (o. d.) Hungary

Palava CAV.

flexuosa Hook. ♂ (o. d.) Peru

Althaea LINN.*Marsh Mallow.*

officinalis Linn. ♀ (o. d.) Europe

rosea Cav. ♂ (o. d.) *Hollyhock.* China**Nuttallia** BART.

malvaeflora Fisch. ♀ (o. d.) Texas

Lavatera LINN.

arborea Linn. ♂ (o. d.) S. Europe

maritima Willd. ♂ (o. d.) Spain

Olbia Linn. ♂ shr. (o. d.) S. Europe

trimestris Linn. ♂ (o. d.) S. Europe

thuringiaca Linn. ♀ (o. d.) Germany

Malva LINN.*Mallow.*

capensis Linn. ♂ shr. evgr. (o. d.) C. G. Hope

crispa Linn. ♂ (o. d.) Syria

fruticosa Berg. ♂ shr. evgr. (o. d.) C. G. Hope

sylvestris Linn. ♂ (o. d.) Europe

Plagianthus Forst.

betulinus A. Cunn. ♂ shr. evgr. (o. d.) N. Zealand

divaricatus Forst. ♂ shr. evgr. (o. d.) N. Zealand

pulchellus A. Gray. ♂ shr. evgr. (o. d.) E. Australia

Sida LINN.

alnifolia Linn. ♂ (o. d.) India

canariensis Willd. ♂ (o. d.) Isl. Canaries

indica Willd. ♂ (o. d.) E. India

mollis Orteg. ♂ shr. evgr. (o. d.) Peru

vitifolia Cav. ♂ shr. evgr. (o. d.) Chili

Abutilon GAERTN.*Chinese Lantern.*

aurantiacum Hort. ♂ shr. evgr. (o. d.)

Bedfordianum Hook. ♂ shr. evgr. (o. d.) Brazil

Darwinii tesselatum Hort. ♂ shr. evgr. (st.)

Abutilon—continued.

- floribundum Schlcht. ♂ shr. evgr. (o. d.) Mexico
 Regnellii Miqul. ♂ shr. evgr. (o. d.) Brazil
 Sellowianum variegatum Hort. ♂ shr. evgr. (st.)
 Thompsonii Hort. ♂ shr. evgr. (o. d.)
 " fol. varieg.
 venosum H. Turic. ♂ shr. evgr. (o. d.) Mexico
 vexillarium E. Mon. ♂ shr. evgr. (o. d.) Brazil
 " fol. varieg.
 vitifolium Dec. ♂ shr. evgr. (o. d.) Chili

Sphaeralcea St. HILL.

- umbellata Spach. ♂ shr. evgr. (o. d.) Spain

*Tribus. Ureneae.***Pavonia** CAV.

- coccinea Cav. ♂ shr. evgr. (o. d.) St. Domingo
 praemorsa Willd. ♂ shr. evgr. (o. d.) Africa

*Tribus. Hibisceae.***Hibiscus** LINN.

- brasiliensis Linn. ♂ shr. evgr. (o. d.) Brazil
 " var. grandiflorus.
 " var. " compactus.
 calycinus Willd. ♂ shr. evgr. (o. d.) Mauritius
 Camdenii Hort. ♂ shr. evgr. (o. d.)
 elatus Sw. ♂ shr. evgr. (o. d.) W. Indies
 grandiflorus Michx. ♀ (o. d.) Florida
 " fl. albus
 " fl. roseus
 Guifoylii Hort. ♂ shr. evgr. (o. d.)
 Harrisonii Hort. ♂ shr. evgr. (o. d.)
 heterophyllus Vent. ♂ shr. evgr. (o. d.) E. Australia
 Huegelii Endl. ♂ shr. evgr. (o. d.) S. Australia
 hybridus grandiflorus roseus Hort. ♂ shr. evgr. (o. d.)
 Lamberti Hort. ♂ shr. evgr. (st.) S. S. Island
 Lampas Cav. ♂ shr. evgr. (st.) E. India
 liliiflorus Cav. ♂ shr. evgr. (o. d.) Bourbon
 Manihot Linn. ♀ (st.) E. India
 moscheutos Linn. ♀ (o. d.) S. America
 mutabilis Linn. ♂ shr. evgr. (o. d.) E. India
 " fl. pleno.
 palustris Linn. ♀ (o. d.) N. America
 puniceus (?) ♂ shr. evgr. (o. d.)
 populneus Linn. ♂ shr. evgr. (st.) India

Hibiscus—continued.

- Richardsonii Lindl. ♂ (o.d.) E. Australia
rosa sinensis Linn. ♂ shr. evgr. (st.) *China Rose*. China
 " " fl. luteo pleno
 " " fl. pleno
 " " fol. varieg.
speciosus Ait. ♀ evgr. (o. d.) Florida
splendens Fras. ♂ shr. evgr. (o. d.) E. Australia
syriacus Linn. ♂ shr. decd. Syria
 " fl. alba.
tiliaceus Linn. ♂ shr. evgr. (o. d.) N. Australia
Trionum Linn. ♂ *Bladder Kelmia*. (o. d.) Italy

Lagunaria G. Don.

- Patersonii* G. Don. ♂ evgr. (o. d.) E. Australia

Fugosia Juss.

- hakeaeifolia* Hook. ♂ shr. evgr. (o. d.) S. Australia

Gossypium LINN.*Cotton.*

- herbacum* Linn. ♂ (o. d.) E. India
Sturtii F. Muell. ♂ shr. evgr. (o. d.) S. Australia

*Tribus. Bombaceae.***Adansonia** LINN.*Baobab.*

- digitata* Linn. ♂ evgr. (st.) Africa
-

*Ordo. STERCULIACEAE. Ventenant.**Tribus. Sterculieae.***Sterculia** LINN.

- acerifolia* A. Cunn. ♂ evgr. (o. d.) *Flame Tree*. E. Australia
Bidwillii Hook. ♂ evgr. (o. d.) N. Australia
diversifolia G. Don. ♂ evgr. (o. d.) Owaria
heterophylla Beauv. ♂ evgr. (o. d.) Owaria
platanifolia Linn. fil. ♂ evgr. (o. d.) China
quadrifida R. Br. ♂ evgr. (o. d.) E. Australia
ramiflora Benth. ♂ evgr. (o. d.) N. Australia
rupestris Benth. ♂ evgr. (o. d.) E. Australia
trichosiphon Benth. ♂ evgr. (o. d.) N. Australia

Tarrietia BLUME.

argyrodendron Benth. h evgr. (o. d.) E. Australia

Helicteres LINN.

Isora Linn. h shr. evgr. (st.) Ceylon, India, Malabar,
N. Australia.

Pterospermum SCHREB.

acerifolium Willd. h evgr. (o. d.) E. India
suberifolium Willd. h evgr. (o. d.) E. India

*Tribus. Dombeyae.***Dombeya** CAV.

natalensis Sond. h shr. evgr. (o. d.) Port Natal
Mastersii Hook. h shr. evgr. (o. d.) Isl. Bourbon

Astrapaea LINDL.

mollis Lindl. h evgr. (o. d.) Madagascar
Wallichii Lindl. h evgr. (st.) Madagascar

*Tribus. Hermanniaeae.***Hermannia** LINN.

angularis Jacq. h shr. evgr. (o. d.) S. Africa
candidans Ait. h und. shr. evgr. (o. d.) S. Africa
denudata Linn. fil. h shr. evgr. (o. d.) C. G. Hope
disermaefolia Jacq. h shr. evgr. (o. d.) C. G. Hope
hyssopifolia Linn. h shr. evgr. (o. d.) C. G. Hope
plicata Ait. h und. shr. evgr. (o. d.) C. G. Hope
scordifolia Jacq. h shr. evgr. (o. d.) S. Africa
venosa Bartl. h shr. evgr. (o. d.) S. Africa

Theobroma LINN.

Chocolate Nut Tree.

Cacao Linn. h evgr. (st.) S. America

Guazuma PLUM.

tomentosa Humb & Bonpl. h evgr. (o. d.) S. America

Rulingia R. BR.

corylifolia Grah. h shr. evgr. (o. d.) W. Australia
pannosa R. Br. h shr. evgr. (o. d.) E. Australia
parviflora Endl. h shr. evgr. (o. d.) W. Australia

Commersonia FORST.

echinata Forst. h shr. evgr. (o. d.) Moluccas, E. Australia

*Tribus. Lasiopetaleae.***Guichenotia** J. GAY.

ledifolia J. Gay. ♂ shr. evgr. (o. d.) W. Australia

Lasiopetalum Sm.ferrugineum Sm. ♂ shr. evgr. (o. d.) E. Australia
parviflorum Rudge. ♂ shr. evgr. (o. d.) E. AustraliaOrdo. **TILIACEAE.** Jussieu.*Tribus. Grewieae.***Grewia** LINN.acuminata Juss. ♂ shr. evgr. (o. d.) Java
latifolia F. Muell. ♂ shr. evgr. (o. d.) E. Australia
occidentalis Linn. ♂ shr. evgr. (o. d.) C. G. Hope
serrulata Dec. ♂ shr. evgr. (o. d.) Bengal*Tribus. Tiliaceae.***Entelea** R. BR.

arborescens R. Br. ♂ evgr. (o. d.) N. Zealand

Sparmannia LINN., FIL.

africana Linn. fil. ♂ shr. evgr. (o. d.) C. G. Hope

Tilia LINN.*Lime Tree.*argentea Dec. ♂ decd. (o. d.) Hungaria
europaea Linn. ♂ decd. (o. d.) Europe

" var aurea

" " longifolia dentata

" " macrophylla

" " pyramidalis

pubescens Ait. ♂ decd. (o. d.) N. America

rubra Dec. ♂ decd. (o. d.) Tauria

*Tribus. Elaeocarpeae.***Elaeocarpus** LINN.

cyaneus R. Br. ♂ evgr. (o. d.) E. Australia

grandis F. Muell. ♂ evgr. (o. d.) E. Australia

orientalis (?) ♂ evgr. (o. d.)

serratus Linn. ♂ evgr. (o. d.) E. India

Aristotelia L'HER.

racemosa Hook. ♂ shr. evgr. (g. h.) Chili

Ordo. LINEAE. De Candolle.

Tribus. Eulineae.

Linum LINN.

Flax.

- campanulatum Linn. ♀ (o. d.) Europe
 - corymbulosum Reichb. ♀ (o. d.) Austria
 - decumbens Desf. ♀ (o. d.) N. Africa
 - flavum Linn. ♀ (o. d.) Europe
 - grandiflorum Desf. ♂ (o. d.) Algiers
 - juniperifolium Ekl. ♀ (o. d.) C. G. Hope
 - Lewisii Mhlbg. ♀ (o. d.) N. America
 - monogynum Forst. ♀ (o. d.) N. Zealand
 - “ var. grandiflorum
 - “ “ varieg.
 - narbonense Linn. ♀ (o. d.) Europe
 - perenne Linn. fl. roseum. ♀ (o. d.) Europe
 - trigynum Dec. ♂ und. shr. evgr. (o. d.) E. India
 - usitatissimum Linn. ♂ *Flax.* (o. d.) Europe
 - “ var. fl. alba.
-

Ordo. MALPIGHIACEAE. Jussieu.

Tribus. Malpighieae.

Malpighia LINN.

- coccifera Linn. ♂ shr. evgr. (st.) E. India
- glabra Linn. ♂ shr. evgr. (o. d.) S. America
- punicifolia Linn. ♂ shr. evgr. (o. d.) S. America.

Tribus. Banisterieae.

Stigmaphyllo A. Juss.

- ciliatum A. Juss. ♂ ~ evgr. (st.) Brazil

Heteropteris KNTH.

- nitida Humb. & Bonpl. ♂ ~ evgr. (st.) Brazil

Banisteria LINN.

- chrysophylla Lam. ♂ shr. evgr. (st.) S. America
- laurifolia Linn. ♂ shr. evgr. (st.) Isl. Jamaica

Ordo. GERANIACEAE. De Candolle.

Tribus. Geranieae.

Geranium LINN.*Crane's Bill.*

erianthum Dec.	♀	(o. d.)	N. America
hederaefolium Dum.	↪	und. shr.	(o. d.) C. G. Hope
palustre Linn.	♀	(o. d.)	Europe
phaeum Lam.	♀	(o. d.)	Europe
praterise Linn.	♀	(o. d.)	Europe
sanguineum Linn.	♀	(o. d.)	Europe
sibiricum Linn.	♀	(o. d.)	Siberia
sylvaticum Linn.	♀	(o. d.)	Europe
tuberosum Linn.	♀	(o. d.)	S. Europe

Tribus. Pelargonieae.

Pelargonium LINN.*Stork's Bill.*

acetosum Ait.	↪	und. shr. evgr.	(o. d.) C. G. Hope
alchemilloides Willd.	♀	(o. d.)	C. G. Hope
anemonifolium Jacq.	↪	und. shr.	(o. d.) C. G. Hope
ardens Sweet var. major.	♀	(o. d.)	C. G. Hope
astragalifolium Pers.	♀	tubr.	(o. d.) C. G. Hope
Balbisianum Spin. var. superba.	↪	und. shr. evgr.	(o. d.) C. G. Hope
bicolor Ait.	↪	und. shr. evgr.	(o. d.) C. G. Hope
Blandfordianum Sweet.	↪	und. shr. evgr.	(o. d.) C. G. Hope
capitatum Ait.	↪	shr. evgr.	(o. d.) C. G. Hope
carnosum Ait.	↪	und. shr. evgr.	(o. d.) C. G. Hope
Comptoniae Sweet.	↪	und. shr. evgr.	C. G. Hope
conspicuum Sweet.	♀	tubr. Hort.	(o. d.) C. G. Hope
crassicaule L'Herit.	↪	und. shr. evgr.	(o. d.) C. G. Hope
crispum Ait.	↪	shr. evgr.	Hort. (o. d.)
cucullatum Ait.	↪	und. shr. evgr.	(o. d.) C. G. Hope
denticulatum Jacq.	↪	shr. evgr.	(o. d.) C. G. Hope
echinatum Curt.	↪	und. shr. evgr.	(o. d.) C. G. Hope
fissifolium Pers.	♀	tubr.	(o. d.) C. G. Hope
flavum Ait.	♀	tubr.	(o. d.) C. G. Hope
gibbosum Willd.	↪	und. shr. evgr.	(o. d.) C. G. Hope
graveolens Ait.	↪	shr. evgr.	(o. d.) C. G. Hope
grossularioides Ait.	♀	shr. evgr.	(o. d.) C. G. Hope
Heritieri Jacq.	↪	und. shr. evgr.	(o. d.) C. G. Hope
hirsutum Ait. var.	melanthum.	♀ tubr.	evgr. (o. d.) C. G. Hope

Pelargonium—continued.

- involucratum Sweet. ♂ und. shr. evgr. (o. d.) C. G. Hope
 jatropheafolium Dec. ♂ shr. evgr. (o. d.) C. G. Hope
 lateripes L'Herit. ♂ und. shr. evgr. (o. d.) C. G. Hope
 lobatum Willd. ♀ (o. d.) C. G. Hope
 magnistipulatum Sweet. ♂ und. shr. evgr. (o. d.) C. G. Hope
 malvaefolium Jacq. ♂ und. shr. evgr. (o. d.) C. G. Hope
 marginatum Cav. ♂ shr. evgr. Hort. (o. d.)
 multiradiatum E. Mey. ♀ shr. evgr. (o. d.) C. G. Hope
 pulverulentum Colv. ♀ (o. d.) C. G. Hope
 pumilum Willd. ♀ Hort. (o. d.)
 querifolium Ait. ♂ shr. evgr. (o. d.) C. G. Hope
 Radula Ait. ♂ shr. evgr. (o. d.) C. G. Hope
 saepeflorens Sweet. ♂ und. shr. evgr. (o. d.) C. G. Hope
 sanguineum Wendl. ♀ evgr. (o. d.) C. G. Hope
 tomentosum Jacq. ♂ und. shr. evgr. (o. d.) C. G. Hope
 triste Ait. ♀ Tubr. (o. d.) C. G. Hope
 viscosissimum Sweet. ♂ und. shr. evgr. (o. d.) C. G. Hope
 zoneale Willd. ♂ shr. evgr. (o. d.) C. G. Hope
 " var. stenopetalum. C. G. Hope

Tropaeolum LINN.*Nasturtium.*

- albiflorum Hort. ♀ — tubr. tw.
 azureum Miers. ♀ — tubr. tw. Chili
 brachyceras Hook. ♀ — tubr. tw. (g. h.) Chili
 coeruleum Miers. ♀ — tubr. tw. (g. h.) Chili
 edule Hort. ♀ — tubr. tw. (g. h.) Chili
 Lobbianum Hook. ○ — tw. (o. d.) Colombia
 majus Linn. ○ tw. (o. d.) Peru
 minus Linn. ○ tw. (o. d.) Peru
 pentaphyllum Lam. ♀ tw. (o. d.) M. Video
 peregrinum Linn. ○ tw. (o. d.) N. Grenada
 polyphyllum Cav. ♀ tubr. tw. (g. h.) Chili
 speciosum Endl. ♀ tubr. tw. (g. h.) Chili
 tricolorum Sweet. ♀ tubr. tw. (g. h.) Chili
 " var. Jarrati Paxt.

*Tribus. Limnantheae.***Limnanthes R. Br.**

- Duglasii R. Br. ○ (o. d.) Chili

*Tribus. Oxalideae.***Oxalis LINN.***Wood Sorrel.*

- Andrieuxii H. Cels. ♀ blb. (o. d.) Mexico
 arborea Hort. ♀ blb. (o. d.)
 " fl. alba.
 articulata Savign. ♀ blb. (o. d.) Monte Video
 bifida Thunb. ♀ blb. (o. d.) C. G. Hope
 Bowieana Lodd. ♀ blb. (o. d.) C. G. Hope
 brasiliensis Hort. ♀ blb. (o. d.) Brazil
 bupleurifolia St. Hill. ♀ blb. (o. d.) Brazil
 caprina Linn. ♀ blb. (o. d.) C. G. Hope
 compressa Thunb. ♀ blb. (o. d.) C. G. Hope
 corniculata Linn. ♀ (o. d.) C. G. Hope
 Deppei Lodd. ♀ blb. (o. d.) S. America
 esculenta. (?) ♀ blb. (o. d.)
 fallax Jacq. ♀ blb. (o. d.) C. G. Hope
 filifolia Jacq. ♀ blb. (o. d.) C. G. Hope
 flava Linn. ♀ blb. (o. d.) C. G. Hope
 " var. pectinata
 floribunda Lehm. ♀ (o. d.) Brazil
 grandiflora Jacq. ♀ blb. (o. d.) C. G. Hope
 " var. alba.
 heterophylla Dec. ♀ blb. (o. d.) C. G. Hope
 hirta Linn. ♀ blb. (o. d.) C. G. Hope
 " var. rubella Jacq. ♀ (o. d.) C. G. Hope
 lasiopetala Zucc. ♀ blb. (o. d.) B. Ayres
 livida Jacq. ♀ blb. (o. d.) C. G. Hope
 lupinifolia Jacq. ♀ blb. (o. d.) C. G. Hope
 marginata Jacq. ♀ blb. (o. d.) C. G. Hope
 monophylla Linn. ♀ blb. (o. d.) C. G. Hope
 multiflora Jacq. ♀ blb. (o. d.) C. G. Hope
 obtusa Jacq. ♀ blb. (o. d.) C. G. Hope
 pectinata Jacq. ♀ blb. (o. d.) C. G. Hope
 pentaphylla Sm. ♀ blb. (o. d.) C. G. Hope
 Piottae Collad. ♀ blb. (o. d.) C. G. Hope
 pupurea Thunb. ♀ blb. (o. d.) C. G. Hope
 " var. laxula.
 rosacea Jacq. ♀ blb. (o. d.) C. Good Hope
 scandens Humb. & Bonpl. ♀ evgr. (g. h.) S. America
 sensitiva Linn. ♀ (o. d.) C. G. Hope
 tenuifolia Jacq. ♀ blb. (o. d.) C. G. Hope
 tetraphylla Cav. ♀ blb. (o. d.) Mexico
 tropaeoloides. (?) ♀
 umbrosa Willd. ♀ blb. (o. d.) C. G. Hope
 Valdiviana Barneoud. ♀ (o. d.) Chili
 variabilis Lindl. ♀ blb. (o. d.) C. G. Hope
 versicolor Linn. ♀ blb. (o. d.) C. G. Hope

*Tribus. Balsamineae.***Impatiens** RIVIN.*Touch-me-Not.*

Balsamina Linn.	⊖	(g. h.)	E. India
glandulifera Arn.	ϒ	(st.)	E. India
Hookeriana Arn.	ϒ	evgr.	(st.) Ceylon

Ordo. **RUTACEAE.** Bartling.*Tribus. Ruteae.***Ruta** TURNEF.*Rue.*

graveolens Linn.	ϒ	(o. d.)	Europe
------------------	---	---------	--------

*Tribus. Diosmeae.***Calodendron** THUNB.

capense Thunb.	↳	evgr.	(o. d.)	C. G. Hope
----------------	---	-------	---------	------------

Diosma LINN.

alba Thunb.	↳	shr. evgr.	(o. d.)	C. G. Hope
-------------	---	------------	---------	------------

Adenandra WILLD.

uniflora Willd.	↳	shr. evgr.	(o. d.)	C. G. Hope
-----------------	---	------------	---------	------------

*Tribus. Boronieae.***Zieria** SMITH.

laevigata Sm.	↳	shr. evgr.	(o. d.)	E. Australia
lanceolata R. Br.	↳	shr. evgr.	(o. d.)	E. Australia

Boronia Sm.

elatior Bartl.	↳	shr. evgr.	(o. d.)	W. Australia
megastigma Nees.	↳	shr. evgr.	(o. d.)	W. Australia
serrulata Sm.	↳	shr. evgr.	(o. d.)	N. S. Wales

Eriostemon Sm.

buxifolius Sm.	↳	shr. evgr.	(o. d.)	E. Australia
difformis A. Cunn.	↳	shr. evgr.	(o. d.)	S. Australia
" var. Smithianus				
myoporoides Dec.	↳	shr. evgr.	(o. d.)	E. Australia
salicifolius Sm.	↳	shr. evgr.	(o. d.)	E. Australia

Correa Sm.

- speciosa Ait. h shr. evgr. (o. d.) Australia
 " var. Backhousiana
 " " magnifica
 " " pulchella
 " " viridiflora.

*Tribus. Zanthoxyleae.***Melicope FORST.**

- bijuga Gray. h shr. evgr. (o. d.) N. Zealand
 ternata Forst. h shr. evgr. (o. d.) N. Zealand

*Tribus. Toddalieae.***Ptelea LINN.**

- glauca Hort. h decid. (o. d.) N. America
 trifoliata Linn. h decid. (o. d.) N. America
 " var. fol. aurea varieg.

Phellodendron RUPR.

- Amurense Rupr. h evgr. (o. d.) R. Amur

Acronychia FORST.

- Baueri Schott. h shr. evgr. (o. d.) Norfolk Isl.

Skimmia THUNB.

- japonica Thunb. h shr. evgr. (st.) Japan
 oblata (?) h shr. evgr. (st.) Japan

*Tribus. Aurantieae.***Murraya LINN.**

- exotica Linn. h shr. evgr. (st.) E. India

Glycosmis CORR.

- macrophylla Linn. h shr. evgr. (st.) E. India

Citrus LINN. *Orange Tree.*

- Aurantium Linn. h evgr. (o. d.) Asia
 australasica F. Muell. h shr. evgr. (o. d.) E. Australia
 buxifolia Poir. h shr. evgr. (o. d.) China
 decumana Linn. h evgr. (o. d.) *Shaddock.* E. India
 japonica Thunb. h evgr. (o. d.) Japan
 Limetta Risso. h evgr. (o. d.) *Bergamotte.* Asia
 " var. myrtifolia

- Limonum Risso. h evgr. (o. d.) *Lemon.* Asia
 Medica Linn. h shr. evgr. (o. d.) *Citron Tree.* Asia
 nobilis Lour. h evgr. (o. d.) *Mandarin.* China
 vulgaris Risso. h evgr. (o. d.) *Seville.* Asia

Myaris PRESL.

inaequalis Presl. ♂ evgr. (o. d.) C. G. Hope

Cookia SONNERAT.

punctata Retz. ♂ evgr. (o. d.) China

Atalantia CORREA.

buxifolia Oliv. ♂ shr. evgr. (st.) E. India

Ordo. SIMARUBEAE. De Candolle.

*Tribus. Simarubeae.***Quassia** LINN.

amara Linn. ♂ evgr. (st.) Surinam

Simaba ANBL.

Cedron Planch. ♂ shr. evgr. (st.) S. America

Simaruba AUBL.

officinalis Dec. ♂ evgr. (st.) Guiana

Ailanthis DESF.

excelsa Roxb. ♂ decd. (o. d.) E. India

glandulosa Desf. ♂ decd. (o. d.) China

Cneorum LINN.

tricoccum Linn. ♂ shr. evgr. (o. d.) S. Europe

Ordo. OCHNACEAE. De Candolle.

*Tribus. Ochnaeae.***Ochna** SCHREB.

arborea Burch. ♂ evgr. (st.) Africa

mauritiana Lam. ♂ shr. evgr. (st.) Isl. Mauritius

Gomphlia SCHREB.

decorans Lehm. ♂ shr. evgr. (st.) Brazil

Theophrasta Lindl. ♂ shr. evgr. (st.) S. America

Ordo. BURSERACEAE. Kunth.

*Tribus. Amyrideae.***Amyris LINN.**

balsamifera Linn. h evgr. (st.) S. America

Ordo. MELIACEAE. Adr. Jussieu.

*Tribus. Melieae.***Turraea LINN.**

pubescens Hellen. h shr. evgr. (o. d.) China

Melia LINN.*Bead Tree.*Azedarach Linn. h decd. (o. d.) *White Cedar.* E. India
composita Willd. h evgr. (o. d.) E. Australia
japonica Don. h evgr. (o. d.) Japan*Tribus. Trichilieae.***Dysoxylum BLUME.**

rufum Benth. h evgr. (o. d.) E. Australia

Ekebergia SPARM.

capensis Thunb. h evgr. (o. d.) C. G. Hope

Owenia F. MUELL.

cerasifera F. Muell. h evgr. (o. d.) E. Australia

venosa F. Muell. h evgr. (o. d.) E. Australia

Carapa AUBL.

guyanensis Aubl. h evgr. (st.) Guiana

*Tribus. Swietenieae.***Swietenia LINN.***Mahogany Tree.*

Mahogani Linn. h evgr. (st.) S. America

*Tribus. Cedreleae.***Cedrela LINN.**

serrulata Miq. h decd. (o. d.) Sumatra

Toona Roxb. h decd. (o. d.) *Sydney Cedar.* E. Australia,
Asia, India, Java

Flindersia R. Br.

- *australis* R. Br. ♂ evgr. (o. d.) E. Australia
 - *oxleyana* F. Muell. ♂ evgr. (o. d.) E. Australia
-

Ordo. OLACINEAE. Endlicher.

*Tribus. Icacineae.***Apodytes** E. MEYER.

- dimidiata* E. Meyer. ♂ evgr. (o. d.) C. G. Hope

Cassinopsis SOND.

- capensis* Sond. ♂ shr. evgr. (o. d.) C. G. Hope
-

Ordo. ILICINEAE. Brongniart.

Ilex LINN. *Holly.*

- Aquifolium* Linn. ♂ evgr. (o. d.) Europe
 - cornuta* Lindl. ♂ evgr. (o. d.) China
 - myrtifolia* Lam. ♂ shr. evgr. (o. d.) W. India
 - opaca* Ait. ♂ evgr. (o. d.) N. America
 - Paraguariensis* St. Hill. ♂ shr. evgr. (o. d.) Paraguay
-

Ordo. CELASTRINEAE. R. Brown.

*Tribus. Celastreae.***Euonymus** LINN.*Spindle Tree.*

- europaeus* Linn. ♂ shr. decd. (o. d.) Europe
- “ var. *fl. alba*
- “ “ *fl. coccinea*
- fimbriatus* Wall. ♂ sh. decd. (o. d.) Malacca
- Hamiltonianus* Wall. ♂ tr. evgr. (o. d.) E. India
- japonicus* Thunb. ♂ shr. evgr. (o. d.) Japan
- “ var. *aurea varieg.*
- “ “ *varieg.*
- latifolius* Mill. *aurea varieg.* ♂ shr. decd. (o. d.) S. Europe
- microphyllus* Hort. ♂ (o. d.)
- pendulus* Wall. ♂ shr. evgr. (o. d.) E. India

Euonymus—continued.

- radicans Zucc. h shr. evgr. (o. d.) Japan
 " var. varieg.
 Sieboldianus Blum. shr. evgr. (o. d.) Java
 verrucosus Scop. h shr. decd. (o. d.) S. Europe

Cassine LINN.

- Maurocenia Linn. h shr. evgr. (o. d.) *Hottentot Cherry.*
 C. G. Hope

Celastrus LINN.

- ilicifolius Schrad. h shr. evgr. (o. d.) Brazil

Elaeodendron JACQ.*Staff Tree.**Olive Wood.*

- australe Forst. h evgr. (o. d.) E. Australia
 orientale Jacq. h evgr. (o. d.) Orient
-

Ordo. RHAMNEAE. R. Brown.

*Tribus. Zizypheae.***Paliurus Juss.***Christ's Thorn*

- australis Gaert. h shr. decd. (o. d.) S. Europe

Zizyphus Juss.

- mucronata Willd. h evgr. (o. d.) S. Africa

Berchemia NECK.

- volubilis Dec. h ~ (o. d.) S. America

*Tribus. Rhamneae.***Rhamnus LINN.***Buckthorn.*


- Alaternus Linn. h shr. evgr. (o. d.) S. Europe
 " var. varieg.

- alpinus Linn. fol. aur. var. h shr. decd. (o. d.) Europe
 catharticus Linn. h shr. decd. (o. d.) Europe
 Frangula Linn. h shr. decd. (o. d.) Europe
 lanceolatus Pursh. h shr. decd. (o. d.) N. America
 prinoides L'Herit. h shr. evgr. (o. d.) S. Africa
 tinctorius W. K. h shr. decd. (o. d.) Hungary

Hovenia THUNB.

- dulcis Thunb. h evgr. (o. d.) Japan

ENTRANCE INTO THE GARDEN.



Ceanothus LINN.

- africanus Linn. h shr. evgr. (o. d.) S. Africa
 americanus Linn. h shr. evgr. (o. d.) N. America
 azureus Desf. h shr. evgr. (o. d.) Mexico
Delilianus Spach. h shr. evgr. (o. d.) California
divaricatus R. Br. h shr. evgr. (o. d.) California
intermedius Pursh. h shr. evgr. (o. d.) N. America
Lobbianus Hook. h shr. evgr. (o. d.) California
papillosum Torr. h shr. evgr. (o. d.) California
rigidus Nutt. h shr. evgr. (o. d.) California
thrysiflorus Eschw. h shr. evgr. (o. d.) Mexico
Veitchianus Hort. h shr. evgr. (o. d.) California

Phylica LINN.

- cordata* Linn. h shr. evgr. (o. d.) S. Africa
plumosa Linn. h shr. evgr. (o. d.) S. Africa

Alphitonia REISSEK.

- excelsa* Reissek. h tr. evgr. (o. d.) E. Australia

Cryptandra Sm.

- ericifolia* Sm. h shr. evgr. (o. d.) E. Australia

Pomaderris LABILL.

- **apetala* Labill. h shr. evgr. (o. d.) Australia
elliptica Labill. h shr. evgr. (o. d.) E. Australia
lanigera Sims. h shr. evgr. (o. d.) S. Australia
racemosa Hook. h shr. evgr. (o. d.) E. Australia
vacciniifolia Reissek. h shr. evgr. (o. d.) E. Australia

Colletia COMM.

- Bicotoniensis* Lindl. h shr. evgr. (o. d.) S. America

Ordo. AMPELIDEEAE. Kunth.

Vitis LINN.*Vine.*

- adnata* Wall. h ~ decd. (o. d.) E. India, N. Australia
chontalensis Seem. h ~ decd. (o. d.) C. America
heterophylla Thunb. h ~ decd. (st.) Java
 " var. varieg.
hypoglaucia F. Muell. h (o. d.) Australia
incarnata Teysm. h ~ Sumatra
odoratissima Don h ~ N. America
Thunbergii Sieb. & Zucc. h ~ Japan
trifolia Linn. var. varieg. h ~ E. India
vinifera Linn. h ~ Orient Grape Vine.
virginiana Desf. h ~ Virginia

Cissus LINN.

albo nitens Lind.	$\text{h} \sim$	(st.)	S. America
amazonicus Lind.	$\text{h} \sim$	(st.)	Amazon
antarctica Dec.	$\text{h} \sim$	(o. d.)	E. Australia
capensis Willd.	$\text{h} \sim$	(o. d.)	C. G. Hope
discolor Blum.	$\text{y} \sim$	(st.)	Java
heterophylla Poir.	$\text{h} \sim$	(st.)	Java
" var. fol. varieg.			
hypoglaucha Haw.	$\text{h} \sim$	(o. d.)	E. Australia
Lindenii And.	$\text{h} \sim$	evgr. (st.)	S. America
nitens Hort.	$\text{h} \sim$	evgr. (st.)	
vitiginea Linn.	$\text{h} \sim$	evgr. (st.)	India
porphyrophyllus Lind.	$\text{h} \sim$	evgr. (st.)	India

Ampelopsis MICHX.

quinquefolia Michx.	$\text{h} \sim$	decd.	(o. d.)	N. America
tricuspidata Sieb. & Zucc.	$\text{h} \sim$	decd.	(o. d.)	N. America
virginica (?)	$\text{h} \sim$	decd.	(o. d.)	Virginia

Leea LINN.

horrida Teysm.	h	shr. evgr.	(st.)	Java
sambucina Willd.	h	shr. evgr.	(st.)	E. India

Ordo. SAPINDACEAE. Jussieu.

Sub Ordo. SAPINDEAE.

Bridgesia BERT.

spicata Hook.	h	shr. evgr.	(o. d.)	Chili
---------------	------------	------------	---------	-------

Cardiospermum LINN. Heartseed.

Halicacabum Linn.	$\text{o} \sim$	(o. d.)	E. India
-------------------	-----------------	---------	----------

Paullinia LINN.

thalictrifolia Juss.	h	evgr.	(st.)	S. America
----------------------	------------	-------	-------	------------

Diploglottis HOOK. FIL.

Cunninghamii Hook. fil.	h	evgr.	(o. d.)	E. Australia
-------------------------	------------	-------	---------	--------------

Schmidelia LINN.

littoralis Blum.	h	evgr.	(st.)	Java
------------------	------------	-------	-------	------

Koelreuteria LAXM.

paniculata Laxm.	h	decd.	(o. d.)	China
------------------	------------	-------	---------	-------

Jagera BLUME.

speciosa Blum.	h	evgr.	(st.)	Java
----------------	------------	-------	-------	------

Aesculus LINN.*Horse Chestnut.*

- californica* (?) h decd. (o. d.) California
flava Ait. h decd. (o. d.) Virginia
Hippocastanum Linn. h decd. (o. d.) Europe
rubicunda Herb. h decd. (o. d.) N. America

Cupania LINN.

- anacardiooides* Rich. h evgr. (o. d.) N. Australia
australis R. Br. h evgr. (o. d.) E. Australia
filicifolia (?) h (st.) Brazil
semiglaucia F. Muell. h evgr. (o. d.) E. Australia
tomentosa Sw. h evgr. (st.) E. India
xylocarpa A. Cunn. h evgr. (o. d.) E. Australia

Melicocca LINN.

- bijuga* Linn. h evgr. (o. d.) Antilles

Sapindus LINN.*Soap Berry.*

- emarginatus* Vahl. h evgr. (st.) E. India
Pappea Sond. h evgr. (o. d.) C. G. Hope
Saponaria Linn. h evgr. (st.) S. America

Nephelium LINN.

- leucocarpum* Blume. h evgr. (st.) Java
tomentosum (?) h evgr. (st.) Java

Euphoria Juss.

- Litschi* Desf. h evgr. (st.) E. India
Longan Lam. h evgr. (st.) China

Stadmannia LAM.

- amabilis* (?) h evgr. (st.) Zanzibar

Harpulia ROXB.

- pendula* Blanch. h evgr. (o. d.) E. Australia

Amirola PERS.

- nitida* Pers. h evgr. (st.) Peru

Akania HOOK. FIL.

- Hillii* F. Muell. h evgr. (o. d.) E. Australia

*Sub Ordo. ACERINEAE.***Acer LINN.***Maple.*

- campestre* Linn. h decd. (o. d.) Europe
dasycarpum Ehrh. h decd. (o. d.) N. America
laurinum Hsskl. h evgr. (st.) Java
macrophyllum Pursh. h decd. (o. d.) N. America
monspessulanum Linn. h decd. (o. d.) S. Europe

Acer—continued.

- Negundo Linn. ♂ decd. (o. d.) N. America
 " fol. varieg. ♂
 Opalus Ait. ♂ decd. (o. d.) S. Europe
 palmatum atropurpureum Lind. & Andr. ♂ decd. (g. h.)
 Japan
 palmatum rosea marginata ♂ (g. h.) Japan
 platanoides Linn. ♂ decd. (o. d.) Europe
 polymorphum ♂ evgr. (g. h.) Japan
 " dissectum
 " " fol. var.
 Pseudo-Platanus Linn. ♂ decd. (o. d.) *Sycamore*. Europe
 rubrum Ehrh. ♂ decd. (o. d.) N. America
 saccharinum Linn. ♂ decd. (o. d.) *Sugar Maple*. N.
 America
 striatum Lam. ♂ decd. (o. d.) N. America
 vitifolium ♂ evgr. (g. h.) Japan
 tataricum Linn. ♂ decd. (o. d.) Tartary

*Sub Ordo. DODONAEAE.***Dodonaea** LINN.

- boroniaefolia G. Don. ♂ shr. evgr. (o. d.) E. Australia
 ceratocarpa Endl. ♂ shr. evgr. (o. d.) W. Australia
 ericifolia G. Don. ♂ shr. evgr. (o. d.) Tasmania
 viscosa R. Br. ♂ shr. evgr. (o. d.) Australia
 " var. Burmanni
 " " conferta
 " " salicifolia

Alectryon GAERTN.

- excelsa Gaertn. ♂ shr. evgr. (o. d.) Australia

*Sub Ordo. MELIANTHEAE.***Melianthus** LINN.*Honey Tree.*

- major Linn. ♂ shr. evgr. (o. d.) C. G. Hope
 minor Linn. ♂ shr. evgr. (o. d.) C. G. Hope

*Sub Ordo. STAPHYLEAE.***Staphylea** LINN.*Bladder Nut.*

- trifoliata Linn. ♂ shr. decd. (o. d.) N. America

Ordo. ANACARDIACEAE. Lindley.

*Tribus. Anacardieae.***Rhus LINN.***Sumach.*

- copallina Linn. ♂ shr. decd. (o. d.) N. America
 Coriaria Linn. ♂ decd. (o. d.) S. Europe
 Cotinus Linn. ♂ shr. decd. (o. d.) S. Europe
 elegans Ait. ♂ shr. decd. (o. d.) N. America
 japonica var. Osbeckii. ♂ shr. decd. (o. d.) Japan
 laevigata Linn. ♂ shr. evgr. (o. d.) S. Africa
 pentaphylla Desf. ♂ shr. evgr. (o. d.) Sicily
 radicans Linn. ♂ — decd. (o. d.) N. America
 rufa Eke. ♂ (o. d.) Africa
 succedanea Linn. ♂ shr. evgr. (o. d.) Japan
 Toxicodendron Linn. ♂ — decd. (o. d.) N. America
 tyhina Linn. ♂ decd. (o. d.) N. America
 velutina Wall. ♂ shr. evgr. (o. d.) E. India
 viminalis Vahl. ♂ shr. evgr. (o. d.) S. Africa

Pistacia LINN.

- Terebinthus Linn. ♂ evgr. (o. d.) S. Europe

Schinus LINN.*Pepper Tree.*

- Molle Linn. ♂ evgr. (o. d.) Peru

*Tribus. Spondieae.***Spondias LINN.***Hog Plum.*

- lutea Linn. ♂ evgr. (st.) S. America
 Mombin Linn. ♂ evgr. (st.) E. India

Ordo. CORIARIEAE. Endlicher.

Coriaria LINN.

- myrtifolia Linn. ♂ shr. evgr. (o. d.) S. Africa
 nepalensis Wall. ♂ shr. evgr. (o. d.) E. India

Ordo. LEGUMINOSAE. Jussieu.

Sub Ordo. PAPILIONACEAE.

Tribus. Podalyrieae.

Anagyris LINN.

foetida Linn. ♂ shr. decd. (o. d.) Spain

Thermopsis R. BR.

fabacea Dec. ♀ (o. d.) N. America

napaulensis R. Br. ♀ (o. d.) Nepal

Podalyria LAM.

sericea R. Br. ♂ shr. evgr. (o. d.) C. G. Hope

styracifolia Sims. ♂ shr. evgr. (o. d.) C. G. Hope

Brachysema R. BR.

aphyllum Hook. ♂ und. shr. evgr. W. Australia

lanceolatum Meisn. ♂ und. shr. evgr. (o. d.) W. Australia

Oxylobium ANDR.

Callistachys Benth. ♂ shr. evgr. (o. d.) W. Australia

Chorizema LABILL.

cordatum Lindl. ♂ und. shr. evgr. (o. d.) W. Australia

ilicifolium Labill. ♂ und. shr. evgr. (o. d.) W. Australia

varium Benth. ♂ und. shr. evgr. (o. d.) W. Australia

Viminaria Sm.

denudata Sm. ♂ shr. evgr. (o. d.) S. Australia

Daviesia Sm.

genistifolia A. Cunn. ♂ shr. evgr. (o. d.) S. Australia

ulicina Sm. var. ruscifolia. ♂ shr. evgr. (o. d.) S. Australia

umbellulata Sm. ♂ shr. evgr. (o. d.) E. Australia

Pultenaea Sm.

daphnoides Wendl. ♂ shr. evgr. (o. d.) Australia

scabra R. Br. ♂ shr. evgr. (o. d.) E. Australia

stipularis Sm. ♂ shr. evgr. (o. d.) E. Australia

Eutaxia R. BR.

empetrifolia Schlecht. ♂ shr. evgr. (o. d.) Australia

Dillwynia Sm.

ericifolia Sm. ♂ shr. evgr. (o. d.) E. Australia

hispida Lindl. ♂ shr. evgr. (o. d.) E. Australia

*Tribus. Genisteae.***Platylobium** Sm.

obtusangulum Hook. ♂ shr. evgr. (o. d.) S. Australia

Bossiaea VENT.

alata R. Br. ♂ shr. evgr. (o. d.) W. Australia

biloba Benth. ♂ shr. evgr. (o. d.) W. Australia

ensata Sieb. ♂ shr. evgr. (o. d.) E. Australia

scolopendria Sm. ♂ shr. evgr. (o. d.) E. Australia

Templetonia R. BR.

egena Benth. ♂ shr. evgr. (o. d.) Australia

retusa R. Br. ♂ shr. evgr. (o. d.) S. Australia

Hovea R. BR.

acutifolia A. Cunn. ♂ shr. evgr. (o. d.) E. Australia

chorizemaefolia Dec. ♂ shr. evgr. (o. d.) W. Australia

longifolia R. Br. ♂ shr. evgr. (o. d.) Australia

" var. lanceolata ♂ Australia

Goodia SALISB.

lotifolia Salisb. ♂ shr. evgr. (o. d.) Australia

" var. medicaginea

Crotalaria LINN.

arborescens Lam. ♂ shr. evgr. (o. d.) C. G. Hope

Cunninghamii R. Br. ♂ shr. evgr. (o. d.) S. Australia

juncea Linn. ♂ shr. evgr. (o. d.) E. India

Phyllocalyx HOCHST.

edulis Hochst. ♂ shr. evgr. (o. d.) Abyssinia

Lupinus LINN.*Lupin.*

albus Linn. ⓠ (o. d.) Levant

angustifolius Linn. ⓠ (o. d.) S. Europe

arboreus Sims. ♂ und. shr. evgr. (o. d.) Mexico

bicolor Lindl. ⓠ (o. d.) N. America

elegans Humb. & Bonpl. ⓠ (o. d.) Mexico

guatimalensis Hort. ⓠ (o. d.) Guatemala

Hartwegii Lindl. ⓠ (o. d.) Mexico

hirsutus Linn. ⓠ (o. d.) S. Europe

lepidus Dougl. ⓠ (o. d.) Columbia

leptophyllus Benth. ⓠ (o. d.) California

luteus Linn. ⓠ (o. d.) Sicily

mutabilis Sweet. ⓠ (o. d.) Mexico

pilosus Linn. ⓠ (o. d.) S. Europe

polyphyllus Dougl. ♂ evgr. (o. d.) Columbia

pubescens Benth. ⓠ (o. d.) California

subcarnosus Hook. ⓠ (o. d.) California

Aspalathus LINN.

- sericea* Linn. fil. h shr. evgr. (o. d.) S. Africa
 " var. *nana* Linn. fil.

Adenocarpus DEC.

- cebennensis* Dec. h shr. decd. (o. d.) S. France
telonensis Dec. h shr. decd. (o. d.) S. France

Genista LINN.

- aspalathoides* Lam. h shr. evgr. (o. d.) Barbary
canariensis Linn. h shr. evgr. (o. d.) Isl. Canary
candicans Linn. h shr. evgr. (o. d.) Europe
ephedroides Dec. h shr. evgr. (o. d.) Sardinia
monosperma Lam. h shr. evgr. (o. d.) S. Europe
procumbens W. K. shr. evgr. (o. d.) Hungaria
ramosissima Poir. h shr. evgr. (o. d.) S. Europe
Rhodopena Hort. h shr. evgr. (o. d.) Europe
scoparia Lam. h shr. evgr. (o. d.) Europe
scorpius Dec. h shr. evgr. (o. d.) S. Europe
Spachiana Webb. h shr. evgr. (o. d.) Teneriffe
tinctoria Linn. h shr. evgr. (o. d.) Europe

Spartium LINN. *Spanish Broom.*

- juncinum* Linn. shr. evgr. (o. d.) *Spanish Broom.* S. Europe
linifolium Willd. h shr. evgr. (o. d.) Spain
Scoparium Linn. h shr. evgr. (o. d.) Europe

Ulex LINN. *Furze.*

- europaeus* Linn. h shr. evgr. (o. d.) Europe
 " var. *fl. pleno*.

Cytisus LINN. *Laburnum.*

- albus* Link. h shr. decd. (o. d.) *White Broom.* Europe
 " var. *incarnatus*
alpinus Mill. h tr. decd. (o. d.) Europe
 " var. *fragrans*
austriacus Linn. shr. decd. Europe
capitatus Jacq. h shr. decd. (o. d.) Europe
caucasicus (?) h shr. decd. (o. d.) Caucasus
chrysobotrys Fisch. & Mey. h shr. decd. (o. d.) S. Europe
elongatus W. K. h shr. decd. (o. d.) Hungary
filipes (?) h shr. decd. (o. d.)
fragrans Lam. h shr. decd. (o. d.) Teneriffe
glabratus Link. h shr. evgr. (o. d.) Lusitan
grandiflorus Dec. h shr. decd. (o. d.) Europe
hirsutus Linn. h shr. decd. (o. d.) S. Europe
Laburnum Linn. h tr. decd. (o. d.) *Laburnum.* Europe
 " var. *Adami*
 " " *atropurpureus*

Cytisus—continued.

- Laburnum* var. *autumnalis*
 “ “ *involutum*
 “ “ *pendulus elegans*
 “ “ *quercifolius*
nigricans Linn. ♂ shr. decd. (o. d.) Europe
ruthenicus Fisch. ♂ shr. decd. (o. d.) Caucasus
spinosus Lam. ♂ shr. evgr. (o. d.) S. Europe
triflorus L'Herit. ♂ shr. decd. (o. d.) S. Europe
uralensis Ledeb. ♂ shr. decd. (o. d.) Russia
wolgaricus Linn. ♂ shr. decd. (o. d.) Europe

Hypocalyptus THUNB.

- purpureus* Thunb. ♂ shr. evgr. (o. d.) C. G. Hope

*Tribus. Trifolieae.***Ononis** LINN. *Rest Harrow.*

- rotundifolia* Linn. ♀ (o. d.) S. Europe
spinosa Linn. ♀ (o. d.) Europe

Trigonella LINN. *Fenugreek.*

- Foenum-graecum* Linn. ⊖ (o. d.) Europe

Medicago LINN. *Medick.*

- aborea* Linn. ♂ und. shr. evgr. (o. d.) S. Europe
falcata Linn. ♀ (o. d.) Europe
sativa Linn. ♀ (o. d.) *Lucerne.* Spain

Melilotus ADANS. *Melilot.*

- coerulea* Lam. ⊖ (o. d.) Europe
officinalis Lam. ♂ (o. d.) Europe
vulgaris Willd. ⊖ (o. d.) Europe

Trifolium LINN. *Clover.*

- incarnatum* Linn. ⊖ (o. d.) Europe
pratense Linn. ♀ (o. d.) *Common Red.* Europe
repens Linn. ♀ (o. d.) *Dutch Clover.* Europe

*Tribus. Loteae.***Anthyllis** LINN. *Kidney Vetch.*

- Barba-Jovis* Linn. ♂ shr. evgr. (o. d.) S. Europe

Securigera DEC.

- Coronilla* Dec. ⊖ (o. d.) Europe

Lotus LINN. *Birdsfoot.*

- australis* Andr. ♀ (o. d.) Australia
corniculatus Linn. ♀ (o. d.) Europe
hirsutus Linn. ♀ (o. d.) Europe
Jacobaeus Linn. ♂ und. shr. evgr. (o. d.) Cape Verd

*Tribus. Galegeae.***Psoralea LINN.**

- aculeata Linn. ♂ und. shr. evgr. (o. d.) C. G. Hope
 aphylla Linn. ♂ shr. evgr. (o. d.) C. G. Hope
 bituminosa Linn. ♂ und. shr. evgr. (o. d.) C. G. Hope
 pinnata Linn. ♂ shr. evgr. (o. d.) C. G. Hope
 spicata Linn. ♂ und. shr. evgr. (o. d.) C. G. Hope
 Stachydis Linn. fil. ♂ shr. evgr. (o. d.) C. G. Hope

Amorpha LINN.*Bastard Indigo.*

- fragrans Sweet. ♂ shr. decd. (o. d.) N. America
 fruticosa Linn. ♂ shr. decd. (o. d.) Carolina
 Lewisii Lodd. ♂ shr. decd. (o. d.) N. America

Indigofera LINN.*Indigo.*

- amoena Ait. ♂ und. shr. evgr. (o. d.) C. G. Hope
 australis Willd. ♂ und. shr. evgr. (o. d.) Australia
 cytisoides Thunb. ♂ shr. evgr. C. G. Hope
 Dosua Hamilt. ♂ shr. evgr. (o. d.) Nepal
 incana Thunb. ♂ und. shr. evgr. (o. d.) C. G. Hope
 tinctoria Linn. ♂ und. shr. evgr. (o. d.) India

Tephrosia PERS.

- trifoliata Dec. ♂ shr. evgr. (o. d.) C. G. Hope

Galega LINN.*Goat's Rue.*

- officinalis Linn. ♀ (o. d.) Spain
 orientalis Lam. ♀ Caucasus
 persica Pers. ♀ Persia

Wistaria NUTT.

- chinensis Dec. ♂ — decd. (o. d.) China
 frutescens Dec. ♂ decd. (o. d.) N. America
 megasperma F. Muell. ♂ — decd. (o. d.) E. Australia

Robinia LINN.

- hispida Linn. ♂ decd. (o. d.) N. America
 Pseudacacia Linn. ♂ decd. (o. d.) N. America
 " var. Decaisniana
 " " inermis
 " " pyramidalis
 " " tortuosa
 viscosa Vent. ♂ decd. (o. d.) N. America

Daubentonnia DEC.

- magnifica Hort. ♂ shr. evgr. (o. d.) S. America
 punicea Dec. ♂ shr. evgr. (o. d.) S. America
 superbissima Hort. ♂ shr. evgr. (o. d.)
 Tripetiana Poir. ♂ shr. decd. (o. d.) S. America

Carmichaelia R. Br.

australis R. Br. ♂ shr. evgr. (o. d.) N. Zealand

Clanthus SOLAND.Dampieri A. Cunn. ♂ (o. d.) *Sturt's Pea*. S. Australia
puniceus Soland. ♂ und. shr. evgr. (o. d.) *Glory Pea*.
N. Zealand**Sutherlandia R. Br.**

frutescens R. Br. ♂ und. shr. evgr. (o. d.) C. G. Hope

Swainsona SALISB.Burkittii F. Muell. ♂ und. shr. evgr. (o. d.) Australia
galegifolia R. Br. ♂ und. shr. evgr. (o. d.) Australia

" var. Blanche de Castile

Greyana Lindl. ♂ und. shr. evgr. (o. d.) Australia
phacoides Benth. ♀ S. Australia**Calophaca FISCH.**

wolgarica Fisch. ♂ shr. decd. (o. d.) Siberia

Colutea LINN.

arborescens Linn. ♂ shr. decd. (o. d.) S. Europe

" " var. Pocockii

orientalis Lam. ♂ shr. decd. (o. d.) Orient

Halimodendron FISCH.

argenteum Dec. ♂ shr. decd. (o. d.) Siberia

Caragana LAM.

arborescens Lam. ♂ shr. decd. (o. d.) Siberia

Chamlagu Lam. ♂ shr. decd. (o. d.) China

frutescens Dec. ♂ shr. decd. (o. d.) Siberia

" var. grandiflora

gracilis Dec. ♂ shr. decd.

grandiflora Dec. ♂ shr. decd. (o. d.) Siberia

jubata Poir. ♂ shr. decd. (o. d.) Siberia

pygmaea Dec. ♂ shr. decd. (o. d.) Siberia

Astragalus LINN.*Milk Vetch.*

alopecuroides Linn. ♀ (o. d.) Siberia

galegiformis Linn. ♀ (o. d.) Siberia

maximus Willd. ♀ (o. d.) America

monspessulanus Linn. ♀ (o. d.) S. Europe

Onobrychis Linn. ♀ (o. d.) Europe

Glycyrrhiza LINN.*Liquorice.*

glabra Linn. ♀ (o. d.) S. America

*Tribus. Hedysareae.***Arthrolobium** DESV.

scorpioides Dec. ♂ (o. d.) S. Europe

Coronilla LINN.

Emerus Linn. ♂ shr. decd. (o. d.) S. Europe

glauca Linn. ♂ shr. evgr. (o. d.) France

juncea Linn. ♂ shr. evgr. (o. d.) S. Europe

orientalis Mill. ♀ (o. d.) Orient

pentaphylla Desf. ♂ shr. evgr. (o. d.) Algiers

valentina Linn. ♂ shr. evgr. (o. d.) S. Europe

varia Linn. ♀ (o. d.) S. Europe

Hedysarum LINN.

coronarium Linn. ♀ (o. d.) French Honeysuckle. Italy

obscurum Linn. ♀ (o. d.) Alps

sibiricum Poir. ♀ (o. d.) Siberia

Amicia DEC.

zygomeris Dec. ♂ ~ evgr. (o. d.) Mexico

Ormocarpum BEAUV.

glabrum Teysm. & B. ♂ tr. evgr. (st.) Java

sennoides Dec. ♂ tr. evgr. (st.) E. India

suberosum Teysm. & B. ♂ shr. evgr. (st.) Java

Arachis LINN.*Earth Nut.*

hypogaea Linn. ♂ (o. d.) S. America

Desmodium DESV.

gyrans Dec. ♂ und. shr. evgr. (st.) Bengal

gyroides Dec. ♂ und. shr. (st.) E. India

latifolium Dec. ♂ und. shr. evgr. (st.) E. India

nemorosum F. Muell. ♂ und. shr. evgr. (o. d.) E. Australia

polycarpum Dec. Dec. ♂ und. shr. evgr. (st.) E. India

triquetrum Dec. ♂ und. shr. evgr. (st.) E. India

umbellatum Dec. ♂ shr. evgr. (st.) E. India

*Tribus. Vicieae.***Vicia** LINN.*Vetch Tare.*

Gerardi Jacq. ♀ ~ (o. d.) S. Europe

sitchensis Bong. ♀ ~ (o. d.) California

sylvatica Linn. ♀ ~ (o. d.) Europe

villosa Roth. ♂ ~ (o. d.) Germany

Lathyrus LINN.

latifolius Linn. ♀ ~ (o. d.) Everlasting Pea. Europe

odoratus Linn. ♂ ~ (o. d.) Sweet Pea. Sicily

tuberosus Linn. ♀ ~ (o. d.) Europe

Orobus LINN.

venosus Willd. ♀ (o. d.) Siberia

Abrus LINN.precatorius Linn. ♂ ~ decd. (st.) *Wild Liquorice.* E.
India. N. Australia*Tribus. Phaseoleae.***Clitoria LINN.**brasiliiana Linn. ♀ ~ evgr. (st.) Brazil
coelestis Hort. ♀ ~ evgr. (st.) Brazil
Ternatea Linn. ♀ ~ evgr. (st.) E. India
" fl. alba**Glycine LINN.**

clandestina Wendl. ♂ ~ evgr. (o. d.) Australia

Hardenbergia BENTH.Comptoniana Benth. ♂ ~ evgr. (o. d.) W. Australia
monophylla Benth. ♂ ~ evgr. (o. d.) Australia
" var. alba
" " rosea**Kennedya VENT.**coccinea Vent. ♂ ~ und. evgr. (o. d.) W. Australia
eximia Lindl. ♂ ~ evgr. (o. d.) W. Australia
glabrata Lindl. ♂ ~ evgr. (o. d.) W. Australia
macrophylla Benth. ♂ ~ evgr. (o. d.) W. Australia
nigricans Lindl. ♂ ~ evgr. (o. d.) W. Australia
prostrata R. Br. ♂ ~ evgr. (o. d.) Australia
rubicunda Vent. ♂ ~ evgr. (o. d.) E. Australia
" var. Baumannii
Sieberiana Hort. ♂ ~ evgr. (o. d.)
Sieboldii Hort. ♂ ~ evgr. (o. d.)**Erythrina LINN. *Coral Tree.***bogotensis Hort. ♂ evgr. (o. d.)
Camdenii (?) ♂ evgr. (o. d.) S. America
compacta Hort. ♂ evgr. (o. d.) S. America
Corallodendron Linn. ♂ evgr. (o. d.) S. América
Cristagalli Linn. ♂ evgr. (o. d.) Brazil
" var. laurifolia Jacq. (o. d.) Brazil.
indica Lam. ♂ evgr. (o. d.) E. India
" var. alba
macrosperma (?) ♂ evgr. (o. d.)
Parcelli Bapt. ♂ evgr. (o. d.) S. S. Island
secundiflora Brot. ♂ evgr. (o. d.) Brazil
stricta Roxb. ♂ shr. evgr. (o. d.) E. India

Erythrina—continued.

umbrosa Humb. & Bonpl. ♂ evgr. (o. d.)
varium Hort. ♂ evgr. (o. d.)
vespertilio Benth. ♂ evgr. (st.) N. Australia

Mucuna ADANS.*Cow Itch.*

gigantea Dec. ♂ — evgr. (st.) E. India

Butea ROXB.

pubescens Roxb. ♂ shr. evgr. (o. d.) E. India

Dioclea HUMB. & BONPL.

glycinoides Hort. ♂ — evgr. (o. d.) Brazil

Canavalia DEC.

bonariensis Lindl. ♀ — (o. d.) B. Ayres
obtusifolia Dec. ♀ — (st.) N. Australia

Physostigma BALF.*Calabar Bean.*

calabarica Balf. ♂ — evgr. (st.) Calabar

Phaseolus LINN.*Kidney Bean.*

Caracalla Linn. ♀ — (o. d.) Brazil
humifusus Sav. ♀ — (o. d.) Mexico

Vigna SAVI.

luteola Benth. ♀ — (st.) N. Australia
vexillata Benth. ♀ — (st.) N. Australia

Dolichos LINN.

biflorus Linn. ♀ — (o. d.) E. India
comosus E. Mey. ♀ — (o. d.) S. America
Lablab Linn. ♂ — (o. d.) E. India
lignosus Linn. ♂ — evgr. (o. d.) E. India

Cajanus DEC.*Pigeon Pea.*

indicus Spr. ♂ shr. evgr. (o. d.) E. India

Fagelia NECK.

bituminosa Dec. ♂ — evgr. (o. d.) C. G. Hope

*Tribus. Dalbergieae.***Dipteryx** SCHREB.

odorata Willd. ♂ evgr. (st.) Guiana

Dalbergia LINN. FIL.

Sissoo Roxb. ♂ evgr. (st.) E. India

*Tribus. Sophoreae.***Virgilia** LAM.

capensis Lam. ♂ shr. evgr. C. G. Hope
 lasiogyne D. Dietr. ♂ shr. evgr. C. G. Hope
 lutea Michx. ♂ shr. evgr. N. America

Sophora LINN.

Fraserii (?) ♂ decid. (o. d.)
 japonica Linn. ♂ decid. (o. d.) Japan
 " var. pendula

Castanospermum A. CUNN.

australe A. Cunn. ♂ evgr. (o. d.) *Moreton Bay Chesnut.*
 E. Australia

Myroxylon NUTT.

peruiferum Linn. fil. ♂ evgr. (o. d.) *Balsam of Peru.*
 Peru

Barklya F. MUELL.

syringifolia. F. Muell. ♂ evgr. (o. d.) N. Australia

Cadia FORSK.

purpurea Forsk. ♂ shr. evgr. (o. d.) Arabia

*Sub Ordo. CAESALPINIEAE.**Tribus. Eucaesalpinieae.***Mezoneurum** DESF.

brachycarpum Benth. ♂ shr. evgr. (o. d.) S. Australia
 cucullatum Wight. shr. evgr. (o. d.) E. India

Caesalpinia PLUM.*Brassiletto.*

alternifolia ♂ shr. evgr. (o. d.)
 Coriaria Willd. ♂ shr. evgr. (o. d.) S. America
 ferruginea Decais. ♂ shr. evgr. (o. d.) Timor
 mimosoides Lam. shr. evgr. (o. d.) E. India
 Nuga Ait. ♂ shr. evgr. (o. d.) E. India
 Sappan Linn. ♂ evgr. (o. d.) E. India
 splendens Hort. ♂ shr. evgr. (o. d.) S. America
 Tara Hort. ♂ shr. evgr. (o. d.)

Gymnocladus LAM. *Kentucky Coffee Tree.*

canadensis Lam. ♂ decid. (o. d.) Canada

Gleditschia LINN.*Honey Locust Tree.*

horrida Willd. ♂ decid. (o. d.) China
 monosperma Wall. ♂ decid. (o. d.) N. America
 triacanthos Linn. ♂ decid. (o. d.) N. America

Poinciana LINN.*Flower Fence.*

Gillessii Hook. ♂ shr. evgr. (o. d.) S. America
 pulcherrima Linn. ♂ shr. evgr. (st.) E. India
 Regia Bojer. ♂ evgr. (st.) Madagascar

Parkinsonia LINN.

aculeata Linn. ♂ evgr. (o. d.) W. India

*Tribus. Cassieae.***Cassia LINN.**

alata Linn. ♂ shr. evgr. (st.) E. India
 bacillaris Linn. fil. ♂ shr. evgr. (o. d.) E. India
 Brewsterii F. Muell. ♂ shr. evgr. (o. d.) E. Australia
 calliantha W. Meyer. ♂ shr. evgr. (o. d.) Guiana
 Candolleana Vogel. ♂ shr. evgr. (o. d.) Brazil
 capensis Thunb. ♂ shr. evgr. (o. d.) C. G. Hope
 corymbosa Lam. ♂ shr. evgr. (o. d.) C. G. Hope
 Fistula Linn. ♂ shr. evgr. (o. d.) Egypt
 florida Vahl. ♂ shr. evgr. (o. d.) Florida
 glauca Lam. var. flava. ♂ shr. evgr. (o. d.) Java
 grandiflora Desf. ♂ shr. evgr. (st.) S. Europe
 linearifolia G. Don. ♂ shr. evgr. (o. d.) Brazil
 marylandica Linn. ♀ (o. d.) N. America
 occidentalis Linn. ♂ shr. evgr. (o. d.) Egypt
 pubescens Jacq. ♂ shr. evgr. (o. d.) S. America
 Sophora Linn. ♂ shr. evgr. (o. d.) E. India
 speciosa Schrad. ♂ shr. evgr. (o. d.) Brazil
 suffruticosa Koen. ♂ shr. evgr. (o. d.) E. India
 tomentosa Linn. ♂ shr. evgr. (o. d.) S. America
 Tora Linn. ☽ (o. d.) E. India

Petalostyles R. Br.


labichoides R. Br. ♂ shr. evgr. (o. d.) S. Australia

Ceratonia LINN.*Carob Tree.*

Siliqua Linn. ♂ evgr. (o. d.) Levant

*Tribus. Bauhinieae.***Bauhinia LINN.**

acuminata Linn. ♂ shr. evgr. (o. d.) Java
 alba Hamilt. ♂ shr. evgr. (o. d.) E. India
 diphyllea Buchan. ♂ shr. evgr. (o. d.) E. India
 glauca Wall. ♂ shr. evgr. (o. d.) India
 Hookerii F. Muell. ♂ (o. d.) N. Australia
 malabarica Roxb. ♂ evgr. (o. d.) E. India
 pubescens Dec. ♂ shr. evgr. (o. d.) Brazil



DIRECTOR'S RESIDENCE.

Bauhinia—continued.

- purpurea Linn. h decd. (o. d.) E. India
 scandens Linn. h — evgr. (o. d.) E. India
 tomentosa Linn. h shr. evgr. (o. d.) Ceylon
 variegata Linn. h shr. evgr. (o. d.) E. India

Cercis LINN.

- Siliquastrum Linn. h decd. (o. d.) S. Europe

*Tribus. Amherstieae.***Brownnea** JACQ.

- coccinea Jacq. h evgr. (st.) S. America
 grandiceps Jacq. h evgr. (st.) E. India

Tamarindus LINN.*Tamarind.*

- indica Linn. h evgr. (st.) E. India

Schotia JACQ.

- brachypetala Sond. h shr. evgr. (o. d.) C. G. Hope
 latifolia Jacq. h shr. evgr. (o. d.) C. G. Hope
 speciosa Jacq. h shr. evgr. (o. d.) C. G. Hope

Hymenaea LINN.*Locust Tree.*

- Courbaril Linn. h evgr. (st.) S. America

Jonesia ROXB.

- Asoca Roxb. h evgr. (st.) Java
 declinata Jacq. h evgr. (st.) Java

*Sub Ordo. MIMOSEAE.**Tribus. Parkieae.***Parkia** R BR.

- biglandulosa Wight. h shr. evgr. (st.) E. India

*Tribus. Adenanthereae.***Adenanthera** LINN.

- microsperma Teysm. h shr. evgr. (st.) Java
 Pavonina Linn. h shr. evgr. (st.) E. India

Entada ADANS.

- Pursaetha Dec. h — evgr. (st.) E. India

Prosopis LINN.*Screw or Musquit Bean.*

- glandulosa Torr. h evgr. (o. d.) Arizona
 pubescens Benth. h evgr. (o. d.) Arizona

*Tribus. Eumimoseae.***Desmanthus** WILLD.

punctatus Willd. und. shr. evgr. (st.) Tasmania

Mimosa LINN.pudica Linn. ♂ (st.) *Humble Plant.* S. America

rubicaulis Lam. ♀ shr. evgr. (o. d.) E. India

sensitiva Linn. ♀ shr. evgr. (st.) *Sensitive Plant.* Brazil*Tribus. Acacieae.***Acacia** NECK.

acinacea Lindl. ♀ shr. evgr. (o. d.) Australia
 acuminata Benth. ♀ evgr. (o. d.) W. Australia
 anceps Dec. ♀ shr. evgr. (o. d.) S. Australia
 armata R. Br. ♀ shr. evgr. (o. d.) S. Australia
 asparagoides A. Cunn. ♀ shr. evgr. (o. d.) E. Australia
 brachybotrya Benth. ♀ shr. evgr. (o. d.) Australia
 calamifolia Sweet. ♀ shr. evgr. (o. d.) Australia
 Cavenia Bert. ♀ evgr. (o. d.) Chili
 Cunninghamii Hook. ♀ shr. evgr. (o. d.) E. Australia
 cyanophylla Lindl. ♀ shr. evgr. (o. d.) W. Australia
 cyclopis A. Cunn. ♀ shr. evgr. (o. d.) W. Australia
 dealbata Link. ♀ evgr. (o. d.) Australia
 decipiens R. Br. ♀ shr. evgr. (o. d.) W. Australia
 decurrens Willd. ♀ evgr. (o. d.) Australia
 diffusa Lindl. ♀ shr. evgr. (o. d.) E. Australia, Tasmn.
 dilatata Benth. ♀ shr. evgr. (o. d.) W. Australia
 discolor Willd. ♀ shr. evgr. (o. d.) E. Australia
 dodonaeifolia Willd. ♀ shr. evgr. (o. d.) S. Australia
 eburnea Willd. ♀ shr. evgr. (o. d.) E. India
 extensa Lindl. ♀ shr. evgr. (o. d.) W. Australia
 falcata Willd. ♀ evgr. (o. d.) E. Australia
 farinosa Lindl. ♀ shr. evgr. (o. d.) S. Australia
 Farnesiana Willd. ♀ evgr. (o. d.) E. India, Australia
 glaucoptera Benth. ♀ shr. evgr. (o. d.) W. Australia
 hispidula Willd. ♀ shr. evgr. (o. d.) E. Australia
 homalophylla A. Cunn. ♀ evgr. (o. d.) Australia
 horrida Willd. ♀ evgr. (o. d.) Africa
 implexa Benth. ♀ evgr. (o. d.) E. Australia
 Julibrissin Willd. ♀ decd. (o. d.) Levant
 juncifolia Benth. ♀ shr. evgr. (o. d.) N. Australia
 juniperina Willd. var. Brownii. ♀ shr. evgr. (o. d.)
 E. Australia, Tasmania
 lanigera A. Cunn. ♀ shr. evgr. (o. d.) E. Australia
 Lebeck Willd. ♀ evgr. (o. d.) Egypt
 leprosa Sieb. ♀ shr. evgr. (o. d.) Australia

Acacia—continued.

- linearis Sims. h shr. evgr. (o. d.) Australia
 linea A. Cunn. h shr. evgr. (o. d.) Australia
 linifolia Willd. h shr. evgr. (o. d.) E. Australia
 longifolia Willd. h shr. evgr. (o. d.) Australia
 " var. floribunda
 " " mucronata
 " " Sophorae
 lunata Sieb. h shr. evgr. (o. d.) E. Australia
 macradenia Benth. h shr. evgr. (o. d.) Australia
 Mangium Willd. h shr. evgr. (o. d.) E. India
 melanoxyylon R. Br. h evgr. (o. d.) *Blackwood*. Australia,
 Tasmania
 microbotrya Benth. h shr. evgr. (o. d.) W. Australia
 montana Benth. h shr. evgr. (o. d.) Australia
 myrtifolia Willd. h shr. evgr. (o. d.) Australia
 " var. celastrifolia
 natalitia E. Mey. h shr. evgr. (o. d.) C. G. Hope
 obliqua A. Cunn. h shr. evgr. (o. d.) Australia
 Oswaldia F. Muell. h shr. evgr. (o. d.) Australia
 oxycedrus Sieb. h shr. evgr. (o. d.) Australia
 penninervis Sieb. h evgr. (o. d.) Australia
 plumosa Howe. h decd. (o. d.) Isl. Madeira
 podalyriæfolia A. Cunn. h shr. evgr. (o. d.) E. Australia
 prominens A. Cunn. h shr. evgr. (o. d.) Australia
 pugioniformis Wendl. h shr. evgr. (o. d.) E. Australia
 pulchella R. Br. h shr. evgr. (o. d.) W. Australia
 pycnantha Benth. h evgr. *Wattle*. (o. d.) S. Australia
 retinodes Schlecht. h evgr. (o. d.) S. Australia
 Riceana Hensl. h evgr. (o. d.) Tasmania
 rigens A. Cunn. h shr. evgr. (o. d.) S. Australia
 rupicola F. Muell. h shr. evgr. (o. d.) S. Australia
 salicina Lindl. h evgr. (o. d.) Australia
 saligna Wendl. h evgr. (o. d.) W. Australia
 sentis F. Muell. h evgr. (o. d.) Australia
 sericata A. Cunn. h shr. evgr. (o. d.) Australia
 spectabilis A. Cunn. h shr. evgr. (o. d.) Australia
 spinescens Benth. h shr. evgr. (o. d.) Australia
 stricta Willd. h shr. evgr. (o. d.) E. Australia, Tasmania
 strigosa Link. h shr. evgr. (o. d.) W. Australia
 Sundra Dec. h evgr. (o. d.) E. India
 tortuosa Willd. h shr. evgr. (o. d.) Isl. Jamaica
 trinervata Sieb. h shr. evgr. (o. d.) E. Australia
 ulicina Meissn. h shr. evgr. (o. d.) W. Australia
 urophylla Benth. h shr. evgr. (o. d.) W. Australia
 verniciflua var. exudans Lindl. h shr. evgr. (o. d.) Australia
 verticillata Willd. h shr. evgr. (o. d.) E. Australia. Tasmania
 " var. maesta

Acacia—continued.

- verticillata* var. *ovoidea* Benth.
vestita Ker. ♂ shr. evgr. (o. d.) E. Australia
viminalis Ait. ♂ shr. evgr. (o. d.) Australia

*Tribus. Ingeae.***Calliandra** BENTH.

- haematocephala* Hasskl. ♂ shr. evgr. (o. d.) S. America

Albizzia DURAZ.

- lophantha* Benth. ♂ evgr. (o. d.) W. Australia

Pithecellobium MART.

- pruinosum* Benth. ♂ evgr. (o. d.) E. Australia
umbrosum Mart. ♂ evgr. (o. d.) S. America

Inga WILLD.

- haematoxylon* (?) ♂ evgr. (o. d.) America
laurina Willd. ♂ evgr. (st.) S. America
pulcherrima Cerv. ♂ evgr. (o. d.) Mexico
Saman Willd. ♂ shr. evgr. (o. d.) Caracas

*Ordo. ROSACEAE. Jussieu.**Tribus. Pruneae.***Prunus** LINN.*Plum Tree.*

- avium* Linn. ♂ decd. (o. d.) *Bird Cherry.* Europe
borealis Poir. ♂ decd. (o. d.) N. America
candicans Balb. ♂ decd. (o. d.) Europe
cerasifera Ehrh. ♂ decd. (o. d.) N. America
Chamaecerasus Linn. ♂ decd. (o. d.) Europe
divaricata Ledeb. ♂ decd. var. *pendula*. (o. d.) Caucasus
domestica Linn. ♂ decd. (o. d.) Europe
 “ var. *pendula*
Laurocerasus Linn. ♂ shr. evgr. *Laurel.* (o. d.) Levant
lusitanica Linn. ♂ shr. evgr. (o. d.) *Portugal Laurel.*
 Europe
Mahaleb Linn. ♂ decd. (o. d.) Europe
maritima Wngham. ♂ decd. (o. d.) N. America
orientalis Spach. var. *fol. argent.* ♂ decd. (o. d.) Orient
Padus Linn. ♂ decd. (o. d.) *Bird Cherry.* Europe
pumila Linn. ♂ decd. (o. d.) N. America
semperflorens Ehrh. ♂ decd. (o. d.) Europe
spinosa Linn. ♂ decd. *Sloe.* (o. d.) Europe
 “ var. *fl. pleno*
virginiana Linn. ♂ decd. (o. d.) N. America

*Tribus. Spiraeae.***Spiraea LINN.**

- alba Ehrh. ♂ und. shr. decd. (o. d.) N. America
 amoena Morr. ♂ und. shr. decd. (o. d.) N. America
 ariaefolia Sm. ♂ und. shr. decd. (o. d.) N. America
 barbata Wall. ♀ (o. d.) E. India
 bella Sims. ♂ und. shr. decd. (o. d.) Nepal
 " var. coccinea
 Billardii Hort. ♂ und. shr. decd. (o. d.)
 Blumei G. Don. ♂ und. shr. decd. (o. d.) Java
 callosa Thunb. ♂ und. shr. decd. (o. d.) Japan
 " var. pubescens
 cana W. & K. ♂ und. shr. decd. (o. d.) Dalmatia
 carpinifolia Willd. ♂ und. shr. decd. (o. d.) N.
 America
 chamaedrifolia Linn. ♂ und. shr. decd. (o. d.) Europe
 " var. ulmifolia
 confusa Regel. ♂ shr. decd. (o. d.) E. India
 corymbosa Rafin. ♂ und. shr. decd. (o. d.) N. America
 digitata Willd. ♀ (o. d.) Siberia
 " var. tomentosa
 Douglassii Hook. ♂ und. shr. evgr. (o. d.) N. America
 filipendula Linn. ♂ und. shr. decd. (o. d.) S. Europe
 Foxii Hort. ♂ und. shr. decd. (o. d.)
 grandiflora Sweet. ♂ shr. decd. (o. d.) China
 Hookerii Hort. ♂ und. shr. decd. (o. d.)
 hypericifolia Linn. ♂ und. shr. decd. (o. d.) Europe
 japonica Siebold. ♀ (o. d.) Japan
 laevigata Linn. ♂ und. shr. decd. (o. d.) Siberia
 Lindleyana Wall. ♂ und. shr. evgr. (o. d.) E. India
 nepalensis Lodd. ♂ und. shr. decd. (o. d.) E. India
 nutans Royl. ♂ und. shr. decd. (o. d.) E. India
 opulifolia Linn. ♂ und. shr. decd. (o. d.) N. America
 palmata Thunb. ♀ (o. d.) Japan
 prunifolia Sieb. ♂ und. shr. decd. (o. d.) Japan
 Reevesiana Lindl. ♂ und. shr. evgr. (o. d.) China
 salicifolia Linn. ♂ und. shr. decd. (o. d.) Europe
 " var. rosea
 sorbifolia Linn. ♂ und. shr. decd. (o. d.) Europe
 tomentosa Linn. ♂ und. shr. decd. (o. d.) N. America
 Thunbergii Siebold. ♂ und. shr. decd. (o. d.) Java
 Ulmaria Linn. ♀ (o. d.) Europe
 ulmifolia Scop. ♂ und. shr. decd. (o. d.) Siberia

Kerria DEC.

- japonica Dec. ♂ shr. decd. (o. d.) Japan
 " fl. pleno.

*Tribus. Rubeae.***Rubus LINN.***Bramble.*

- Balfourianus Weihe. ♂ und. shr. tr. (o. d.) Europe
 Borreri Weihe. ♂ und. shr. decd. tr. (o. d.) Europe
 cordifolius Weihe. ♂ und. shr. decd. tr. (o. d.) Germany
 diversifolius Lindl. ♂ und. shr. decd. tr. (o. d.) England
 fruticosus Linn. ♂ und. shr. decd. (o. d.) Europe
 Idaeus Linn. ♂ fl. pl. und. shr. decd. tr. *Raspberry.*
 Europe
 laciniatus Willd. ♂ und. shr. decd. tr. (o. d.) Germany
 leucostachys Schlecht. ♂ und. shr. decd. tr. (o. d.) Europe
 Moorei F. Muell. ♂ und. shr. decd. tr. (o. d.) E.
 Australia
 odoratus Linn. ♂ und. shr. decd. (o. d.) N. America
 rhamnifolius Weihe. ♂ und. shr. decd. tr. (o. d.) Europe
 rosaefolius Sm. ♂ und. shr. evgr. (o. d.) *Blackberry.* Isl.
 Mauritius
 rudis Weihe. ♂ und. shr. decd. (o. d.) Europe
 spectabilis Pursh. ♂ und. shr. decd. (o. d.) N. America
 thrysoides Weihe. ♂ und. shr. decd. tr. (o. d.) Europe
 tiliaefolius Weihe. ♂ und. shr. decd. tr. (o. d.) Europe
 triphyllus Thunb. ♂ und. shr. decd. tr. (o. d.) Japan

*Tribus. Potentilleae.***Geum LINN.**

- chiloense Bab. ♀ (o. d.) Chili
 coccineum Sibth. ♀ (o. d.) S. Europe
 " var. grandiflorum
 " " superbum
 urbanum Linn. ♀ (o. d.) Europe

Fragaria LINN.*Strawberry.*

- elatior Ehrh. ♀ (o. d.) Europe

Potentilla LINN.*Cinquefoil.*

- alpestris Hall. ♀ (o. d.) Europe
 argentea Linn. ♀ (o. d.) Europe
 aurea Linn. ♀ (o. d.) Alps
 Hippiana Lehm. ♀ (o. d.) N. America
 hirta Linn. ♀ (o. d.) S. Europe
 Mackayana Hort. ♀ (o. d.)
 pennsylvanica Linn. ♀ (o. d.) N. America
 thuringiaca Bernh. ♀ (o. d.) Germany
 variabilis Klotzsch fl. pl. ♀ (o. d.)
 Visianii Hort. ♀ (o. d.)

*Tribus. Poterieae.***Agrimonia LINN.***Agrimony.*

Eupatorium Linn. ♀ (o. d.) Europe

Acaena LINN.

Sanguisorbae Vahl. ♀ (o. d.) N. Zealand

Cliffortia LINN.

ericaefolia Linn. fl. ♂ shr. evgr. (o. d.) C. G. Hope

*Tribus. Roseae.***Rosa LINN.***Rose.*alba Linn. ♂ shr. decd. (o. d.) *White or Belgic.* Europealpina Linn. ♂ shr. decd. (o. d.) *Alpine.* Alpsarvensis Huds. ♂ shr. decd. (o. d.) *Field.* EuropeBanksiae R. Br. ♂ — decd. (o. d.) *Banksian.* China

" fl. alba

" fl. pleno

bracteata Wendl. ♂ shr. evgr. (o. d.) *Macartney.* Chinacanina Linn. ♂ shr. decd. (o. d.) *Dog Rose.* Europecentifolia Linn. ♂ shr. decd. (o. d.) *Cabbage Rose.* Europe

" var. moschata

cinnamomea Linn. ♂ shr. decd. (o. d.) Europe

" var. glandulifera

" " intermedia

damascena Mill. ♂ shr. decd. (o. d.) *Damask.* Levant

ferox Ait. ♂ shr. decd. (o. d.) Caucasus

gallica Linn. ♂ shr. decd. (o. d.) *French Rose.* Franceindica Linn. ♂ shr. evgr. (o. d.) *Monthly Rose.* China

Lawrenceana Sweet. ♂ shr. evgr. (o. d.) China

microphylla Roxb. ♂ shr. decd. (o. d.) China

moschata Mill. ♂ decd. (o. d.) *Musk Rose.* Africa

multiflora Thunb. ♂ — decd. (o. d.) Japan

nitida Willd. ♂ shr. decd. (o. d.) N. America

parviflora Ehrh. ♂ shr. decd. (o. d.) *Burgundy Rose.*

Europe

rubifolia R. Br. ♂ shr. decd. (o. d.) N. America

rubiginosa Linn. ♂ shr. decd. (o. d.) *Sweet Briar.*

Europe

rugosa Thunb. var. Regiana ♂ shr. decd. (o. d.) Japan

sanguisorbaefolia Don. ♂ shr. decd. (o. d.) *Burnet.* Europesempervirens Linn. ♂ — (o. d.) *Evergreen Rose.* S.

Europe

spinossissima Linn. ♂ shr. decd. (o. d.) *Scotch Rose.*

Europe

*Tribus. Pomeae.***Pyrus LINN.***Pear and Apple.*

- americana* Dec. ♂ decd. (o. d.) Canada
Aria Ehrh. ♂ decd. (o. d.) Europe
aucuparia Linn. ♂ decd. (o. d.) *Mountain Ash.* Europe
 " var. *pendula*
baccata Linn. ♂ decd. (o. d.) *Small Crab.* Siberia
communis Linn. ♂ decd. (o. d.) *Common Pear.* Europe
floribunda Sieb. ♂ decd. (o. d.) Japan
 " var. *pendula*
intermedia Ehrh. ♂ decd. (o. d.) Europe
japonica Thunb. ♂ decd. (o. d.) Japan
Malus Linn. ♂ decd. (o. d.) *Common Apple.* Europe
nepalensis Lodd. ♂ decd. (o. d.) Nepal
prunifolia Willd. ♂ decd. (o. d.) *Siberian Crab.*
 Siberia
salicifolia Linn. ♂ decd. (o. d.) Siberia
Sieversii Ledeb. ♂ decd. (o. d.) Siberia

Crataegus LINN.*Hawthorn.*

- apiifolia* Michx. ♂ decd. (o. d.) N. America
Aronia Bosc. ♂ decd. (o. d.) Orient
Azarolus Linn. ♂ decd. (o. d.) S. Europe
chinensis Steud. ♂ decd. (o. d.) China
coccinea Linn. ♂ decd. (o. d.) N. America
 " var. fol. varieg.
cordata Mill. ♂ decd. (o. d.) N. America
Crus-galli Linn. ♂ decd. (o. d.) *Cockspur.* N. America
Douglassii Lindl. ♂ decd. (o. d.) N. America
glandulosa Ait. ♂ decd. (o. d.) N. America
mexicana Moc. ♂ evgr. (o. d.) Mexico
nigra Willd. ♂ decd. (o. d.) Hungary
orientalis Bibrst. ♂ decd. (o. d.) Orient
ovalifolia Hornm. ♂ decd. (o. d.) N. America
Oxyacantha Linn. ♂ decd. (o. d.) *Hawthorn.* Europe
 " var. *argentea*
 " " *kermesina* fl. pl.
 " " *pendula* var. fol. varieg.
prunifolia Bosc. ♂ decd. (o. d.) N. America
punctata Ait. ♂ decd. (o. d.) N. America
Pyracantha Pers. ♂ evgr. (o. d.) *Evergreen Thorn.*
 Europe
pyrifolia Ait. ♂ decd. (o. d.) N. America
sanguinea Pall. ♂ decd. (o. d.) Russia
spathulata Michx. ♂ decd. (o. d.) Virginia
triloba Pers. ♂ decd. (o. d.) Mauritania

Cotoneaster MEDIK.

- affinis Lindl. ♂ shr. decd. (o. d.) E. India
 buxifolia Wall. ♂ shr. evgr. (o. d.) E. India
 laxiflora Lindl. ♂ shr. decd. (o. d.) Nepal
 microphylla Wall. ♂ shr. decd. (o. d.) Nepal
 obtusa Wall. ♂ shr. decd. (o. d.) E. India
 ovalifolia (?) shr. decd. (o. d.)
 rotundifolia Wall. ♂ shr. evgr. (o. d.) Nepal
 tomentosa Lindl. ♂ shr. decd. (o. d.) Europe
 vulgaris Lindl. ♂ shr. decd. (o. d.) Europe

Photinia LINDL.

- arbutifolia Lindl. ♂ shr. evgr. (o. d.) California
 " fol. varieg.
 glabra (?) ♂ shr. evgr. (o. d.) E. India
 serrulata Lindl. ♂ shr. evgr. (o. d.) China

Raphiolepis LINDL.

- indica Lindl. ♂ shr. evgr. (o. d.) China
 japonica Lindl. var. integerrima. ♂ shr. evgr. (o. d.) Japan
 ovata Lindl. ♂ shr. evgr. (o. d.) China
 salicifolia Lindl. shr. evgr. (o. d.) China

Amelanchier LINDL.

- Botryapium Dec. ♂ decd. (o. d.) Canada
 florida Lindl. ♂ decd. (o. d.) N. America
 montana (?) ♂ decd. (o. d.) N. America
-

Ordo. SAXIFRAGEAE. Ventenat.

*Tribus. Saxifrageae.***Saxifraga** LINN.*Saxifrage.*

- ciliaris Lapeyr. ♀ (o. d.) Alps
 crassifolia Linn. ♂ (o. d.) Siberia
 flagellaris Willd. ♀ (o. d.) Caucasus
 sarmentosa Linn. fil. ♀ (g. h.) China
 umbrosa Linn. ♀ (o. d.) Spain

*Tribus. Hydrangeae.***Hydrangea** LINN.

- fimbriata (?) var. macrophylla. ♂ shr. decd. (g. h.) China
 hortensis Dec. ♂ shr. decd. (g. h.) China

Hydrangea—continued.

- japonica Siebold. h shr. decd. (g. h.) Japan
 " fol. argentea varieg.
 " fol. aurea varieg.
 " var. speciosa
 Otasko Sieb. and Zucc. h shr. decd. (g. h.) Japan
 paniculata Siebold. h shr. decd. (g. h.) Japan
 " var. grandiflora
 stellata Sieb. and Zucc. h shr. decd. (gr. h.) Japan

Deutzia THUNB.

- corymbosa R. Br. h shr. evgr. (o. d.) Himalayas
 crenata Hook. h shr. decd. (o. d.) Himalayas
 " fl. pleno.
 gracilis Lindl. h shr. decd. (o. d.) Japan
 scabra Thunb. h shr. decd. (o. d.) Japan
 viola fl. pl. Hort. h shr. decd. (o. d.) Japan

Philadelphus LINN.*Syringa*.

- californicus Benth. h shr. decd. (o. d.) California
 coronarius Linn. h shr. decd. (o. d.) S. Europe
 floribundus Schrad. h shr. decd. (o. d.) N. America
 grandiflorus Willd. shr. decd. (o. d.) N. America
 inodorus Linn. h shr. decd. (o. d.) Carolina
 laxus Schrad. h shr. decd. (o. d.) N. America
 mexicanus Schlecht. h shr. decd. (o. d.) Mexico
 speciosus Schrad. h shr. decd. (o. d.) N. America
 tomentosus Don. h shr. decd. (o. d.) Nepal
 trinervius Schrad. h shr. decd. (o. d.) N. America
 Zeyheri Schrad. h shr. decd. (o. d.) N. America

*Tribus. Escalloniaceae.***Escallonia** MUTIS.

- floribunda Humb. and Bonpl. h shr. evgr. (o. d.) S. America
 macrantha Hook. h shr. evgr. (o. d.) Chili
 montevidensis Dec. h shr. evgr. (o. d.) Monte Video
 organensis Sard. h shr. evgr. (o. d.) Brazil
 rubra Pers. h shr. evgr. (o. d.) Chili

Carpodetus FORST.

- serratus Forst. h evgr. (o. d.) N. Zealand

Itea LINN.

- virginica Linn. h shr. decd. (o. d.) N. America

Quintinia DEC.

- serrata A. Cunn. h evgr. (o. d.) N. Zealand

*Tribus. Cunonieae.***Callicoma** ANDR.

serratifolia Andr. ♂ shr. evgr. (o. d.) E. Australia

Aphanopetalum ENDL.

resinosum Endl. ♂ shr. evgr. (o. d.) E. Australia

Ceratopetalum SM.

gummiferum Sm. ♂ evgr. (o. d.) E. Australia

apetalum Don. ♂ evgr. (o. d.) E. Australia

Weinmannia LINN.

racemosa Forst. ♂ evgr. (o. d.) N. Zealand

*Tribus. Ribesieae.***Ribes** LINN.*Currant.*

alpinum Linn. ♂ shr. decd. (o. d.) Alps

aureum Pursh. ♂ shr. decd. (o. d.) Missouri

glutinosum Benth. ♂ shr. decd. (o. d.) N. America

Menziesii Pursh. ♂ shr. decd. (o. d.) N. America

multiflorum Kit. ♂ shr. decd. (o. d.) Europe

opulifolium Hort. ♂ shr. decd. (o. d.) Russia

rubrum Linn. ♂ shr. decd. (o. d.) Europe

sanguineum Pursh. ♂ shr. decd. (o. d.) N. America

saxatile Pall. ♂ shr. decd. (o. d.) Siberia

speciosum Pursh. ♂ shr. decd. (o. d.) California

tenuiflorum Lindl. ♂ shr. decd. (o. d.) N. America

Bauera BANKS.

sessiliflora F. Muell. ♂ shr. evgr. (o. d.) E. Australia

Cephalotus LABILL.

follicularis Labill. ♀ (o. d.) W. Australia

Ordo. CRASSULACEAE. De Candolle.

Crassula LINN.

arborescens Willd. ♂ shr. evgr. (o. d.) C. G. Hope

cordata Ait. ♂ ~ evgr. (o. d.) C. G. Hope

lactea Ait. ♂ shr. evgr. (o. d.) C. G. Hope

portulacea Lam. ♂ shr. evgr. (o. d.) C. G. Hope

spathulata Thunb. ♂ shr. evgr. (o. d.) C. G. Hope

tetragona Linn. ♂ shr. evgr. (o. d.) C. G. Hope

Rochea DEC.

- coccinea Dec. ♂ und. shr. evgr. (o. d.) S. Africa
 falcata Dec. ♂ und. shr. evgr. (o. d.) C. G. Hope

Bryophyllum SALISB.

- calycinum Salisb. ♂ und. shr. evgr. (g. h.) Isl. Molucca

Kalanchoe ADANS.

- laciniata Dec. ♂ und. shr. evgr. (g. h.) E. India

Cotyledon LINN.

- orbiculata Linn. ♂ und. shr. evgr. (o. d.) C. G. Hope

Echeveria DEC.

- abyssinica (?) ♂ und. shr. evgr. (o. d.) Abyssinia

- argentea Hort. ♂ und. shr. evgr. (o. d.)

- atropurpurea Hort. ♂ und. shr. (o. d.)

- carinata Hort. ♂ und. shr. (o. d.)

- coccinea Dec. ♂ und. shr. evgr. (o. d.) Mexico

- gibbiflora Dec. ♂ und. shr. evgr. (o. d.) Mexico

- grandiflora Haw. ♂ und. shr. evgr. (o. d.) Mexico

- metallica Lindl. ♂ und. shr. evgr. (o. d.) Mexico

- retusa Lindl. ♂ und. shr. evgr. (o. d.) Mexico

" var. floribunda

- secunda Lindl. ♂ und. shr. evgr. (o. d.) Mexico

Sedum LINN.*Stone Crop.*

- acre Linn. ♀ (o. d.) Europe

- Aizoon Linn. ♀ (o. d.) Siberia

" var. varieg.

- albescens Haw. ♀ (o. d.) Europe

- arenarium Brot. ♀ (o. d.) Europe

- Anacampseros Linn. ♀ (o. d.) Europe

- brevifolium Dec. ♀ (o. d.) Europe

- carneum variegatum Hort. ♀ (o. d.) Europe

- coeruleum Vahl. ♂ (o. d.) Africa

- dasyphyllum Linn. ♀ (o. d.) Europe

- Ewersii Ledeb. ♀ (o. d.) Siberia

- Fabaria Koch. ♀ (o. d.) Europe

- Forsterianum Sm. ♀ (o. d.) Europe

- grandiflorum Ruiz. and Pav. ♀ (o. d.) Peru

- hispanicum Linn. ♀ (o. d.) Europe

- hybridum Linn. ♀ (o. d.) Europe

- kamtschaticum Fish. ♀ (o. d.) Kamtschatka

" var. latifolia

- latifolium Bertol. ♀ (o. d.) Europe

- lancifolium (?) ♀ (o. d.) Europe

- Maximowiczi Regel. ♀ (o. d.) Japan

- neglectum Tenor. ♀ (o. d.) Europe

- palustre* Poir. ♂ (o. d.) Europe
purpurescens Koch. ♀ (o. d.) Europe
 " var. *albiflorum*
reflexum Linn. ♀ (o. d.) Europe
 " var. *glaucum*
repens Schleich. ♀ (o. d.) Europe
Rhodiola Dec. ♀ (o. d.) Europe
 " var. *ovatum*
rubens Dec. ♂ (o. d.) S. Europe
rupestre Linn. ♀ (o. d.) Europe
Sieboldii Sweet. ♀ (o. d.) Japan
 " var. *fol. varieg.*
spurium Linn. ♀ (o. d.) Europe
 " var. *album*
 " " *pallida roseum*
teretifolium Lam. ♀ (o. d.) Europe

- Sempervivum LINN.** *House Leek.*
- arboreum* Linn. ♂ und. shr. evgr. (o. d.) Greece
 " var. *varieg.*
barbatum Smith. ♂ und. shr. evgr. Isl. Canary
Funkii A. Brown. ♀ Alps
grandiflorum Haw. ♀ (o. d.) S. Europe
soboliferum Sims. ♂ (o. d.) Germany
sordidum (?)
tabulaeforme Haw. ♂ und. shr. evgr. (o. d.) Madeira
tectorum Linn. ♀ (o. d.) Europe
 " var. *asimile*
umbelicum (?)
Webbii Hort. ♀
-

Ordo. HAMAMELIDÆ. R. Brown.

Hamamelis LINN.

- virginica* Linn. ♂ decd. (o. d.) N. America

Rhodoleia HOOK.

- Championi* Hook. ♂ shr. evgr. (st.) Hongkong
Teysmannii Blum. ♂ shr. evgr. (st.) Java

Liquidambar LINN. *Sweet Gumtree.*

- imberbe* Ait. ♂ decd. (o. d.) Levant
styraciflua Linn. ♂ decd. (o. d.) N. America

Ordo. HALORAGEAE. R. Brown.

Haloragis FORST.

alata Jacq. h shr. evgr. (o. d.) N. Zealand

Ordo. COMBRETACEAE. R. Brown.

Sub Ordo. COMBRETEAE.**Terminalia** LINN.Catappa Linn. h evgr. (st.) E. India
elegans (?) evgr. (st.)**Combretum** LINN.grandiflorum Don. h ~ evgr. (st.) Sierre Leone
Krauseanum Hochst. h shr. evgr. (o. d.) C. G. Hope
purpureum Vahl. h ~ evgr. (st.) S. America
Whitianum Wall. h shr. evgr. (st.) Nepal**Quisqualis** LINN.

indica Linn. h ~ evgr. (st.) E. India

Ordo. MYRTACEAE. R. Brown.

Tribus. Chamaelaucieae.**Verticordia** DEC.Brownii Dec. h shr. evgr. (o. d.) W. Australia
densiflora Lindl. h shr. evgr. (o. d.) W. Australia**Callytrix** LABILL.microphylla A. Cunn. h shr. evgr. (o. d.) E. Australia
tetragona Labill. h shr. evgr. (o. d.) Australia*Tribus.* Leptospermeae.**Baeckea** LINN.

virgata Andr. h shr. evgr. (o. d.) Australia

Astartea DEC.

fascicularis Dec. h shr. evgr. (o. d.) Tasmania

Agonis DEC.

flexuosa Schau. ♂ shr. evgr. (o. d.) W. Australia
marginata Schau. ♂ shr. evgr. (o. d.) S. Australia

Leptospermum FORST. *Teatree.*

laevigatum F. Muell. ♂ shr. evgr. (o. d.) Australia
lanigerum Sm. ♂ shr. evgr. (o. d.) Australia
myrsinoides Schlecht. ♂ shr. evgr. (o. d.) S. Australia
scoparium Forst. ♂ shr. evgr. (o. d.) S. Australia

Kunzea REICHE.

peduncularis F. Muell. ♂ shr. evgr. (o. d.) E. Australia

Callistemon R. BR. *Bottlebrush.*

brachyandrus Lindl. ♂ shr. evgr. (o. d.) Australia
coccineus F. Muell. ♂ shr. evgr. (o. d.) S. Australia
lanceolatus Dec. ♂ shr. evgr. (o. d.) S. Australia
rigidus R. Br. ♂ shr. evgr. (o. d.) E. Australia
salignus Dec. ♂ shr. evgr. (o. d.) Australia
speciosus Dec. ♂ shr. evgr. (o. d.) S. Australia

Melaleuca LINN.

acuminata F. Muell. ♂ shr. evgr. (o. d.) Australia
armillaris Sm. ♂ shr. evgr. (o. d.) Australia
decussata R. Br. ♂ shr. evgr. (o. d.) Australia
densa R. Br. ♂ shr. evgr. (o. d.) W. Australia
ericifolia Sm. ♂ shr. evgr. (o. d.) E. Australia
genistifolia Sm. ♂ shr. evgr. (o. d.) E. Australia
glaberrima F. Muell. ♂ shr. evgr. (o. d.) W. Australia
hypericifolia Sm. ♂ shr. evgr. (o. d.) Australia
incana R. Br. ♂ shr. evgr. (o. d.) W. Australia
leucadendron Linn. ♂ shr. evgr. (o. d.) W. Australia
micromera Schau. ♂ shr. evgr. (o. d.) W. Australia
nodosa Sm. ♂ shr. evgr. (o. d.) E. Australia
Preissiana Schau. ♂ evgr. (o. d.) Australia
pustulata Hook. fil. ♂ shr. evgr. (o. d.) E. Australia
sparsiflora Turez. ♂ shr. evgr. (o. d.) W. Australia
squamata Labill. ♂ shr. evgr. (o. d.) E. Australia
uncinata R. Br. ♂ shr. evgr. (o. d.) Australia
Wilsonii F. Muell. ♂ shr. evgr. (o. d.) S. Australia

Beaufortia R. Br.

decussata R. Br. ♂ shr. evgr. (o. d.) W. Australia

Calothamnus LABILL.

quadrifidus R. Br. ♂ shr. evgr. (o. d.) Australia
villosus R. Br. ♂ shr. evgr. (o. d.) W. Australia

Angophora CAV.

intermedia Dec. ♂ evgr. (o. d.) E. Australia
subvelutina F. Muell. ♂ evgr. (o. d.) E. Australia

- Eucalyptus L'HERIT.** *Gumtree.*
- alpina Lindl. h shr. evgr. (o. d.) E. Australia
 - amygdalina Labill. h evgr. (o. d.) *Giant Tree.* E. Australia
 - bicolor A. Cunn. h evgr. (o. d.) *Bastard Box.* Australia
 - botryoides Sm. h evgr. (o. d.) *Bastard Mahogany.* E. Australia
 - brachypoda Turez. h shr. evgr. (o. d.) Australia
 - calophylla R. Br. h evgr. (o. d.) *Redgum.* W. Australia
 - callosa (?) h (o. d.) E. Australia
 - citriodora Hook. h evgr. (o. d.) *Spottedgum.* E. Australia
 - coccifera Hook. h evgr. (o. d.) Tasmania
 - coriacea A. Cunn. h evgr. (o. d.) *Whitegum.* E. Australia
 - cornuta Labill. h evgr. (o. d.) *Yeit.* W. Australia
 - corymbosa Sm. h evgr. (o. d.) *Blood Tree.* E. Australia
 - corynocalyx F. Muell. h shr. evgr. (o. d.) S. Australia
 - ficifolia F. Muell. h evgr. (o. d.) W. Australia
 - globulus Labill. h evgr. (o. d.) *Bluegum.* Tasmania
 - goniocalyx F. Muell. h evgr. (o. d.) S. Australia
 - gracilis F. Muell. h evgr. (o. d.) Australia
 - grandifolia R. Br. h evgr. (o. d.) N. Australia
 - Gunnii Hook. fil. h evgr. (o. d.) Tasmania
 - haemastoma Sm. h evgr. (o. d.) E. Australia
 - Lehmanni Preiss. h evgr. (o. d.) W. Australia
 - leucoxylon F. Muell. h evgr. (o. d.) Australia
 - macrocarpa Hook. h shr. evgr. (o. d.) W. Australia
 - maculata Hook. fil. h evgr. (o. d.) *Spottedgum.* W. Australia
 - marginata Sm. h evgr. (o. d.) *Yarra.* W. Australia
 - megacarpa F. Muell. h evgr. (o. d.) W. Australia
 - obliqua L'Herit. h evgr. (o. d.) *Stringybark.* S. Australia
 - occidentalis Endl. h evgr. (o. d.) W. Australia
 - odorata Behr. h evgr. (o. d.) *Peppermint Tree.* S. Australia
 - orbifolia F. Muell. h shr. evgr. (o. d.) W. Australia
 - paniculata Sm. h shr. evgr. (o. d.) *She-Ironbark.* E. Australia
 - pilularis Sm. h evgr. (o. d.) E. Australia
 - piperita Sm. h evgr. (o. d.) E. Australia
" var. *eugenioides*
 - platypus Hook. h evgr. (o. d.) W. Australia
" var. *nutans*.
 - Risdoni Hook. fil. h evgr. (o. d.) *Drooping Gum.* Tasmania
 - resinifera Sm. h evgr. (o. d.) E. Australia
 - robusta Sm. h evgr. (o. d.) *Swamp Mahogany.* E. Australia
 - rostrata Schlecht. h evgr. (o. d.) *Whitegum.* Australia

MAIN WALK.



Encalyptus—continued.

siderophloia Benth. h evgr. (o. d.) *Ironbark*. E. Australia
Stuartiana F. Muell. h evgr. (o. d.) *Yellowgum*. Australia
tereticornis Sm. h evgr. (o. d.) *Redgum*. E. Australia
tetragona F. Muell. h evgr. (o. d.) W. Australia
urnigera Hook. fil. h evgr. (o. d.) *Weeping Gum*. Tasmn
viminalis Labill. h evgr. (o. d.) *Bluegum*. Australia

Tristania R. Br.

conferta R. Br. h evgr. (o. d.) E. Australia
neriifolia R. Br. h shr. evgr. (o. d.) E. Australia

Syncarpia TEN.

laurifolia Ten. h evgr. (o. d.) E. Australia

Metrosideros BANKS.

robusta A. Cunn. h evgr. (o. d.) N. Zealand
tomentosa A. Cunn. h evgr. (o. d.) N. Zealand

Backhousia HOOK.

myrtifolia Hook. h shr. evgr. (o. d.) E. Australia

*Tribus. Myrteae.***Psidium** WILLD.*Guava.*

aromaticum Aubl. h shr. evgr. (o. d.) S. America
Cattleyanum Lindl. h evgr. (o. d.) S. America
littorale Raddi. h shr. evgr. (o. d.) S. America
pomiferum Linn. h shr. evgr. (o. d.) S. America
pyriferum Linn. h shr. evgr. (o. d.) S. America

Myrtus LINN.*Myrtle.*

communis Linn. h shr. evgr. (o. d.) S. Europe
 “ fol. varieg.
 “ fl. pleno.
microphylla Humb. & Bonpl. h shr. evgr. (o. d.) Peru
romana Hoffm. h shr. evgr. (o. d.) Orient
tomentosa Ait. h shr. evgr. (o. d.) China

Nelitriss GAERTN.

ingens F. Muell. h shr. evgr. (o. d.) E. Australia
paniculata Lindl. h shr. evgr. (o. d.) Moluccas

Pimenta LINDL.*Allspice.*

vulgaris Lindl. h evgr. (st.) W. Indies

Jambosa DEC.

acida (?) h shr. evgr. (st.) S. S. Islands
aquea Dec. h shr. evgr. (st.) Moluccas

Eugenia LINN.

- apiculata Dec. ♂ shr. evgr. (o. d.) Chili
 brasiliensis Lam. ♂ shr. evgr. (st.) Brazil
 Jambos Linn. ♂ evgr. (o. d.) *Rose Apple*. E. India
 Michelli Lam. ♂ shr. evgr. (o. d.) Brazil
 myrtifolia Sims. ♂ shr. evgr. (o. d.) E. Australia
 Smithii Poir. ♂ evgr. (o. d.) E. Australia
 " var. pendula
 Ugni Hook. ♂ shr. evgr. (o. d.) Chili
 Ventenatii Benth. ♂ evgr. (o. d.) S. America

*Tribs. Lecythideae.***Gustavia LINN.**

- augusta Linn. ♂ evgr. (st.) S. America
 brasiliiana Dec. ♂ evgr. (st.) Brazil

Napoleona BEAUV.

- Imperialis Beauv. ♂ shr. evgr. (st.) Guiana
-

Ordo. MELASTOMACEAE. R. Brown.*Tribs. Osbeckieae.***Heterocentron NAUD.**

- roseum A. Braun. ♂ shr. evgr. (st.) S. America

Pleroma DON.

- elegans Gard. ♂ shr. evgr. (st.) S. America
 sarmentosa Hook. fil. ♂ shr. evgr. (st.) Peru

Lasiandra DEC.

- Fontanesiana Dec. ♂ shr. evgr. (st.) Brazil
 heteromalla Bauv. ♂ shr. evgr. (st.) Brazil
 macrantha Seem. ♂ shr. evgr. (o. d.) Brazil

Osbeckia LINN.

- rubicunda Arn. ♂ shr. evgr. (st.) Ceylon
 virgata Don. ♂ shr. evgr. (st.) E. India

Melastoma LINN.

- malabathrica Linn. ♂ shr. evgr. (st.) E. India

*Tribs. Rhexieae.***Monochaetum NAUD.**

- sericeum Naud. ♂ shr. evgr. (st.) S. America

*Tribus. Medinilleae.***Medinilla GAUD.**

- bracteata Blum. ♂ shr. evgr. (st.) Moluccas
 eximia Blum. ♂ shr. evgr. (st.) Java
 magnifica Lindl. ♂ shr. evgr. (st.) Java
 speciosa Blum. ♂ evgr. (st.) Java

*Tribus. Miconieae.***Sphaerogyne NAUD.**

- latifolia Naud. ♂ shr. evgr. (st.) S. America

Cyanophyllum NAUD.

- Bowmanii Naud. ♂ shr. evgr. (st.) Mexico
-

Ordo. LYTHRARIEAE. Jussieu.

*Tribus. Lythreae.***Cuphea R. BROWN.**

- jorullensis Humb. & Bonpl. ♂ und. shr. (o. d.) S. America
 platycentra Lindl. ♂ und. shr. evgr. Mexico
 procumbens Cav. ♂ (o. d.) Mexico
 silenoides Nees. ♂ (o. d.) Mexico
 strigulosa Humb. & Bonpl. ♀ (o. d.) Mexico

Lythrum LINN.

- roseum Hort. ♀ (o. d.) Europe
 Salicaria Linn. ♀ (o. d.) Europe

Lagerstroemia LINN. *Pride of India.*

- indica Linn. ♂ shr. evgr. (o. d.) E. India
 Reginae Roxb. ♂ shr. evgr. (o. d.) Malabar
-

Ordo. GRANATEAE. Endlicher.

Punica LINN. *Pomegranate.*

- Granatum Linn. ♂ shr. decd. (o. d.) S. Europe
 " var. albescens
 " " nana grandiflora
 " " Legrellii

Ordo. ONAGRARIEAE. Jussieu.

Epilobium LINN. *Willow Herb.*

- angustifolium Linn. ♀ (o. d.) Europe
hirsutum Linn. ♀ (o. d.) Europe

Zauschneria PRESL.

- californica Presl. ♀ (o. d.) California

Clarkia PURSH.

- elegans Dougl. ♂ (o. d.) California
pulchella Pursh. ♂ (o. d.) California

Oenothera LINN. *Evening Primrose.*

- acaulis Cav. ♀ (o. d.) Chili
campylocalyx C. Koch. ♀ (o. d.) S. America
Drummondii Hook. ♀ (o. d.) N. America "
Fraseri Pursh. ♀ (o. d.) N. America
fruticosa Linn. ♀ (o. d.) N. America
glaucia Michx. ♀ (o. d.) N. America
Lamarckiana Dec. ♂ (o. d.) C. G. Hope
purpurea Curt. ♀ (o. d.) America
rosea Ait. ♀ (o. d.) Mexico
sinuata Linn. ♂ (o. d.) N. America
speciosa Nutt. ♀ (o. d.) N. America
tetraptera Cav. ♀ (o. d.) Mexico

Godetia SPACH.

- Dunnettii Hort. ♂ (o. d.)
grandiflora Lindl. ♂ (o. d.) N. America
insignis Hort. ♂ (o. d.)
Lindleyana Spach. ♂ (o. d.) N. America
reptans Hort. ♂ (o. d.)
Whitneyi Hort. ♂ (o. d.)

Eucharidium FISCH.

- concinnum Fisch. ♂ (o. d.) N. America

Fuchsia LINN.

- coccinea Ait. ♂ und shr. evg. (g. h.) Chili
conica Lindl. ♂ und shr. evgr. (g. h.) Chili
cordifolia Benth. ♂ und. shr. decd. (g. h.) Mexico
corymbiflora Ruiz. & Pav. ♂ und. shr. decd. (g. h.) Chili
fulgens Moc. ♂ und. shr. evgr. (g. h.) Mexico
globosa Lindl. ♂ und. shr. evgr. (g. h.) Mexico
gracilis Lindl. ♂ und. shr. evgr. (g. h.) Chili
" var. varieg.
procumbens Hook. ♂ und. shr. evgr. (o. d.) N. Zealand
splendens Zucc. ♂ und. shr. decd. (g. h.) Mexico

Gaura LINN.

Lindheimerii Engl. ♀ (o. d.) Texas

Ordo. LOASEAE. Jussieu.

Loasa Juss.

aurantiaca Hort. ♂ (g. h.) Chili
 tricolor Lindl. ♂ (g. h.) Chili

Ordo. PASSIFLOREAE. Jussieu.

Tribus. Passifloreae.

Passiflora LINN.*Passion Flower.*

acerifolia Chamss. ♂ evgr. (o. d.) Mexico
 alata Ait. ♂ evgr. (st.) Peru
 alba Link. ♂ evgr. (o. d.) Brazil
 coerulea Linn. ♂ evgr. (o. d.) Brazil
 edulis Sims. ♂ evgr. (o. d.) W. India
 glauca Humb. & Bonpl. ♂ evgr. (o. d.) S. America
 gracilis Link. ♂ evgr. (o. d.) Brazil
 Kermesina Link. ♂ evgr. (st.) Brazil
 limbata Ten. ♂ evgr. (o. d.) Brazil
 Loudonii Sweet. ♂ evgr. (o. d.) S. America
 macrocarpa Hort. ♂ evgr. (st.) Rio Negro
 minima Linn. ♂ evgr. (o. d.) S. America
 odorata Hort. ♂ evgr. (o. d.) S. America
 quadrangularis Linn. ♂ evgr. (st.) S. America
 " var. Decaisneana
 racemosa Brot. ♂ evgr. (st.) Brazil
 sanguilenta Hort. ♂ evgr. (st.)
 serratifolia Linn. ♂ evgr. (o. d.) W. India
 tetrandra Banks & Sol. ♂ evgr. (o. d.) N. Zealand
 trifasciata Lemaire. ♂ evgr. (st.) Brazil

Tacsonia JUSS.

Exoniensis Hort. ♂ evgr. (st.) S. America
 manicata Juss. ♂ evgr. (o. d.) Peru
 molissima Humb. & Bonpl. ♂ evgr. (o. d.) Brazil
 Morti Hort. ♂ evgr. (o. d.) Hybrid
 pinnatistipula Juss. ♂ evgr. (o. d.) Chili
 sanguinea Dec. ♂ evgr. (o. d.) E. India
 tomentosa speciosa Juss. ♂ evgr. (st.) S. America
 Van Volxemi Funck. ♂ evgr. (o. d.) N. Granada

*Tribus. Papayaceae.***Carica LINN.** *Papaw Tree.*

aurantiaca Hort. ♂ evgr. (st.) S. America
 Papaya Linn. ♂ evgr. (st.) S. America

Ordo. CUCURBITACEAE. Jussieu.

*Tribus. Cucumerineae.***Trichosanthes LINN.** *Snake Gourd.*

colubrina Jacq. ♂ — tr. (o. d.) China

Luffa CAV.

aegyptiaca Dec. ♂ — tr. (o. d.) Egypt
 graveolens Roxb. ♂ — tr. (o. d.) N. Australia

Momordica LINN.

Balsamina Linn. ♂ — tr. (st.) E. India

Thladiantha BUNGE

dubia Bunge. ♀ — tub. tr. (o. d.) China

Rhynchosarpa SCHRAD.

disecta (?) ♀ — tr. (st.)

Cucumis LINN. *Cucumber.*

Melo Linn. ♂ — tr. (o. d.) *Sweet Melon.* Asia.

sativus Linn. ♂ — tr. (o. d.) *Cucumber.* E. India

Cucurbita LINN.

Citrullus Linn. ♂ — tr. (o. d.) Africa

ovifera Linn. ♂ — tr. (o. d.) *Vegetable Marrow.* Astracan

Pepo Linn. ♂ — tr. (o. d.) *Pumpkin.* Levant

Bryonia LINN.

laciniosa Linn. ♀ — tr. (o. d.) Ceylon

*Tribus. Elaterieae.***Cyclanthera SCHRAD.**

edulis Schrad. ♂ tr. (o. d.) S. America

*Tribus. Zanonieae.***Zanonia LINN.**

sarcophylla Wall. ♂ — tr. (st.) E. India

Ordo. BEGONIACEAE. R. Brown.

Begonia LINN.

- argentea* V. Houtte. ♂ shr. evgr. (st.) S. America
argyrostigma Fisch. ♂ shr. evgr. (st.) Brazil
boliviensis A. Dec. ♀ (st.) Bolivia
 " var. *grandiflora*
Caffra Meisn. ♀ (st.) S. America
carminata Hort. ♀ (st.)
cinnabrina Hook. ♀ (st.) Bolivia
conchaefolia Dietr. ♂ und. shr. evgr. (st.) Brazil
crassicaulis Lindl. ♂ und. shr. evgr. (st.) Guatemala
Daedalea Hort. ♂ und. shr. evgr. (st.) Brazil
discolor R. Br. ♀ (st.) China
diversifolia Knowl. ♀ (st.) Mexico
dipetala Grah. ♂ und. shr. evgr. (st.) Bombay
Dregei Otto & Dietr. ♂ und. shr. evgr. (st.) C. G. Hope
 " var. *Caffra*
echinocephala Regel. ♂ und. shr. (st.) S. America
erecta multiflora Velloza. ♀ (st.) S. America
Evansiana Andr. ♀ (st.) China
excelsa Hort. ♀ (st.)
fagifolia Fisch. ♂ und. shr. evgr. (st.) Brazil
foliosa Humb. & Bonpl. ♂ und. shr. evgr. (st.) Brazil
Froebelli Dec. ♀ (st.) S. America
fuchsioides Hook. ♂ und. shr. (st.) N. Granada
hydrocotylifolia Hook. ♀ (st.) Mexico
Ingrammii Henfr. ♀ (st.) Hybr.
Lapeyrousi Hort. ♀ (st.) Hybr.
longipes Hook. ♂ shr. evgr. (st.) Mexico
manicata Cels. ♀ (st.) Brazil
Meyerii Link & Otto. ♂ shr. evgr. (st.) Brazil
nitida Dryand. ♂ und. shr. evgr. (st.) Isl. Jamaica
octopetala L'Herit. ♀ (st.) S. America
odorata Willd. ♂ und. shr. evgr. S. America
palmatiloba Hort. ♀ (st.) Hybr.
Pearcei Hort. ♀ (st.) Hybr.
 " var. *superba*. ♀
platanifolia Grahm. ♂ shr. evgr. (st.) Brazil
Rex. Putz. ♀ (st.) E. India
Richardsiana Moor. ♂ und. shr. evgr. S. America
Sandersii Hort. ♂ und. shr. evgr. (st.)
sanguinea Raddi. ♂ und. shr. evgr. (st.) Brazil
Sedeni Veitch. ♀ (st.) Brazil
semperflorens Link & Otto. ♂ und. shr. evgr. (st.) Brazil
sulcata Scheidw. ♂ und. shr. evgr. (st.) Columbia

Begonia.—continued.

- Sutherlandii Hort. (st.) Natal
 Thwaitesii Hook. ♀ (st.) Ceylon
 Tweediana Lindl. ♀ (st.) S. America
 undulata Schott. ♂ shr. evgr. (st.) S. America
 Veitchii Hook. ♀ (st.) Peru
 Weltoniensis Hort. ♂ und. shr. (st.) S. America
 zebrina Hort. ♀ (st.) Brazil

Casparya DEC.

- robusta Dec. ♀ (st.) Java
-

Ordo. CACTEAE. De Candolle.

Tribus. *Echinocacteae*.**Melocactus** LINK & OTTO. *Melon Thistle*.

- communis Dec. ♂ und. shr. evgr. (g. h.) Antilles

Mammillaria HAWORTH. *Nipple Cactus*.

- aberiformis gracilior Hort. ♂ und. shr. evgr. (g. h.) Mexico
 acanthostephes Lehm. ♂ und. shr. evgr. (g. h.) Mexico
 albisetia Muehlpf. ♂ und. shr. evgr. (g. h.) Mexico
 amoena Hopfr. ♂ und. shr. evgr. (g. h.) Mexico
 anguinea Otto. ♂ und. shr. evgr. (g. h.) Mexico
 angularis Hort. ♂ und. shr. evgr. (g. h.) Mexico
 " var. triacantha
 arietiha Hort. ♂ und. shr. evgr. (g. h.) Mexico
 atrosanguinea Ehrbg. ♂ und. shr. evgr. (g. h.) Mexico
 aureiceps Lem. ♂ und. shr. evgr. (g. h.) Mexico
 autumnalis Dietr. und. shr. evg. (o. d.) Mexico
 Beneckei Ehrbg. ♂ und. shr. evgr. (g. h.) Mexico
 bicolor Lehm. var. multicephala. ♂ unk. shr. (g. h.)
 " var. polyccephala
 biglandulosa Pfeiff. ♂ und. shr. evgr. (g. h.) Mexico
 bericata Mart. ♂ und. shr. evgr. (g. h.) Mexico
 Bocasana Poselg. ♂ und. shr. evgr. (g. h.) Mexico
 Bockii Foerst. ♂ und. shr. evgr. (g. h.) Mexico
 caespititia Dec. ♂ und. shr. evgr. (g. h.) Mexico
 californica Hort. ♂ und. shr. evgr. (g. h.) California
 carnea Zucc. ♂ und. shr. evgr. (o. d.) Mexico
 centricirrrha Lem. ♂ und. shr. evgr. (g. h.) Mexico
 " var. goniodecantha
 Cetserii longispina Hort. ♂ und. shr. evgr. (g. h.) Mexico
 chiasta Steibr. ♂ und. shr. evgr. (g. h.) Mexico
 cirrhifera Mart. ♂ und. shr. evgr. (g. h.) Mexico

Mamillaria—continued.

- columnaris Mart. h und. shr. evgr. (g. h.) Mexico
 conopsea Schdw. h und. shr. evgr. (g. h.) Mexico
 cornifera Dec. h und. shr. evgr. (g. h.) Mexico
 coronaria Haw. h und. shr. evgr. (g. h.) Mexico
 crassispina Pfeiff. h und. shr. evgr. (g. h.) Mexico
 crocidata Lem. h und. shr. evgr. (g. h.) Mexico
 crucigera Mart. h und. shr. evgr. (g. h.) Mexico
 daemonoceras Lem. h und. shr. evgr. (g. h.) Mexico
 decipiens Schdw. h und. shr. evgr. (g. h.) Mexico
 densa Link & Otto. h und. shr. evgr. (g. h.) Mexico
 diacantha nigra Haage. h und. shr. evgr. (g. h.) Mexico
 discolor Haw. h und. shr. evgr. (g. h.) Mexico
 divergens Dec. h und. shr. evgr. (g. h.) Mexico
 dolichocentra Lem. h und. shr. evgr. (g. h.) Mexico
 eburnea Link. h und. shr. evgr. (g. h.) Mexico
 elegans Dec. h und. shr. evgr. (g. h.) Mexico
 elongata Dec. h und. shr. evgr. (g. h.) Mexico
 " var. erecta
 " " intertexta
 " " minima
 " " purpurea
 " " tenuis
 Emundtsiana Sencke. h und. shr. evgr. (g. h.) Mexico
 euchlora Ehrbrg. h und. shr. evgr. (g. h.) Mexico
 ferruginea Stiebr. h und. shr. evgr. (g. h.) Mexico
 Fischeri Pfeiff. h und. shr. evgr. (g. h.) Mexico
 flavovirens cristata Salm. h und. shr. evgr. (g. h.) Mexico
 Foersteri Muehlpf. h und. shr. evgr. (g. h.) Mexico
 formosa Scheidw. h und. shr. evgr. (g. h.) Mexico
 foveolata Muehlpf. h und. shr. evgr. (g. h.) Mexico
 fulvispina Haw. h und. shr. evgr. (g. h.) Mexico
 Galeottii Scheidw. h und. shr. evgr. (g. h.) Mexico
 geminata Scheidw. h und. shr. evgr. (g. h.) Mexico
 gigantea Hort. h und. shr. evgr. (g. h.) Mexico
 glauca Dietr. h und. shr. evgr. (g. h.) Mexico
 grisea Gal. h und. shr. evgr. (g. h.) Mexico
 Gruenbergii Hort. h und. shr. evgr. (g. h.) Mexico
 Guilleminiana Lem. h und. shr. evgr. (g. h.) Mexico
 Haageana Pfeiff. h und. shr. evgr. (g. h.) Mexico
 haemactinia Ehrbrg. h und. shr. evgr. (g. h.) Mexico
 Hartmannii Hort. h und. shr. evgr. (g. h.) Mexico
 hexacantha Salm. h und. shr. evgr. (g. h.) Mexico
 hexicentra Salm. h und. shr. evgr. (g. h.) Mexico
 Hopferiana Link. h und. shr. evgr. (g. h.) Mexico
 humilis Hort. h und. shr. evgr. (g. h.) Mexico
 hystrix Mart. h und. shr. evgr. (g. h.) Mexico
 imbricata Weg. h und. shr. evgr. (g. h.) Mexico

Mamillaria—continued.

- Isabellina* Ehrbrg. ♂ und. shr. evgr. (g. h.) Mexico
Karwinskiana Mart. ♂ und. shr. evgr. (g. h.) Mexico
Krameri Muehlpf. ♂ und. shr. evgr. (g. h.) Mexico
laeta Hort. ♂ und. shr. evgr. (g. h.)
lamproclora Jacobi. ♂ und. shr. evgr. (g. h.) Mexico
lepidula Stbr. ♂ und. shr. evgr. (g. h.) Mexico
longimamma Dec. ♂ und. shr. evgr. (g. h.) Mexico
longiseta Muehlpf. ♂ und. shr. evgr. (g. h.) Mexico
lutescens Hort. ♂ und. shr. evgr. (g. h.) Mexico
macroacantha Dec. ♂ und. shr. evgr. (g. h.) Mexico
macrothele Mart. ♂ und. shr. evgr. (g. h.) Mexico
Martiana Pfeiff. ♂ und. shr. evgr. (g. h.) Mexico
maschatacantha Cels. ♂ und. shr. evgr. (g. h.) Mexico
megacantha Salm. ♂ und. shr. evgr. (g. h.) Mexico
melaleuca Karw. ♂ und. shr. evgr. (g. h.) Mexico
melanocentra Poselg. ♂ und. shr. evgr. (g. h.) Mexico
microthele Muehlpf. ♂ und. shr. evgr. (g. h.) Mexico
minima Reichb. ♂ und. shr. evgr. (g. h.) Mexico
monacentra Jacobi. ♂ und. shr. evgr. (g. h.) Mexico
Muehlenpfordtii Foerst ♂ und. shr. evgr. (g. h.) Mexico
multiceps Scheidw. ♂ und. shr. evgr. (g. h.) Mexico
mutabilis Scheidw. ♂ und. shr. evgr. (g. h.) Mexico
Mystax Mart. ♂ und. shr. evgr. (g. h.) Mexico
Neumanniana Lem. ♂ und. shr. evgr. (g. h.) Mexico
 " var. *glabrescens* ♂
nitens Otto. ♂ und. shr. evgr. (g. h.) Mexico
obvallata Otto. ♂ und. shr. evgr. (g. h.) Mexico
Odieriana Lem. ♂ und. shr. evgr. (g. h.) Mexico
 " var. *longispina*
pachythele Poselg. ♂ und. shr. evgr. (g. h.) Mexico
Parvinskii Hort. ♂ und. shr. evgr. (g. h.) Mexico
Peacockii Hort. ♂ und. shr. evgr. (g. h.) Mexico
Pfeiliana Foerst. ♂ und. shr. evgr. (g. h.) Mexico
phymatothele Berg. ♂ und. shr. evgr. (g. h.) Mexico
polyedra Mart. ♂ und. shr. evgr. (g. h.) Mexico
polygona Salm. ♂ und. shr. evgr. (g. h.) Mexico
polythele Mart. var. *quadrispina* Salm. ♂ und. shr. evgr. (g. h.) Mexico
porphyracantha Jacobi. ♂ und. shr. evgr. (g. h.) Mexico
procurva Sencke. ♂ und. shr. evgr. (g. h.) Mexico
pulchella Otto. ♂ und. shr. evgr. (g. h.) Mexico
purpurascens Ehrbrg. ♂ und. shr. evgr. (g. h.) Mexico
pusilla Dec. ♂ und. shr. evgr. (g. h.) Mexico
 " var. *elongata*
 " " *multiplex*
 " " *perpusilla*
radiata Hort. ♂ und. shr. evgr. (g. h.) Mexico

Mamillaria—continued.

- recurva* Lehm. und. shr. evgr. (g. h.) Mexico
rhodantha Link. ♂ und. shr. evgr. (g. h.) Mexico
 " var. *pellidior*
 " " *spinosior*
 " " *Wendlandii*
ruberrima Stiebr. ♂ und. shr. evgr. (g. h.) Mexico
Salmiana Fenn. ♂ und. shr. evgr. (g. h.) Mexico
Schlechtendalii Ehrbrg. ♂ und. shr. evgr. (g. h.) Mexico
 " *longispina*
Schmidtii Sencke ♂ und. shr. evgr. (g. h.) Mexico
Seitziana Zucc. ♂ und. shr. evgr. (g. h.) Mexico
Senckii Forst. ♂ und. shr. evgr. (g. h.) Mexico
 " var. *laetevirens*
semperfervivi Dec. ♂ und. shr. evgr. (g. h.) Mexico
setosa Pfeiff. ♂ und. shr. evgr. (g. h.) Mexico
sphacelata Mart. ♂ und. shr. evgr. (g. h.) Mexico
sphaerica Dietr. ♂ und. shr. evgr. (g. h.) Mexico
spinosissima Lem. ♂ und. shr. evgr. (g. h.) Mexico
Stella-aurata Mart. ♂ und. shr. evgr. (g. h.) Mexico
 " var. *pallidior*
suaveolens Hort. ♂ und. shr. evgr. (g. h.) Mexico
subangularis Dec. ♂ und. shr. evgr. (g. h.) Mexico
subcurvata Dietr. ♂ und. shr. evgr. (g. h.) Mexico
culcoglandulifera Jacobi. ♂ und. shr. evgr. (g. h.) Mexico
sulphurea Foerst. ♂ und. shr. evgr. (g. h.) Mexico
uberiformis Zucc. ♂ und. shr. evgr. (g. h.) Mexico
Uhdeana Jacobi. ♂ und. shr. evgr. (g. h.) Mexico
umbrina Ehrbrg. ♂ und. shr. evgr. (g. h.) Mexico
uncinata Zucc. ♂ und. shr. evgr. (g. h.) Mexico
valida Hort. ♂ und. shr. evgr. (g. h.)
variabilis Labour. ♂ und. shr. evgr. (g. h.) Mexico
versicolor Scheidw. ♂ und. shr. evgr. (g. h.) Mexico
 " var. *speciosa*
vestita Hort. ♂ und. shr. evgr. (g. h.) Mexico
vetula Mart. ♂ und. sh. evgr. (g. h.) Mexico
villifera Otto. ♂ und. shr. evgr. (g. h.) Mexico
viridis cristata Link. ♂ und. shr. evgr. (g. h.) Mexico
Webbiana Lem. ♂ und. shr. evgr. (g. h.) Mexico
 " var. *longispina*
Wildiana Pfeiff. ♂ und. shr. evgr. (g. h.) Mexico
 " var. *cristata* Haage. ♂
xanthotricha Scheidw. ♂ und. shr. evgr. (g. h.) Mexico
Zuccariniana Mart. ♂ und. shr. evgr. (g. h.) Mexico

Malacocarpus SALM.

- Martini* Cels. ♂ und. shr. evgr. (g. h.) Mexico

Echinocactus LINK & OTTO. *Hedyehog Cactus.*

- acuatus Link. ♂ und. shr. evgr. (g. h.) Monte Video
 adversispinus Muehlpf. ♂ und. shr. evgr. (g. h.) S. America
 anfractuosus Mart. ♂ und. shr. evgr. (g. h.) Mexico
 atropurpureus Salm. ♂ und. shr. evgr. (g. h.) Mexico
 brachycentrus Salm. ♂ und. shr. evgr. (g. h.) Brazil
 Bridgessii Pfeiff. ♂ und. shr. evgr. (g. h.) Mexico
 cachetianus Hort. ♂ und. shr. evgr. (g. h.)
 concinnus Hook. ♂ und. shr. evgr. (g. h.) Chili
 cornigerus Dec. ♂ und. shr. evgr. (g. h.) Mexico
 Courantii Lem. ♂ und. shr. evgr. (g. h.) Mexico
 denudatus Link & Otto. ♂ und. shr. evgr. (g. h.) Mexico
 dolichacanthus Lem. ♂ und. shr. evgr. (g. h.) Mexico
 Echidne Dec. ♂ und. shr. evgr. (g. h.) Chili
 electracanthus Lem. ♂ und. shr. evgr. (g. h.) Chili
 ferox Labour. ♂ und. shr. evgr. (g. h.) S. America
 flexispinus Salm. ♂ und. shr. evgr. (g. h.) Mexico
 Forbesii Lehm. ♂ und. shr. evgr. (g. h.) Mexico
 gibbosus Dec. ♂ und. shr. evgr. (g. h.) Jamaica
 " var. Leonensis ♂
 gilvus Dietr. ♂ und. shr. evg. (g. h.) Mexico
 gladiatus Link & Otto. ♂ und. shr. evgr. (g. h.) Mexico
 hastatus Hopfr. ♂ und. shr. evgr. (g. h.) Mexico
 hexaëdrophorus Lem. ♂ und. shr. evgr. (g. h.) Mexico
 Heyderi Dietr. ♂ und. shr. evgr. (g. h.) Mexico
 Hookeri Mhlpf. ♂ und. shr. evgr. (g. h.) Mexico
 hyptiacanthus Lem. ♂ und. shr. evgr. (g. h.) Mexico
 " var. nitidus Monv.
 irroratus Schdw. ♂ und. shr. evg. (g. h.) Mexico
 lamellosus Dietr. ♂ und. shr. evgr. (g. h.) Mexico
 " var. fulvescens Salm.
 lancifer Dietr. ♂ und. shr. evgr. (g. h.) Mexico
 longihamatus Gal. ♂ und. shr. evgr. (g. h.) Mexico
 mammillosus Lem. ♂ und. shr. evgr. (g. h.) Mexico
 Mirbelii Lem. var. Kochii. und. shr. evgr. (g. h.) Mexico
 Monvillii Lem. ♂ shr. evgr. Mexico
 muricatus Link & Otto. ♂ und. shr. evg. (g. h.) Mexico
 mutabilis Foerst. ♂ und. shr. evgr. (g. h.) Mexico
 myriostigma Salm. ♂ und. shr. evgr. (g. h.) Mexico
 nobilis Haw. ♂ und. shr. evgr. (g. h.) Mexico
 oligacanthus Salm. ♂ und. shr. evgr. (g. h.) Mexico
 ornatus Dec. ♂ und. shr. evgr. (g. h.) Mexico
 Ottonis Lem. ♂ und. shr. evgr. (g. h.) Mexico
 Pfeifferi Zucc. ♂ und. shr. evgr. (g. h.) Mexico
 polyraphis Pfeiff. ♂ und. shr. evgr. (g. h.) Mexico
 porrectus Lem. ♂ und. shr. evgr. (g. h.) Mexico
 Pottsii Scheer. ♂ und. shr. evgr. (g. h.) Mexico

Echinocactus—continued.

- purpureus Link & Otto. h und. shr. evgr. (g. h.) Mexico
 reductus Zucc. h und. shr. evgr. (g. h.) Mexico
 rinconensis Poselg. h und. shr. evgr. (g. h.) Mexico
 robustus Otto. h und. shr. evgr. (g. h.) Mexico
 sinuatus Dietr. h und. shr. evgr. (g. h.) Mexico
 submammulosus Lem. h und. shr. evgr. (g. h.) Mexico
 sulcatus Link. h und. shr. evgr. (g. h.) Mexico
 tenuispinus Link. h und. shr. evgr. (g. h.) Brazil
 tetraxiphus Otto. h und. shr. evgr. (g. h.) Mexico
 thœiacanthus Lem. h und. shr. evgr. (g. h.) Mexico
 theloides Hort. h shr. evgr. (g. h.)
 tortuosus Link & Otto. h und. shr. evgr. Mexico
 tulensis Poselg. h und. shr. evgr. (g. h.) Mexico
 undulatus Dietr. h und. shr. evgr. (g. h.) Mexico
 Visnaga Hort. h und. shr. evgr. (g. h.)
 Wegeneri Salm. h und. shr. evgr. (g. h.) Mexico
 Williamsii Lem. h und. shr. evgr. (g. h.) Mexico

Cereus HAW.

- acutangulus Otto. h und. shr. evgr. (o. d.) Mexico
 Alacripontanus Mart. h und. shr. evgr. (g. h.) Brazil
 anguiniformis Stieb. h und. shr. evgr. (o. d.) Mexico
 areolatus Mhlpf. h und. shr. evgr. (o. d.) Mexico
 atropurpureus Hort. h und. shr. evgr. (g. h.)
 azureus Parm. h und. shr. evgr. (g. h.) Brazil
 Baumanni Hort. h und. shr. evgr. (g. h.)
 baxaniensis Karw. h und. shr. evgr. (g. h.) Mexico
 Bonplandii Parm. h und. shr. evgr. (g. h.) Brazil
 Bridgesii Salm. h und. shr. evg. (o. d.) Mexico
 caesius Salm. h und. shr. evgr. (g. h.) Mexico
 candicans Gill. h und. shr. evgr. (g. h.) Mexico
 chalybaeus Salm. h und. shr. evgr. (g. h.) Mexico
 chilensis Dec. h und. shr. evgr. (g. h.) Chili
 clavatus Otto. h und. shr. evgr. (g. h.) Brazil
 coccineus Salm. h und. shr. evgr. (g. h.) Brazil
 coerulescens Salm. h und. shr. evgr. (g. h.) Brazil
 colubrinus Otto var. flavispinus Salm. h und. shr. evgr. (g. h.)
 Coryne Hort. h und. shr. evgr. (g. h.)
 divergens Dec. h und. shr. evgr. (g. h.) Domingo
 Donkelaerii Salm. h und. shr. evgr. (g. h.) Brazil
 Dumortieri Hort. h und. shr. evgr. (g. h.) Brazil
 elongata Hort. h und. shr. evgr. (g. h.)
 erectus Karw. h und. shr. evgr. (g. h.) Mexico
 erinaceus Haw. h und. shr. evgr. (g. h.) E. India
 eriophorus Hort. h und. shr. evgr. (g. h.) Cuba
 euphorbioides Haw. h und. shr. evgr. (g. h.) Brazil
 flagelliformis Mill. h und. shr. evgr. (g. h.) S. America

Echinocactus—continued.

- flagelliformis var. Salmonii
 formosus monstrosus racemosus Hort. ♂ und. shr. evgr.
 (g. h.)
 Funckeanus Foerst. ♂ und. shr. evgr. (g. h.) S. America
 geometrizans Mart. ♂ shr. evgr. (o. d.) Mexico
 giganteus Engelm. ♂ und. shr. evgr. (o. d.)
 grandiflorus Mill. ♂ und. shr. evgr. (g. h.) E. India
 " var. Maynardi Paxt.
 hamatus Scheidw. ♂ und. shr. evgr. (g. h.) Brazil
 Hamea Hort. ♂ und. shr. evg. (g. h.)
 hermontianus Monv. ♂ und. shr. evgr. (g. h.) Brazil
 hybridus speciosissimus tubiflorus Hort. ♂ und. shr. evgr.
 " superbus Hort. ♂
 inermis Otto. ♂ und. shr. evgr. (g. h.) Brazil
 Kunthii Hort. ♂ und. shr. evgr. (g. h.)
 lagenaeformis Foerst. ♂ und. shr. evgr. (g. h.) S. America
 lamprochlorus Lem. ♂ und. shr. evgr. (g. h.)
 lepidotus Salm. ♂ und. shr. evgr. (o. d.) Mexico
 leptophis Dec. ♂ und. shr. evgr. (o. d.) Mexico
 MacDonaldii Hook. ♂ und. shr. evgr. (g. h.)
 macrogonis Hort. ♂ und. shr. evgr. (g. h.)
 Mallisoni Hort. ♂ und. shr. evgr. (g. h.)
 marginatus Dec. ♂ und. shr. evgr. (o. d.) Mexico
 Martianus Zucc. ♂ und. shr. evgr. (o. d.) Mexico
 Martinii Labour. ♂ und. shr. evgr. (o. d.) Mexico
 Moserii Hort. ♂ und. shr. evgr. (g. h.)
 Napoleonis Grah. ♂ und. shr. evgr. (g. h.) E. India
 niger Salm. ♂ und. shr. evgr. (g. h.) Brazil
 nitens Salm. ♂ und. shr. evgr. (g. h.)
 nycticalus Link. ♂ und. shr. evgr. (g. h.) Mexico
 Ocamponis Salm. ♂ und. shr. evgr. (g. h.) S. America
 paposus Hort. ♂ und. shr. evgr. (g. h.)
 pentagonus Haw. ♂ und. shr. evgr. (g. h.) S. America
 pentapterus Hort. ♂ und. shr. evgr. (g. h.)
 pentaedrophorus Labour. ♂ und. shr. evgr. (g. h.) Mexico
 peruvianus Haw. ♂ und. shr. evgr. (g. h.) Peru
 " var. monstrosus Haw.
 pleiogonus Labour. ♂ und. shr. evgr. (g. h.) S. America
 polychaetus Reichb. ♂ und. shr. evgr. (g. h.) S. America
 radicans Dec. ♂ und. shr. evg. (g. h.) S. America
 Roemerii Englm. ♂ und. shr. evgr.
 rostratus Lem. ♂ shr. evgr. S. America
 Schomburgkii Haage. ♂ und. shr. evgr.
 Schrankii Zucc. ♂ und. shr. evgr. (g. h.) Mexico
 Seidelii Lem. ♂ und. shr. evgr. (g. h.) Mexico
 serpentinus Lagasc. ♂ und. shr. evgr. (o. d.) Mexico
 Spachianus Lem. ♂ und. shr. evgr. (g. h.) S. America

*Cereus***Echinocactus**—continued.

- speciosissimus Dec. ♂ und. shr. evgr. (o. d.) Mexico
 " var. grandiflorus
 " " tubiflorus
 spinulosus Dec. ♂ und. shr. evgr. (o. d.) Mexico
 splendens Hort. ♂ und. shr. evgr. (g. h.)
 stamineus Engelm. ♂ und. shr. evgr. (g. h.)
 strigosus Salm. ♂ und. shr. evgr. (g. h.)
 subrepandus Haw. ♂ und. shr. evgr. (g. h.) S. America
 tephracanthus Labour. ♂ und. shr. evgr. (g. h.) S. America
 tetragonos Haw. ♂ und. shr. evgr. (g. h.) S. America
 Tinnei Hort. ♂ und. shr. evgr. (g. h.)
 tortuosus Forb. ♂ und. shr. evgr. (g. h.) S. America
 triangularis Haw. ♂ und. shr. evgr. (g. h.) Mexico
 tuberosus Poselg. ♂ und. shr. evgr. (g. h.) Mexico
 ureacanthus Foerst. ♀ und. shr. evgr. (g. h.) S. America
 validus Haw. ♂ und. shr. evgr. (g. h.) S. America
 variabilis Pfeiff. ♂ und. shr. evgr. (g. h.) S. America
 violaceus Lem. ♂ und. shr. evgr. (g. h.) S. America

Echinocereus ENGLM.

- Blankii longispinus Englm. ♂ und. shr. evgr. (g. h.) S. America
 brevispinulus Link. ♂ und. shr. evgr. (g. h.) S. America
 candicans Lem. ♂ und. shr. evgr. (g. h.) S. America
 claviformis Regel. ♂ und. shr. evgr. (g. h.) Mexico
 cinerascens var. caespitosus Englm. ♂ und. shr. evgr. (g. h.) S. America
 congestispinus Foerst. ♂ und. shr. evgr. (g. h.) S. America
 Dumelianus Haage. ♂ und. shr. evgr. (g. h.) S. America
 dumericantha Hort. ♂ und. shr. evgr. (g. h.)
 Ehrenbergii Englm. ♂ und. shr. evgr. (g. h.) S. America
 enneacanthus Englm. ♂ und. shr. evgr. (g. h.) Mexico
 gladiatus Link & Otto. ♂ und. shr. evgr. (g. h.) S. America
 hystric Engl. ♂ und. shr. evgr. (g. h.) Mexico
 multangularis Englm. ♂ und. shr. evgr. (g. h.) Mexico
 paucispinus Englm. ♂ und. shr. evgr. (g. h.) Mexico
 pectinatus var. armatus Englm. ♂ und. shr. evgr. (g. h.) S. America
 " var. castaneus Poselg. ♂
 Poselgerianus Link. ♂ und. shr. evgr. (g. h.) S. America
 procumbens Poselg. ♂ und. shr. evgr. (g. h.) S. America
 propinquus Hort. ♂ und. shr. evgr. (g. h.)
 raphecephalus Foerst. ♂ und. shr. evgr. (g. h.) S. America
 rigidispinus Englm. ♂ und. shr. evgr. (g. h.) S. America
 Roemeri Englm. ♂ und. shr. evgr. (g. h.) Mexico
 Scheerii Salm. ♂ und. shr. evgr. (g. h.) Mexico
 strigosus Salm. ♂ und. shr. evgr. (g. h.) S. America

Echinocereus—continued.

- trichacanthus Engl. ♂ und. shr. evgr. (g. h.) Mexico
 viridiflorus Hort. ♂ und. shr. evgr. (g. h.)
 Whipplei Hort. ♂ und. shr. evgr. (g. h.)

Pilocereus LEM.

- Curtisii Salm. ♂ und. shr. evgr. (g. h.) Mexico
 Dautwitzii Hort. ♂ und. shr. evgr. (g. h.)
 fossulatus Labour. ♂ und. shr. evgr. (g. h.) Mexico
 " var. pilosior
 Hoppenstedti Hort. ♂ und. shr. evgr. (g. h.)
 jubatus Salm. ♂ und. shr. evgr. (g. h.) Mexico
 niger Hort. ♂ und. shr. evgr. (g. h.)
 polylophus Salm. ♂ und. shr. evgr. (g. h.) Mexico
 senilis Lem. ♂ und. shr. evgr. (g. h.) Mexico


Echinopsis ZUCC.

- achatina Foerst. ♂ und. shr. evgr. (g. h.) S. America
 apiculata Link. ♂ und. shr. evgr. (g. h.) S. America
 Bridgesii Salm. ♂ und. shr. evgr. (g. h.) S. America
 campylacantha Pfeiff. ♂ und. shr. evgr. (g. h.) Mexico
 cinnabarina Foerst. ♂ und. shr. evgr. (g. h.) Mexico
 Decaisniana Lem. ♂ und. shr. evgr. (g. h.) S. America
 " var. multiplex grandiflora
 Eyriessii Zucc. ♂ und. shr. evgr. (g. h.) Mexico
 Forbesii Hort. ♂ und. shr. evgr. (g. h.) S. America
 Houttii Cels. ♂ und. shr. evgr. (g. h.) Mexico
 integra Hort. ♂ und. shr. evgr. (g. h.)
 Lagermanni Hort. ♂ und. shr. evgr. (g. h.)
 Myslei Labour. ♂ und. shr. evgr. (g. h.) Mexico,
 multiplex Zucc. ♂ und. shr. evgr. (g. h.) S. America
 oxygona Zucc. ♂ und. shr. evgr. (g. h.) Mexico
 " var. subplena
 penecilliformis Link. ♂ und. shr. evgr. (g. h.) Mexico
 Pentlandii Salm. ♂ und. shr. evgr. (g. h.) S. America
 Schelhasii Zucc. ♂ und. shr. evgr. (g. h.) Mexico
 tricolor Dietr. ♂ und. shr. evgr. (g. h.) Mexico
 tubiflora var. rosea Hort. ♂ und. shr. evgr. (g. h.)
 Wilkensi Link. ♂ und. shr. evgr. (g. h.) Mexico
 Zuccariniana Pfeiff. ♂ und. shr. evgr. (g. h.) Mexico
 " var. fl. rosea

Phyllocactus LINK.

- crenatus Salm. ♂ und. shr. evgr. (g. h.) Mexico
 Empereur Hort. ♂ und. shr. evgr. (g. h.)
 Hookerii Salm. ♂ und. shr. evgr. (g. h.) Mexico
 phyllanthoides grandiflorus Salm. ♂ und. shr. evgr. (g. h.)
 Mexico
 stenopetalus Salm. ♂ und. shr. evgr. (g. h.) Mexico

LAKE VIEW.



Epiphyllum PFEIFF.

- Ackermannii Haw. ♂ und. shr. evgr. (g. h.) Mexico
 alatum Haw. ♂ und. shr. evgr. (g. h.) Mexico
 " var. grandiflorum
 Altensteinii Pfeiff. ♂ und. shr. evgr. (g. h.) Brazil
 bicolor Hort. ♂ und. shr. evgr. (g. h.)
 Blackei Hort. ♂ und. shr. evgr. (g. h.)
 Bridgesii Hort. ♂ und. shr. evgr. (g. h.)
 coccineum Haw. ♂ und. shr. evgr. (g. h.) Brazil
 crenulatum Hort. ♂ und. shr. evgr. (g. h.)
 cruentum Hort. ♂ und. shr. evgr. (g. h.)
 elegans Hort. ♂ und. shr. evgr. (g. h.)
 Harrisonii Hort. ♂ shr. evgr.
 Hybris Hort. ♂ und. shr. evgr. (g. h.)
 " var. Alexandrinae Hort.
 " " aurantiaca superba Hort.
 " " Blindii Hort.
 " " Bollwilleriana Hort.
 " " coccineum Hort.
 " " Conway's Giant Hort.
 " " Jeastei Hort.
 " " Jenkinsonii Hort.
 " " Johnstoni Hort.
 " " Kampmanni Hort.
 " " Loudonii Hort.
 " " Madmoiselle Courante Hort.
 " " May Fly Hort.
 " " mexicana Hort.
 " " Muehlhousiana Hort.
 " " multiflora Hort.
 " " pallidum roseum Hort.
 " " purpureum Hort.
 " " Quillardetii Hort.
 " " rosea alba Hort.
 " " Roydii Hort.
 " " Sellowii Hort.
 " " V. d. Maelon Hort.
 Ruckerianum var. rubrum Hort. ♂ und. shr. evgr. (g. h.)
 Russellianum Hook. var. Buckleyi Hort. ♂ und. shr. evgr.
 (g. h.)
 " var. rubrum
 Salmonium rubrum Hort. ♂ und. shr. evgr. (g. h.)
 Snowii Hort. ♂ und. shr. evgr. (g. h.)
 speciosum Haw. ♂ und. shr. evgr. (g. h.) Brazil
 spectabilis Hort. ♂ und. shr. evgr. (g. h.)
 " var. superbum Hort.
 Spongii Hort. ♂ und. shr. evgr. (g. h.)
 tricolor Hort. ♂ und. shr. evgr. (g. h.)

Epiphyllum—continued.

- truncatum Haw. ♂ und. shr. evgr. (g. h.) Brazil
 " var. Alexandrae
 " " coccineum
 " " violaceum
 violaceum Cels. ♂ und. shr. evgr. (g. h.) S. America
 " var. grandiflorum
 " " superbum

*Tribus. Opuntieae.***Rhipsalis** GAERTN.

- Cassytha Gaertn. ♂ und. shr. evgr. (g. h.) Jamaica
 conferta Haw. ♂ und. shr. evgr. (g. h.) Brazil
 crispata Pfeiff. ♂ und. shr. evgr. (g. h.) Brazil
 pachyptera Pfeiff. ♂ und. shr. evgr. (g. h.) Brazil
 paradoxa Salm. ♂ und. shr. evgr. (g. h.) S. America
 pentaptera Pfeiff. ♂ und. shr. evgr. ♂ (g. h.) Brazil
 Saglionis Otto. ♂ und. shr. evgr. (g. h.) Brazil
 salicornoides Haw. ♂ und. shr. evgr. (g. h.) Brazil
 " var. strictis Salm. ♂
 Swartziana Pfeiff. ♂ und. shr. evgr. (g. h.) Brazil
 triangularis Pfeiff. ♂ und. shr. evgr. (g. h.) S. America

Opuntia MILL.*Indian Fig Cactus.*

- albicans Salm. ♂ und. shr. evgr. (o. d.) Mexico
 Amycloea Ten. ♂ und. shr. evgr. (o. d.) Naples
 andicola Hort. ♂ und. shr. evgr. (o. d.)
 angusta Meinh. ♂ und. shr. evgr. (o. d.) Mexico
 arborea Steud. ♂ shr. evgr. (o. d.) Brazil
 aurantiaca Gill. ♂ und. shr. evgr. (o. d.) Chili
 brachyacantha Hort. ♂ und. shr. evgr. (o. d.)
 brasiliensis Haw. ♂ und. shr. evgr. (o. d.) Brazil
 candelabrum Mart. ♂ shr. evgr. (c. d.) Mexico
 cochinillifera Mill. ♂ und. shr. evgr. (o. d.) *Cochineal Fig.* Mexico.
 corrugata Gill. var. Monvillii. ♂ und. shr. evgr. (o. d.) Chili.
 crassa Haw. ♂ und. shr. evgr. (o. d.) Mexico
 crinifera Salm. ♂ und. shr. evgr. (o. d.) Brazil
 cylindrica Dec. ♂ shr. evgr. (o. d.) Peru
 " var. cristata
 cymochila Engelm. ♂ und. shr. evgr. (o. d.) Mexico
 decumana Haw. ♂ und. shr. evgr. (o. d.) S. America
 decumbens Salm. ♂ und. shr. evgr. (o. d.) Mexico
 dejecta Salm. ♂ und. shr. evgr. (o. d.) Isl. Havanna
 dimorpha Foerst. ♂ und. shr. evgr. (o. d.) S. America
 diademata Lem. ♂ und. shr. evgr. (o. d.) S. America

Opuntia—continued.

- Dillenii Dec. ♂ shr. evgr. (o. d.) S. America
 elata Pfeiff. ♂ und. shr. evgr. (o. d.) Brazil
 elongata Haw. ♂ und. shr. evgr. (o. d.) S. America
 Engelmanni Salm. ♂ und. shr. evgr. (o. d.) Brazil
Ficus indica Mill. ♂ und. shr. evgr. (o. d.) S. America
 " var. *alba*
 " " *purpurea*
floccosa Salm. ♂ und. shr. evgr. (o. d.) Brazil
fulvispina Salm. ♂ und. shr. evgr. (o. d.) S. America
gigantea Hort. ♂ und. shr. evgr. (o. d.)
glaucescens Otto. ♂ und. shr. evgr. (o. d.) S. America
glaucophylla Wendl. ♂ und. shr. evgr. (o. d.) S. America
 " var. *laevior*
grandis Hort. ♂ und. shr. evgr. (o. d.) Mexico
Guillardelli Hort. ♂ und. shr. evgr. (o. d.)
horrida Salm. ♂ und. shr. evgr. (o. d.) S. America
imbricata Haw. ♂ und. shr. evgr. (o. d.) Mexico
intermedia Salm. ♂ und. shr. evgr. (o. d.) Mexico
involuta Hort. ♂ und. shr. evgr. (o. d.)
Kleiniae Dec. ♂ und. shr. evgr. (o. d.) Mexico
Labouretiana Hort. ♂ und. shr. evgr. (o. d.)
lanceolata Haw. ♂ und. shr. evgr. (o. d.) S. America
lanigera Salm. ♂ und. shr. evgr. (o. d.) S. America
leucotricha Dec. ♂ und. shr. evgr. (o. d.) Brazil
Lindheimeri Engelm. ♂ und. shr. evgr. (o. d.) S. America
longispina Haw. ♂ und. shr. evgr. (o. d.) Chili
maculacantha Foerst. ♂ und. shr. evgr. (o. d.) S. America
megacantha Salm. ♂ und. shr. evgr. (o. d.) Mexico
microdasys Lehm. ♂ und. shr. evgr. (o. d.) Mexico
 " var. *minima*
missouriensis Dec. var. *leucospina*. ♂ und. shr. evgr. (o. d.)
 S. America
monacantha Haw. ♂ und. shr. evgr. (o. d.) S. America
 " var. *varieg.*
nigricans Haw. ♂ und. shr. evgr. (o. d.) S. America
oligacantha H. Vindob. ♂ und. shr. evgr. (o. d.) Mexico
Palmeri Hort. ♂ und. shr. evgr. (o. d.)
Parmentieri Pfeiff. ♂ und. shr. evgr. (o. d.) S. America
Pentlandii Salm. ♂ und. shr. evgr. (o. d.) S. America
phaeacantha Engelm. ♂ und. shr. evgr. (o. d.) Mexico
Piccolominiana Hort. ♂ und. shr. evgr. (o. d.) S. America
polyantha Haw. ♂ und. shr. evgr. (o. d.) S. America
Pseudo-Tuna Salm. ♂ und. shr. evgr. (o. d.) S. America
pusilla Haw. ♂ und. shr. evgr. (o. d.) S. America
Rafinesquiana minoribus Hort. ♂ und. shr. evgr. (o. d.)
robusta Wendl. ♂ und. shr. evgr. (o. d.) Mexico
Salmiana Parm. ♂ und. shr. evgr. (o. d.) Mexico

Opuntia—continued.

- sphaerica Foerst. ♂ und. shr. evgr. (o. d.) S. America
 spinulifera Salm. ♂ und. shr. evgr. (o. d.) Mexico
 Stapelia Dec. ♂ und. shr. evgr. (o. d.) Mexico
 stricta Haw. ♂ und. shr. evgr. (o. d.) S. America
 subulata Hort. ♂ und. shr. evgr. (o. d.)
 sulphurea Gill. ♂ und. shr. evgr. (o. d.) Chili
 syringacantha Pfeiff. ♂ und. shr. evgr. (o. d.) S. America
 triacantha Dec. ♂ und. shr. evgr. (o. d.) S. America
 Tuna Mill. ♂ shr. evgr. (o. d.) Mexico
 tunicata Lehm. ♂ und. shr. evgr. (o. d.) Mexico
 " var. laevior
 vaginata Haw. ♂ und. shr. evgr. (o. d.) Brazil
 " var. minor
 vestita Salm. ♂ und. shr. evgr. (o. d.)
 vulgaris Mill. ♂ und. shr. evgr. (o. d.) S. America

Pereskia PLUM.

- aculeata Mill. ♂ shr. evgr. (o. d.) W. Indies
 Bleo Dec. ♂ shr. evgr. (o. d.) Mexico
 rotundifolia Dec. ♂ shr. evgr. (o. d.) Mexico
 subulata Muehlpf. ♂ shr. evgr. (o. d.) Mexico
-

Ordo. FICOIDEAE. Jussieu.

Tribus. *Mesembryeae.***Mesembryanthemum** LINN. *Pigface.*

- acinaciforme Linn. ♂ und. shr. evgr. (o. d.) C. G. Hope
 adscendens Haw. ♀ (o. d.) C. G. Hope
 aduncum Haw. ♂ und. shr. evgr. (o. d.) C. G. Hope
 aequilaterale R. Br. ♀ (o. d.) Australia
 aurantiacum Haw. ♂ und. shr. evgr. (o. d.) C. G. Hope
 aureum Linn. ♂ und. shr. evgr. (o. d.) C. G. Hope
 australe Ait. ♀ (o. d.) Australia
 candens Haw. ♂ und. shr. evgr. (o. d.) C. G. Hope
 cordifolium Linn. ♂ (o. d.) C. G. Hope
 " var. varieg.
 crystallinum Linn. ♂ (o. d.) C. G. Hope
 curvifolium Haw. ♂ und. shr. evgr. (o. d.) C. G. Hope
 densum Haw. ♂ und. shr. evgr. (o. d.) C. G. Hope
 depressum Haw. ♀ (o. d.) C. G. Hope
 " var. lividum
 " " lucidum
 edule Linn. ♂ und. shr. evgr. (o. d.) C. G. Hope

Mesembryanthemum—continued.

formosum Haw.	↳	und. shr. evgr.	(o. d.)	C. G. Hope
imbricans Haw.	↳	und. shr. evgr.	(o. d.)	C. G. Hope
linguaeforme Haw.	♀	(o. d.)	C. G. Hope	
marginatum Haw.	↳	und. shr. evgr.	(o. d.)	C. G. Hope
polyphyllum Haw.	↳	und. shr. evgr.	(o. d.)	C. G. Hope
pomeridianum Linn.	◎	(o. d.)	C. G. Hope	
productum Haw.	↳	und. shr. evgr.	(o. d.)	C. G. Hope
pugioniforme Linn.	♂	und. shr. evgr.	(o. d.)	C. G. Hope
pulchellum Willd.	↳	und. shr. evgr.	(o. d.)	C. G. Hope
rigidum Haw.	↳	und. shr. evgr.	(o. d.)	C. G. Hope
rubrocinctum Haw.	↳	und. shr. evgr.	(o. d.)	C. G. Hope
scabrum Linn.	↳	und. shr. evgr.	(o. d.)	C. G. Hope
tegens F. Muell.	♀	(o. d.)	E. Australia	
tortuosum Linn.	↳	und. shr. evgr.	(o. d.)	C. G. Hope
tricolor Haw.	◎	(o. d.)	C. G. Hope	
violaceum Dec.	↳	und. shr. evgr.	(o. d.)	C. G. Hope

Ordo. UMBELLIFERAE. Jussieu.

Tribus. *Hydrocotyleae.***Hydrocotyle** LINN. *Marsh Pennyworth.**vulgaris* Linn. ♀ (o. d.) Europe**Trachymene** RUDGE.*coerulea* Graham. ◎ (o. d.) W. AustraliaTribus. *Ammineae.***Conium** LINN.*Hemlock.**maculatum* Linn. ♂ (o. d.) Europe**Bupleurum** LINN.*fruticosum* Linn. ↳ shr. evgr. (o. d.) S. Africa**Apium** LINN.*graveolens* Linn. ♀ (o. d.) *Celery.* Europe*Petroselinum* Linn. ♀ (o. d.) *Parsley.* Europe**Pimpinella** LINN.*Saxifrage. Burnet.**Anisum* Linn. ◎ (o. d.) *Anise.* Europe*Saxifraga* Linn. ♀ (o. d.) Europe

Tribus. Seselineae.

- Seseli** LINN. *Meadow Saxifrage.*
glaucum Jacq. ♀ (o. d.) Europe
leucospermum W. K. ♀ (o. d.) Europe
- Foeniculum** ADANS. *Fennel.*
vulgare Gaert. ♂ (o. d.) Europe
- Meum** LINN. *Bald Money.*
athamanticum Jacq. ♀ (o. d.) Europe
- Selinum** LINN. *Milk Parsley.*
decipiens Schrad. ♀ (o. d.) Isl. Madeira

Tribus. Peucedaneae.

- Peucedanum** LINN. *Sulphur Wort.*
officinale Linn. ♀ (o. d.) Europe
- Ferula** LINN. *Giant Fennel.*
communis Linn. ♀ (o. d.) S. Europe
- Anethum** LINN. *Dill.*
graveolens Linn. ♂ (o. d.) Europe
- Heracleum** LINN. *Cow Parsnip.*
giganteum Fisch. ♀ (o. d.) Caucasus
pubescens Biebrst. ♀ (o. d.) Caucasus
Sprengelianum W. A. ♀ (o. d.) India

Tribus. Caucalineae.

- Daucus** LINN. *Carrot.*
Carota Linn. ♂ (o. d.) Europe

Tribus. Laserpitieae.

- Laserpitium** LINN. *Laser Wort.*
latifolium Linn. ♀ (o. d.) Europe

Ordo. ARALIACEAE. Jussieu.

- Aralia** LINN.
Bernaysiana Hort. ♂ evgr. (st.) S. S. Islands
crassifolia Banks & Sol. ♂ evgr. (o. d.) N. Zealand
dentata Hort. ♂ evgr. (st.) S. S. Islands
elegantissima Hort. ♂ evgr. (st.) S. S. Islands

Aralia—continued.

- gracillima Veitch. h evgr. (st.) S. S. Islands
 Guilfoylia F. Muell. h evgr. (st.) S. S. Islands
 hybrida Hort. h evgr. (st.) S. S. Islands
japonica Thunb. h decd. (o. d.) Japan
leptophylla Hort. h evgr. (st.) S. S. Islands
maculata Hort. h evgr. (st.) S. S. Islands
Osyana Hort. h evgr. (st.) Java
papyrifera Hook. h evgr. (o. d.) China
parvifolia Hort. h evgr. (st.) S. S. Islands
pentaphylla Thunb. h evgr. (st.) Japan
quinquefolia Hort. h evgr. (st.) S. S. Islands
reticulata Humb. & Bonpl. h evgr. (st.) S. America
sambucifolia A. Cunn. h evgr. (o. d.) E. Australia
Schoefflera Spr. h evgr. (o. d.) N. Zealand
Shepherdiana Hort. h evgr. (st.) S. S. Islands
Schomburgkiana Hort. h evgr. (st.) S. S. Islands
Sieboldii Hort. h evgr. (st.) S. S. Islands
 " fol. variegata

Paratropia DEC.

- elliptica* Miq. h evgr. (st.) Java
longifolia Dec. h evgr. (st.) Java
** Teysmannii* Blum. h evgr. (st.) Java

Panax LINN.

- angustifolius* F. Muell. h evgr. (o. d.) E. Australia
elegans F. Muell. h evgr. (o. d.) E. Australia
fruticosum Link. h shr. evgr. (st.) Mollucas
Murrayi F. Muell. h evgr. (o. d.) E. Australia
quinquefolium Linn. h (o. d.) N. America
sessiliforme (?) h evgr. (st.)
simplex Forst. h evgr. (o. d.) N. Zealand

Botryodendron ENDL.

- latifolium* Endl. h evgr. (o. d.) Norfolk Island

Brassaia ENDL.

Umbrella Tree.

- actinophylla* Endl. h evgr. (o. d.) E. Australia

Cussonia THUNB.

- thrysiflora* Linn. fil. h shr. evgr. (o. d.) S. Africa

Hedera LINN.

Ivy.

- algeriensis* (?) h ~ Algeria.
canariense Willd. var. *variegata* h ~ evgr. (o. d.) Canaries
Helix Linn. h ~ evgr. (o. d.) Europe
latifolia Wight. var. *varieg.* h ~ E. India.
marginata argentea. fol. *variegata*. h ~
marmorata elegans Hort. h ~
Rhombea Hort. h ~

Ordo. CORNACEAE. Lindley.

Cornus LINN. *Dogwood.*

- alba Linn. h decd. (o. d.) Europe
 mascula Linn. h decd. (o. d.) Europe
 " var. argentea
 " " aurea
 sanguinea Linn. h shr. decd. (o. d.) Europe
 sericea Herit. h shr. decd. (o. d.) N. America
 stricta Lam. h decd. (o. d.) N. America

Benthamia LINDL.

- fragifera Lindl. h shr. evgr. (o. d.) Nepal

Aucuba THUNB.

- bicolor Hort. h shr. evgr. (g. h.)
 himalaica Hook. h shr. evgr. (g. h.) Himalays
 japonica Thunb. var. maculata h shr. evgr. (g. h.) Japan
 viridis vera Hort. h shr. evgr. (g. h.)

Garrya DOUGL.

- elliptica Lindl. h shr. evgr. (o. d.) California
 macrophylla Hartw. h shr. evgr. (o. d.) Mexico
 McLadeniana Lindl. h shr. evgr. (o. d.) S. America

Griselinia FORST.

- lucida Forst. h shr. evgr. (o. d.) N. Zealand
-

Ordo. CAPRIFOLIACEAE. Jussieu.

*Tribus. Sambuceae.***Sambucus LINN.** *Elder.*

- canadensis Linn. h shr. decd. (o. d.) N. America
 nigra Linn. h shr. decd. (o. d.) Europe
 " var. argenteis
 " " laciniata
 pubens Michx. h shr. decd. (o. d.) N. America
 racemosa Linn. h shr. decd. (o. d.) Europe
 xanthocarpa F. Muell. h evgr. (o. d.) E. Australia

Viburnum LINN.

- chinense Hook. h shr. evgr. (o. d.) China
 japonicum Sprgl. h shr. evgr. (o. d.) Japan
 odoratissimum Ker. h shr. decd. (o. d.) China

Viburnum—continued.

- Opulus Linn. h shr. decd. (o. d.) *Guilder Rose*. Europe
 " var. roseum
 Oxycoccus Pursh. h shr. decd. (o. d.) N. America
 plicatum Thunb. h shr. decd. (o. d.) Japan
 rugosum Pers. h shr. evgr. (o. d.) Isl. Canary
 Sieboldtii Hort. h shr. evgr. (o. d.)
 suspensum (?) h shr. evgr. (o. d.)
 Tinus Linn. h shr. evgr. (o. d.) *Laurustinus*. S. Europe

*Tribus. Lonicereae.***Abelia** R. Br.

- rupestris Lindl. h shr. evgr. (o. d.) China
 uniflora R. Br. h shr. evgr. (o. d.) China

Lonicera LINN.*Honeysuckle.*

- brachypoda Dec. var. aurea reticulata h shr. decd. (o. d.)
 Japan

- Caprifolium Linn. h — shr. evgr. (o. d.) *Woodbine*.
 Europe

" var. atropurpureum

" " Fraserii

- chrysantha Turtsch. h — evgr. (o. d.) Siberia
 ciliata Muehlbrg. h shr. decd. (o. d.) N. America

- coerulea Linn. h shr. decd. (o. d.) S. Europe

- confusa Dec. h — evgr. (o. d.) E. India

- Diervilla Lindl. h shr. (o. d.) N. America

- discolor Lindl. h decd. (o. d.) E. India

- grata Ait. h — shr. decd. (o. d.) N. America

- hybrida superba Hort. h — (o. d.)

- iberica Bibrst. h shr. decd. (o. d.) Iberia

- japonica Thunb. h — shr. decd. (o. d.) Japan

- nigra Linn. h shr. decd. (o. d.) Europe

- pubescens Sweet. h — shr. evgr. (o. d.) N. America

- Ruprechtiana Hort. h — shr. evgr. (o. d.)

- sempervirens Ait. h — evgr. (o. d.) N. America

- Standishii Hook. h shr. evgr. (o. d.) China

- tatarica Linn. h shr. decd. (o. d.) Europe

" var. alba

" " mycrantha

" " pulcherrima

" " pyrenaica

" " rosea

" " " alba

" " splendens

- Xylosieum Linn. h shr. decd. (o. d.) Europe

" var. mollis

" " Solonis

Leycesteria WALL.

formosa Wall. ♂ shr. evgr. (o. d.) Nepal
 " var. fol. varieg.

Weigelia THUNB.

amabilis Thunb. ♂ shr. decd. (o. d.) China
 " var. fl. alba
japonica Dec. ♂ shr. decd. (o. d.) Japan
Middendorffii Hort. ♂ shr. decd. (o. d.)
rosea Lindl. ♂ shr. decd. (o. d.) China

Ordo. RUBIACEAE. A. Jussieu.

*Tribus. Naucleeae.***Sarcocephalus** ARZ.

cordatus Miq. ♂ evgr. (o. d.) N. Australia
Leichhardtii F. Muell. ♂ evgr. (o. d.) E. Australia

Cephalanthus LINN.

occidentalis Linn. ♂ shr. decd. (o. d.) N. America

*Tribus. Cinchoneae.***Cinchona** LINN.*Quinine Tree.*

Calisaya Wedd. ♂ evgr. (gr. h.) Peru
Succirubra Wedd. ♂ evgr. (gr. h.) Peru

Bouvardia SALISB.

alba odorata Hort. ♂ shr. evgr. (o. d.)
candidissima Hort. ♂ shr. evgr. (o. d.)
Davisonii Hort. ♂ shr. evgr. (o. d.)
Hogarthii Hort. ♂ shr. evgr. (o. d.)
Humboldtii corymbiflora Hort. ♂ shr. evgr. (o. d.)
Jacquinii Humb. & Bonpl. ♂ shr. evgr. (o. d.) S. America
jasminoides longipetala Hort. ♂ shr. evgr. (o. d.)
leiantha Benth. ♂ shr. evgr. (o. d.) Mexico
longiflora Humb. & Bonpl. var. *flammea*. ♂ shr. evgr.
 (o. d.) Mexico
rubioides Hort. var. *splendens*. ♂ shr. evgr. (o. d.)
splendens Grah. ♂ shr. evgr. (o. d.) S. America
triphylla Salisb. ♂ shr. evgr. (o. d.) Mexico
umbellata carnea Hort. ♂ shr. evgr. (o. d.)
Van Houttii Hort. ♂ shr. evgr. (o. d.)

Manettia MUTIS.glabra Chamss. h evgr. tw. (o. d.) Brazil**Exostemma DEC.**amabilis h shr. evgr. (st.) S. Americafloribundum Roem. & Schult. h shr. evgr. (st.) W. Indies*Tribus. Rondeletieae.***Rondeletia LINN.**

anomala (?) shr. evgr. (st.) Guatemala

cordata Benth. h shr. evgr. (st.) S. Americaspeciosa Lodd. h shr. evgr. (st.) Mexico

“ var. major

“ “ brilliantissima

Lindenia BENTH.rivalis Benth. h shr. evgr. (st.) Vera Cruz**Gloneria LIND. & ANDR.**jasminiflora Lindl. h shr. evgr. (st.) Brazil„ Lindenia Benth. h shr. evgr. (st.) Brazil*Tribus. Hedyotideae.***Pentas BENTH.**carnea Benth. h shr. evgr. (st.) Africa*Tribus. Mussaendeae.***Mussaenda LINN.**frondosa Linn. h shr. evgr. (st.) E. Indialuteola Delil. h shr. evgr. (st.) Arabia*Tribus. Hamelieae.***Hamelia JACQ.**nutans (?) h shr. evgr. (st.) S. America**Higginsia PERS.**Roezli Lind. h shr. evgr. (st.) S. AmericaGheisbechtii Hook. h shr. evgr. (st.) S. America*Tribus. Gardenieae.***Burchellia R. BR.**capensis R. Br. h shr. evgr. (o. d.) C. G. Hope

Randia LINN.

- ferox Dec. h shr. evgr. (st.) Mexico
 Fitzalani F. Muell. h evgr. (o. d.) E. Australia
 Krausii Harv. h shr. evgr. (o. d.) C. G. Hope
 macrophylla C. Moore h shr. evgr. (st.) Howe's Island

Gardenia LINN.

- Blumeana Dec. h shr. evgr. (st.) Java
 chartacea F. Muell. h shr. evgr. (o. d.) E. Australia
 " var. latifolia
 florida Linn. h shr. evgr. (o. d.) China
 Rothmannia Linn. fil. h shr. evgr. (o. d.) S. Africa
 Shepherdii Hort. h shr. evgr. (st.) S. S. Islands
 Stanleyana Hort. h shr. evgr. (st.) Sierra Leone
 spinosa Thunb. h shr. evgr. (st.) China
 tetrasperma Roxb. h shr. evgr. (st.) E. India
 Thunbergia Linn. fil. h shr. evgr. (st.) S. Africa

*Tribus. Chiococcoeae.***Hodgkinsonia F. MUELL.**

- ovatiflora F. Muell. h evgr. (o. d.) S. Australia

*Tribus. Vanguerieae.***Canthium LAM.**

- lucidum R. Br. h shr. evgr. (o. d.) Abyssinia

*Tribus. Ixoreae.***Ixora LINN.**

- acuminata Roxb. h shr. evgr. (st.) E. India
 alba Linn. h shr. evgr. (st.) E. India
 amabilis Hort. h shr. evgr. (st.)
 barbata Roxb. h shr. evgr. (st.) E. India
 coccinea Linn. h shr. evgr. (st.) E. India
 Colei Hort. h shr. evgr. (st.)
 crocata Lindl. var. rutilans. h shr. evgr. (st.) China
 Duffii C. Moore h shr. evgr. (st.) S. S. Islands
 Fraseri Hort. h shr. evgr. (st.)
 Griffithii Hook. h shr. evgr. (st.) E. India
 javanica Dec. var. floribunda h shr. evgr. (st.) Java
 Prince of Orange Hort. h shr. evgr. (st.)
 princeps Hort. h shr. evgr. (st.)
 rosea Wall. h shr. evgr. (st.) E. India
 Williamsii Hort. h shr. evgr. (st.)

Pavetta LINN.

Ackeringae Teysm. h shr. evgr. (st.) Java
 borbonica (?) h shr. evgr. (st.) Island Bourbon
 Caffra Thunb. h shr. evgr. (st.) C. G. Hope
 indica Linn. h shr. evgr. (st.) E. India
 subvelutina Miq. h shr. evgr. (st.) Java

Coffea LINN.*Coffee.*

arabica Linn. h shr. evgr. (g. h.) Arabia
 laurina Poir. h shr. evgr. (g. h.) Sierra Leone
 Liberica (?) h shr. evgr. (g. h.) Africa

*Tribus. Morindeae.***Morinda LINN.**

citrifolia Linn. h shr. evgr. (o. d.) N. Australia
 jasminoides A. Cunn. h shr. evgr. (o. d.) E. Australia

*Tribus. Psychotrieae.***Psychotria LINN.**

euneura Miq. h shr. evgr. (st.) Java
 cyanococea Blum. h shr. evgr. (st.) Java
 montana Blum. h shr. evgr. (st.) Java
 sarmentosa Blum. h shr. evgr. (st.) Java

Rudgea SALISB.

macrophylla Benth. h shr. evgr. (st.) S. America

*Tribus. Anthospermeae.***Serissa COMMERS.**

foetida Commers. var. variegata. h shr. evgr. (o. d.) China

Nertera BANKS.

depressa Banks u (o. d.) S. America

Coprosma FORST.

Baueriana Endl. var. variegata h shr. evgr. (o. d.) China
 divaricata Hook. var. latifolia h shr. evgr. (o. d.) N. Zealand
 hirtella Labil. h shr. evgr. (o. d.) Tasmania
 lucida Forst. h shr. evgr. (o. d.) N. Zealand
 robusta Raoul. h shr. evgr. (o. d.) N. Zealand
 spathulata A. Cunn. h shr. evgr. (o. d.) N. Zealand
 Stockii (?) h shr. evgr. (o. d.) N. Zealand.

*Tribus. Galieae.***Rubia TOURNEF.***Madder.*

tinctorium Linn. u (o. d.) Europe

Galium LINN. *Bed Straw.*
 australē Dec. ♀ (o. d.) Australia
 rubioides Linn. ♀ (o. d.) Europe

Crucianella LINN.
 stylosa Trin. ♀ (o. d.) Persia

Asperula LINN. *Woodruff.*
 Aparine Bess. ♀ (o. d.) Greece
 azurea setosa (?) ♂ (o. d.) Caucasus
 tinctoria Linn. ♀ (o. d.) Europe

Ordo. **VALERIANEAE.** De Candolle.

Valeriana LINN. *Valerian.*
 officinalis Linn. ♀ (o. d.) Europe
Centranthus DEC.
 ruber Dec. ♀ (o. d.) Europe
 " var. fl. alba

Ordo. **DIPSACEAE.** A. Jussieu.

Dipsacus TOURNEF. *Weaver Teasel.*
 fullonum Mill. ♀ (o. d.) Europe
Scabiosa LINN.
 atropurpurea Linn. ♂ (o. d.) E. India
 " var. major

Ordo. **COMPOSITAE.** Vaillant.

Tribus. Vernoniaceae.

Vernonia SCHREB.
 noveboracensis Willd. ♀ (o. d.) N. America

Tribus. Eupatoriaceae.

Ageratum LINN.
 coelestinum Sims. ♂ (o. d.) N. America
 conyzoides Linn. ♂ (o. d.) Mexico

Eupatorium LINN. FIL.

- ageratoides Linn. fil. ♀ (o. d.) S. America
 riparium (?) ♀ (o. d.)

Hebeclinium DEC.

- ianthinum Hook. ♀ (st.) Brazil
 urolepis Dee. ♀ (o. d.) Brazil

Mikania WILLD.

- perosculenta (?) ♀ ~
 Guaco Humb. & Bonpl. ♀ ~ (st.) S. America
 Verschaffelli Hort. ♀ ~ (st.) S. America

Liatris SCHREB.

- graminifolia Pursh. ♀ Caucasus
 macrostachya Michx. ♀ N. America

*Tribus. Asteroideae.***Grindelia WILLD.**

- hirsutula Hook. ♀ (o. d.) California
 lanceolata Nutt. ♀ (o. d.) N. America
 robusta Nutt. ♀ (o. d.) N. America
 squarrosa Dunal. ♀ (o. d.) N. America

Solidago LINN.*Golden Rod.*

- arguta Ait. ♀ (o. d.) N. America
 canadensis Linn. ♀ (o. d.) Europe
 procera Ait. ♀ (o. d.) N. America

Brachycome CASS.

- iberidifolia Benth. ♂ (o. d.) W. Australia
 multifida Dec. ♀ (o. d.) Australia
 scapiformis Dec. ♀ (o. d.) E. Australia

Lagenophora CASS.

- Billardieri Cass. ♀ (o. d.) E. Australia

Aster LINN.*Star-Wort*

- chinensis Linn. ♂ (o. d.) China
 cyanaeus Hoffm. ♀ (o. d.) N. America
 Novae-Angliae Linn. ♀ (o. d.) N. America
 Novi Belgii Nees. ♀ (o. d.) N. America
 peregrinus Pursh. ♀ (o. d.) N. America
 tardiflorus Linn. ♀ (o. d.) N. America
 var. caespitosus
 tenellus Linn. fil. ♂ (o. d.) S. Africa

Bellis LINN.*Daisy.*

- perennis Linn. ♀ (o. d.) Europe

Calimeris NEES.

incisa Dec. ♀ (o. d.) Siberia

Diplopappus CASSIN.

fruticulosus Less. ♂ shr. evgr. (o. d.) C. G. Hope

Baccharis LINN.

halimifolia Linn. ♂ shr. evgr. (o. d.) Virginia

Felicia CASS.

angustifolia Nees. ♂ shr. evgr. (o. d.) S. Africa

Caffrorum Nees. ♂ shr. evgr. (o. d.) S. Africa

Olearia MOENCH.

adenophora F. Muell. ♂ shr. evgr. (o. d.) E. Australia

argophylla F. Muell. ♂ shr. evgr. (o. d.) E. Australia

asterotricha F. Muell. ♂ shr. evgr. (o. d.) Australia

Forsteri (?) ♂ shr. evgr. (o. d.) N. Zealand

lepidophylla Benth. ♂ shr. evgr. (o. d.) Australia

nitida (?) ♂ shr. evgr. (o. d.) N. Zealand

pannosa Hook. ♂ shr. evgr. (o. d.) S. Australia

stellulata Dec. ♂ shr. evgr. (o. d.) S. Australia

Celmisia CASS.

verbascifolia (?) ♀ (o. d.)

Conyza LESS.

chilensis Sprgl. ♂ (o. d.) Chili

*Tribus. Inuloideae.***Phagnalon** CASS.

rupestre Dec. ♂ shr. evgr. (o. d.) Mediterranean

Gnaphalium LINN.*Everlasting.*

crassifolium Linn. ♂ shr. evgr. (o. d.) C. G. Hope

luteo-album Linn. ♂ (o. d.) Europe

Helipterum DEC.

corymbiflorum Schlecht. ♂ (o. d.) Australia

Sandfordi Hook. ♂ (o. d.) W. Australia

speciosissimum Dec. ♂ und. shr. evgr. (o. d.) C. G. Hope

variegatum Dec. ♂ und. shr. evgr. (o. d.) C. G. Hope


Rhodanthe LINDL.

Manglesii Lindl. ♂ (o. d.) W. Australia

Acroclinium A. GRAY.

roseum Hook. ♂ (o. d.) W. Australia

LARGE FOUNTAIN.



Helichrysum GAERTN. *Golden Sunflower*

- argenteum Thunb. ♂ und shr. evgr. (o. d.) S. Africa
 bracteatum Willd. ♂ (o. d.) S. Australia
 elegans Don. ♂ (o. d.) E. India
 ferrugineum Less. ♂ und. shr. evgr. (o. d.) S. Australia
 foetidum Cass. ♂ (o. d.) C. G. Hope
 fruticans Don. ♂ und. shr. evgr. (o. d.) C. G. Hope
 strictum Moench. ♀ (o. d.) Europe

Cassinia R. BR.

- leptophylla R. Br. und. shr. evgr. (o. d.) N. Zealand

Amobium R. BR.

- alatum R. Br. ♀ (o. d.) E. Australia

Humea SM.

- elegans Sm. ♂ (o. d.) E. Australia

Ixodia R. BR.

- achilleoides R. Br. ♂ und. shr. evgr. (o. d.) S. Australia

Inula LINN.

- Conyza Dec. ♀ (o. d.) S. Europe
 Helenium Linn. ♀ (o. d.) S. Europe
 thapsoides Dec. ♀ (o. d.) Caucasus

Podolepis LABILL.

- gracilis Grah. ♂ (o. d.) Australia

Buphthalmum LINN.

- frutescens Linn. ♂ shr. evgr. (o. d.) N. America

Telekia BAUMG.

- cordifolia Kit. ♀ (o. d.) Persia

*Tribus. Helianthroideae.***Parthenium** LINN.

- Hysterophorus Linn. ♂ (o. d.) S. America

Xanthium LINN. *Bathurst Burr.*

- spinosum Linn. ♂ (o. d.) S. Europe

Zinnia LINN.

- elegans Jacq. ♂ (o. d.) Mexico
 Haageana Hort. ♂ (o. d.) Mexico
 multiflora Linn. ♂ (o. d.) Mexico
 verticillata Andr. ♂ (o. d.) Mexico

Sanvitalia LAM.

- procumbens Lam. ♂ (o. d.) Mexico

Ferdinanda LAGASC.

eminens Lagasc. ♂ evgr. (o. d.) Mexico

Rudbeckia LINN.

amplexicaulis Vahl. ⊙ (o. d.) California

Wollastonia DEC.

glabrata Dec. ♂ und. shr. evgr. (st.) Isl. Timor

Obeliscaria CASS.

columnaris Dec. ♀ (o. d.) S. America

Helianthus LINN. *Sunflower.*

annuus Linn. ⊙ (o. d.) S. America

argophyllus Torr. ⊙ (o. d.) California

californicus Dougl. ⊙ (o. d.) California

macrophyllus Willd. ⊙ (o. d.) N. America

uniflora Butt. ⊙ (o. d.) N. America

Calliopsis REICHB.

Atkinsoniana Hook. ♀ (o. d.) N. America

bicolor Reichb. ⊙ (o. d.) N. America

cardaminefolia Dec. ⊙ (o. d.) Mexico

tinctoria Dec. ⊙ (o. d.) N. America

Coreopsis LINN.

Ackermannii Hort. ♂ (o. d.) N. America

diversifolia Dec. ♀ (o. d.) Carolina

longipes Hook. ⊙ (o. d.) Texas

Dahlia CAV.

Cervantesii Lagasc. ♀ tubr. (o. d.) Mexico

imperialis Roezl. ♀ tubr. (o. d.) Mexico

variabilis Desf. ♀ tubr. (o. d.) Mexico

Cosmus CAV.

bipinnatus Cav. ⊙ (o. d.) Mexico

Bidens LINN.

Wallichii Dec. ⊙ (o. d.) E. India

Madia MOLIN.

sativa Molin. ⊙ (o. d.) Chili

Callichroa FISCH & MEY.

platyglossa Fisch & Mey. ⊙ (o. d.) California

*Tribus. Helenioideae.***Lasthenia** CASS.

glaberrima Dec. ⊙ (o. d.) California

Monolopia DEC.

major Dec. ♂ (o. d.) California

Palafoxia LAG.

texana Dec. ♀ (o. d.) Texas

Tagetes LINN. *Marigold.*erecta Linn. ♂ (o. d.) *African.* Mexicopatula Linn. ♂ (o. d.) *French.* Mexico

signata Bartl. ♂ (o. d.) Mexico

Blennosperma LESS.

californica Less. ♀ (o. d.) California

Helenium LINN.

autumnale Linn. ♀ (o. d.) N. America

Hooperii Gray. ♀ (o. d.) N. America

varium Schrad. ♂ (o. d.) Mexico

Gaillardia FOUGER.

amblyodon J. Gay. ♀ (o. d.) California

aristata Pursh. ♀ (o. d.) N. America

aurea superba Hort. ♀ (o. d.) N. America

bicolor Spr. ♀ (o. d.) N. America

coccinea Hort. ♀ (o. d.)

Drummondii Dec. ♂ (o. d.) Mexico

grandiflora Hort. ♀ (o. d.) N. America

Loeseli Hort. ♀ (o. d.) N. America

picta grandiflora Hort. ♀ (o. d.)

Richardsonii Penny. ♀ (o. d.) N. America

*Tribus. Anthemideae.***Gonospermum** LESS.

fruticosum Less. ♂ shr. evgr. (o. d.) Isl. Canary

Achillea LINN.

Gerberi Willd. ♀ (o. d.) Siberia

lanata Sprgl. ♀ (o. d.) Europe

millefolium Linn. ♀ (o. d.) *Yarrow.* Europe

" fl. rosea

ptarmicoides Maxim. ♀ (o. d.) Europe

Ptarmica DEC.

impatiens Dec. ♀ (o. d.) Siberia

Matricaria LINN.

capensis Linn. ♀ (o. d.) C. G. Hope

eximia (?) ♀ (o. d.) Europe

nigellaefolia Dec. ♀ (o. d.) Europe

Parthenium Linn. ♀ (o. d.) Europe

Santolina LINN.

Chamaecyparissus Linn. var. *incana*. ♂ und. shr. evgr.
(o. d.) S. Europe

Anthemis LINN.

nobilis Linn. ♀ (o. d.) Europe.

Chrysanthemum LINN.

carinatum Schousb. ♂ (o. d.) Barbary
coronarium Linn. ♂ (o. d.) S. Europe
foeniculaceum Dec. var. *bipinnatifidum*. ♀ (o. d.) Isl. Canary
indicum Linn. ♂ und. shr. (o. d.) E. India
pinnatifidum Linn fil. ♂ und. shr. (o. d.) Isl. Maderia
sinense Sabin. ♂ und. shr. (o. d.) China

Argyranthemum WEBB.

frutescens Schultz. ♂ und. shr. (o. d.) Teneriffe

Leucanthemum TOURNEF.

arcticum Dec. ♀ (o. d.) Kamtschatka

Balsamita DESF.

grandiflora Desf. ♀ (o. d.) Algiers

Cotula LINN.

anthemoides Linn. ♂ (o. d.) Spain
microcephala Dec. ♀ (o. d.) S. Africa

Pentzia THUNB. *Sheep Bush.*

virgata Less. ♂ und. shr. evgr. (o. d.) C. G. Hope

Tanacetum LINN. *Tansy.*

vulgare Linn. ♀ (o. d.) Europe

Artemisia LINN.

Abrotanum Linn. ♂ und. shr. decd. (o. d.) *Southernwood*.
S. Europe

Absinthium Linn. ♀ (o. d.) *Wormwood*. S. Europe

judaica Linn. ♂ und. shr. evgr. (o. d.) Europe

vulgaris Linn. ♀ (o. d.) Europe

*Tribus. Senecionideae.***Tussilago LINN.** *Coltsfoot.*

Farfara Linn. ♀ (o. d.) Europe

Doronicum LINN.

caucasicum Bibrst. ♀ (o. d.) Caucasus

Brachyglossis FORST.

repanda Forst. ♂ shr. evgr. N. Zealand

Cineraria LINN.

acanthifolia Reichb. ♀ (g. h.) S. Europe
 cruenta L'Herit. ♀ (g. h.) Isl. Canary
 maritima Linn. ♀ (o. d.) S. Europe

Emilia CASS.

sagittata Dec. ♂ (o. d.) E. India

Senecio LINN.*Groundsell.*

artemisiaefolius Pers. ♀ (o. d.) S. Europe
 Eleagnifolius Hook. ♀ (o. d.) N. Zealand
 elegans Linn. ♂ (o. d.) C. G. Hope
 glastifolius Linn fil. ♀ (o. d.) C. G. Hope
 macroglossus Dec. ♀ (o. d.) C. G. Hope
 odoratus Hornm. ♂ (o. d.) Australia
 Otites Pers. ♀ Chili
 scandens Dec. ♀ S. Africa

Kleinia LINN.

articulata Haw. ♂ und. shr. evgr. C. G. Hope
 ficoides Haw. ♂ und. shr. evgr. (g. h.) C. G. Hope
 " var. angustifolia

Farfugium LINDL.

grande Lindl. ♀ (st.) China

Ligularia DEC.

gigantea S. & Z. ♀ (st.) Japan
 Kaempferi Dec. var. argentea. ♀ (st.) Japan

Othonna LINN.

cylindrica Dec. ♂ und. shr. evgr. (o. d.) C. G. Hope

*Tribus. Calendulaceae.***Calendula LINN.***Marigold.*

officinalis Linn. ♂ (o. d.) S. Europe
 pluvialis Linn. ♂ (o. d.) S. Africa

Osteospermum LINN.

moniliferum Linn. ♂ shr. evgr. (o. d.) Africa
 pisiferum Linn. ♂ shr. evgr. (o. d.) C. G. Hope

*Tribus. Arctotideae.***Arctotis LINN.***Bear's Ear.*

breviscapa Thunb. ♂ (o. d.) S. Africa
 grandiflora Jacq. ♀ (o. d.) S. Africa
 undulata Jacq. ♀ (o. d.) S. Africa

Sphenogyne R. Br.

anthemoides R. Br. ♂ (o. d.) C. G. Hope
speciosa Mon. ♂ (o. d.) S. America

Gazania GAERTN. *Treasure Flower.*

ricens Willd. ♀ (o. d.) C. G. Hope

*Tribus. Cynaroideae.***Echinops** LINN.

sphaerocephalus Linn. ♀ (o. d.) S. Europe

Xeranthemum LINN.

annuum Linn. ♂ (o. d.) S. Europe

Carlina LINN. *Caroline Thistle.*

acaulis Linn. ♀ (o. d.) Europe

Carduus LINN.

Marianus Linn. ♂ (o. d.) *Milk Thistle.* Europe

Cnicus LINN. *Blessed Thistle.*

benedictus Linn. ♂ (o. d.) Europe

Cirsium VAILL. *Horse Thistle.*

heterophyllum Dec. ♀ (o. d.) Europe

Chamaepaice DEC. *Ground Pine Thistle.*

Casabonae Dec. ♂ (o. d.) Italy

diacantha Dec. ♂ (o. d.) Italy

Onopordon LINN. *Cotton Thistle.*

acanthium Linn. ♀ (o. d.) Europe

Cynara LINN. *Artichoke.*

Scolymus Linn. ♂ (o. d.) S. Europe

Serratula LINN.

mucronata Desf. ♀ (o. d.) Barbary

Centaurea LINN.

americana Nutt. ♂ (o. d.) N. America

argentea Linn. ♀ (o. d.) Crete

atropurpurea Oliv. ♀ Hungary

babylonica Linn. ♀ (o. d.) Orient

Cineraria Linn. ♀ (o. d.) Europe

Clementei Boiss. ♀ (o. d.) Spain

Cyanus Linn. ♂ (o. d.) *Blue Bottle.* Europe

depressa Bbrst. ♀ (o. d.) Caucasus

Fenzlii (?) ♂ (o. d.)

gymnocarpa Moris. ♀ (o. d.)

Centaurea—continued.

- maritima Dufour. ♀ (o. d.) Spain
 " var. candidissima
 moschata Linn. ♂ (o. d.) Sweet Sultan. Persia
 Phrygia Linn. ♀ (o. d.) Europe
 ragusina Linn. ♀ (o. d.) Dalmatia
 suaveolens Willd. ♂ (o. d.) Orient

Carthamus LINN.

- tinctorius Dec. ♂ (o. d.) Egypt

*Tribus. Mutisiaceae.***Barnadesia** LINN.

- grandiflora Linn fil. ♂ shr. evgr. (o. d.) Brazil
 rosea Lindl. ♂ shr. evgr. (o. d.) S. America

Stiftia MIKAN.

- chrysantha Mikan. ♂ shr. evgr. (st.) Brazil

*Tribus. Cichoriaceae.***Catananche** LINN.

- coerulea Linn. ♂ (o. d.) S. Europe

Cichorium LINN.

- Intybus Linn. ♀ (o. d.) Europe

Tolpis ADANS.

- barbata Gaertn. ♂ (o. d.) S. Europe

Crepis LINN.

- rubra Linn. ♂ (o. d.) S. Europe

Hieracium LINN.

- elatum Fries. ♀ (o. d.) Europe
 porrifolium Linn. ♀ (o. d.) S. Europe
 prenanthoides Vill. ♀ (o. d.) Europe
 rigidum Hartm. ♀ (o. d.) Europe
 villosum Jacq. ♀ (o. d.) Europe

Leontodon LINN.

Dandelion.

- Taraxacum Linn. ♀ (o. d.) Europe

Sonchus LINN.

Sow Thistle.

- laevigatus Willd. ♀ (o. d.) Isl. Madeira
 pinnatus Ait. ♀ (o. d.) Isl. Madeira

Tragopogon LINN.

Goat's Beard.

- porrifolium Dec. ♂ (o. d.) S. Europe

Ordo. STYLLIDIEAE. R. Brown.

Stylium Sw. *Stylewort.*

adnatum R. Br. ♀ (o. d.) Australia

Ordo. GOODENOVIEAE. Bartling.

Goodenia Sm.albiflora Schlechtd. ♀ (o. d.) S. Australia
amplexicans F. Muell. ♀ (o. d.) Australia
ovata Sm. ♂ shr. evgr. (o. d.) Australia**Scaevola** LINN.aemula R. Br. ♀ (o. d.) Australia
crassifolia Labill. ♂ und. shr. evgr. (o. d.) S. Australia**Brunonia** Sm.

australis Sm. ♀ (o. d.) Australia

Ordo. CAMPANULACEAE. Bartling.

*Tribus. Lobelieae.***Centropogon** PRESL.

Lucianus Hort. ♂ shr. evgr. (st.) S. America

Isotoma LINDL.axillaris R. Br. ♀ (o. d.) Australia
longiflora Presl. ♀ (o. d.) W. India
petraea F. Muell. ♀ (o. d.) Australia**Siphocampylus** POHL.

coccineus Lindl. (st.) Brazil

Lobelia LINN.bicolor Sims. ♀ (o. d.) C. G. Hope
cardinalis Linn. ♀ (o. d.) N. America
erinoidea Linn. ♂ (o. d.) Africa
Erinus Linn. ♂ (o. d.) S. Africa
fulgens Willd. ♀ (o. d.) Mexico
gracilis And. ♂ (o. d.) Mexico
ramosa Benth. ♂ (o. d.) Australia
syphilitica Linn. ♂ (o. d.) N. America
trigonocaulis Roxb. ♂ (o. d.) Nepal

*Tribus. Campanuleae.***Wahlenbergia** SCHRAD.

gracilis A. Dec. ♀ (o. d.) Australia

Platycodon A. DEC.

chinensis Paxt. ♀ (g. h.) China

“ fl. alba

coerulea A. Dec. ♀ (g. h.) China

Canarina LINN.

Campanula Linn. fl. ♀ tubr. (g. h.) Isl. Canary

Roella LINN.

ciliata Linn. ♂ shr. evgr. (g. h.) C. G. Hope

Michauxia L'HERIT.

campanuloides Juss. ♀ (o. d.) Syria

Campanula LINN.*Bell Flower*

alliariaefolia Willd. ♀ (o. d.) Caucasus

americana Linn. ♀ (o. d.) N. America

altaica Dec. fil. ♀ (o. d.) Siberia

bononiensis Linn. ♀ (o. d.) Italy

canariensis Linn. ♀ (o. d.) Isl. Canary

carpatica Jacq. ♂ (o. d.) Alps

eximia Wender. ♀ (o. d.) Europe

excisa Schleich. ♀ (o. d.) Alps

latifolia Linn. var. macrantha ♀ (o. d.) Europe

Leutweinii Heldr. ♀ (o. d.) Greece

Loreyi Pollin. ♂ (o. d.) Italy

macrantha Fisch. ♀ (o. d.)

Medium Linn. ♂ (o. d.) *Canterbury Bell.* S. Europe

“ fl. alba

“ var. calycanthema

pyramidalis Linn. ♀ (o. d.) S. Europe

“ fl. alba

rhomboidea Linn. ♀ (o. d.) Europe

rotundifolia Linn. ♀ (o. d.) Europe

saxifraga Bbrst. ♀ (o. d.) Europe

Speculum Linn. ♂ (o. d.) *Venus Looking Glass.* S. Europe

Tenorii Morett.

thyrsoidea Lindl. ♀ (o. d.) Europe

Vidalli Hook. ♀ (o. d.) Azores

Trachelium LINN.*Throatwort.*

coeruleum Linn. ♂ (o. d.) Sardinia

“ fl. album

Erica—continued.

- ciliaris Linn. ♂ shr. evgr. (g. h.) C. G. Hope
 concinna Ait. ♂ shr. evgr. (g. h.) C. G. Hope
 cruenta Ait. ♂ shr. evgr. (g. h.) C. G. Hope
 grandiflora Linn. ♂ shr. evgr. (g. h.) C. G. Hope
 lutea Linn. ♂ shr. evgr. (g. h.) C. G. Hope
 mammosa Linn. ♂ shr. evgr. (g. h.) C. G. Hope
 margaritacea Ait. ♂ shr. evgr. (g. h.) C. G. Hope
 persoluta Linn. ♂ shr. evgr. (g. h.) C. G. Hope
 perspicua Wendl. ♂ shr. evgr. (g. h.) C. G. Hope
 philicoides Willd. ♂ shr. evgr. (g. h.) C. G. Hope
 Pluckenettii Linn. ♂ shr. evgr. (g. h.) C. G. Hope
 pyramidalis Ait. ♂ shr. evgr. (g. h.) C. G. Hope
 ramentacea Linn. ♂ shr. evgr. (g. h.) C. G. Hope
 rubens Andr. ♂ shr. evgr. (g. h.) C. G. Hope
 Tetralix Linn. ♂ shr. evgr. (g. h.) C. G. Hope
 tubiflora Willd. ♂ shr. evgr. (g. h.) C. G. Hope
 urceolaris Berg. ♂ shr. evgr. (g. h.) C. G. Hope
 vagans Linn. ♂ shr. evgr. (g. h.) C. G. Hope
 ventricosa Thunb. ♂ shr. evgr. (g. h.) C. G. Hope
 " var. impressa
 " " magnifica
 " " superba
 *verticillata Andr. ♂ shr. evgr. (g. h.) C. G. Hope
 vulgaris Linn. ♂ shr. evgr. (g. h.) Europe

*Tribus. Rhodoreae.***Rhododendron** LINN. *Rose-Bay Tree.*

ponticum Linn. ♂ shr. evgr. (g. h.) Asia

Azalea LINN.

pontica Linn. ♂ shr. uecd. (g. h.) Turkey

Menziesia SM.

bicolor Hort. ♂ und. shr. evgr. (o. d.) Europe

polifolia Juss. ♂ und. shr. evgr. (o. d.) Europe

" var. purpurea

Ordo. EPACRIDEAE. R. Brown.

*Tribus. Styphelieae.***Styphelia** SM.

viridis Sm. ♂ shr. evgr. (o. d.) E. Australia

triflora Andr. ♂ shr. evgr. (o. d.) E. Australia

Leucopogon R. Br.

cricoides R. Br.	↳	shr. evgr.	(o. d.)	Australia
microphyllus R. Br.	↳	shr. evgr.	(o. d.)	Australia
virgatus R. Br.	↳	shr. evgr.	(o. d.)	E. Australia

*Tribus. Epacreeae.***Epacris CAV.**

grandiflora Sm.	↳	shr. evgr.	(o. d.)	E. Australia
impressa Labill.	↳	shr. evgr.	(o. d.)	S. Australia
microphylla R. Br.	↳	shr. evgr.	(o. d.)	E. Australia
obtusifolia Sm.	↳	shr. evgr.	(o. d.)	E. Australia
paludosa R. Br.	↳	shr. evgr.	(o. d.)	E. Australia

*Ordo. PLUMBAGINEAE. Ventenat.**Tribus. Staticeae.***Statice LINN.***Sea Lavender.*

arborea Brouss.	↳	und. shr. evgr.	(o. d.)	Teneriffe
bellidifolia Dec.	♀	(o. d.)	Hungaria	
Bonducella Lestib.	♀	(o. d.)	N. Africa	
brassicaefolia Webb.	(o. d.)	Isl. Canary		
Dicksonii Hort.	♀	(o. d.)		
Halfordii Hort.	♀	(o. d.)		
hybrida Mond.	♀	(o. d.)	S. Europe	
imbricata Webb.	♀	(o. d.)	Teneriffe	
incana Linn.	♀	(o. d.)	Europe	
macrophylla Link.	♀	(o. d.)	Isl. Canary	
pseudo-armeria Jacq.	♀	(o. d.)	S. Europe	
scoparia Pall.	♀	(o. d.)	S. Europe	
sinuata Linn.	♀	(o. d.)	S. Europe	
spicata Willd.	○	(o. d.)	Caucasus	
tartarica Linn.	♀	(o. d.)	Tartary	

Armeria WILLD.*Thrift*

alliacea Willd.	♀	(o. d.)	S. Europe
cephalotes Schousb.	♀	(o. d.)	S. Europe
elongata Hoffm.	♀	(o. d.)	Europe
formosa Hort.	♀	(o. d.)	
“ fl. alba			
“ “ carnea			
mauritanica Wallr.	♀	(o. d.)	Europe

Tribus. Plumbageae.

Plumbago LINN.	<i>Leadwort.</i>
capensis Thunb.	↳ shr. evgr. (o. d.) C. G. Hope
coccinea Boiss.	↳ shr. evgr. (st.)
Larpentae Lindl.	(o. d.) China
rosea Lindl.	↳ shr. evgr. (st.) E. India
zeylanica Linn.	↳ shr. evgr. (o. d.) E. India
" fl. alba	

*Ordo. PRIMULACEAE. Ventenat.**Tribus. Primuleae.*

Primula LINN.	<i>Primrose.</i>
acaulis Jacq.	♀ (o. d.) <i>Common Primrose.</i> Europe
Auricula Linn.	♀ (o. d.) Europe
chinensis Lindl.	♀ (g. h.) China
cortusoides Linn.	♀ (o. d.) Siberia
japonica A. Gray.	♀ (g. h.) Japan
veris Linn.	♀ (o. d.) <i>Polyanthus.</i> Europe
verticillata Forsk.	(o. d.) Egypt

Dodecatheon LINN. *American Cowslip.*

Meadia Linn. ♀ (g. h.) N. America

Tribus. Lysimachieae.

Cyclamen LINN.	<i>Sow Bread.</i>
africanum Boss.	♀ tubr. (g. h.) Africa
europaeum Linn.	♀ tubr. (g. h.) S. Europe
graecum Link.	♀ tubr. (g. h.) Greece
ibericum Goldie.	♀ tubr. (g. h.) Iberia
neapolitanum Tenor.	♀ tubr. (g. h.) S. Europe
persicum Mill.	♀ tubr. (g. h.) Cyprus
" var. album	
" " giganteum	
" " purpureum	
" " rubrum	
pyrenaicum (?)	♀ tubr. (g. h.) Pyrenees
repandum Sib.	♀ tubr. (g. h.) Greece

Lysimachia LINN. *Loosetrift.*

vulgaris Linn. ♀ (o. d.) Europe

Anagallis LINN.*Pimpernel.*

- arvensis Linn. ♂ (o. d.) Europe
 grandiflora Andr. ♂ (o. d.) S. Europe
 Monelli Linn. ♂ (o. d.) Italy
-

Ordo. MYRSINEAE. R. Brown.

*Tribus. Eumyrsineae.***Myrsine LINN.**

- africana Linn. ♂ shr. evgr. (o. d.) C. G. Hope
 melanophleos R. Br. ♂ shr. evgr. (o. d.) C. G. Hope
 Urvillii Dec. ♂ shr. evgr. (o. d.) N. Zealand
 variabilis R. Br. ♂ shr. evgr. (o. d.) E. Australia

Ardisia SWARTZ.

- crenulata Vent. ♂ shr. evgr. (g. h.) W. India
 crispa Dec. ♂ shr. evgr. (g. h.) Java
 denticulata Blum. ♂ shr. evgr. (st.) Java
 humilis Vahl. ♂ shr. evgr. (st.) E. India
 solanacea Roxb. ♂ shr. evgr. (st.) E. India
 Wallichii Dec. ♂ shr. evgr. (st.) E. India

*Tribus. Theophrasteae.***Theophrasta JUSS.**

- imperialis Lindl. ♂ evgr. (st.) S. America
 regia Lindl. ♂ evgr. (st.) S. America
-

Ordo. SAPOTACEAE. Endlicher.

Argania ROEM. & SCHULT. *Argan Tree.*

- syderoxylon Roem. & Schult. ♂ evgr. (o. d.) Morocco

Achras LINN.

- australis R. Br. ♂ evgr. (o. d.) E. Australia
 Sapota Linn. ♂ evgr. (o. d.) S. America

Bumelia SWARTZ.

- nigra Swartz. ♂ evgr. (st.) Isl. Jamaica

Mimusops LINN.

- cyanocarpa Cunn. ♂ evgr. (o. d.) E. Australia
 Elengi Linn. ♂ evgr. (st.) E. India

Ordo. EBENACEAE. Ventenant.

Royena LINN.

lucida Linn. ♂ shr. evgr. (o. d.) C. G. Hope

Diospyros LINN. *Kau Apple.*

Kaki Linn. fil. ♂ evgr. (o. d.) Japan

virginiana Linn. ♂ decid. (o. d.) N. America

Cargillia R. BR.

australis R. Br. ♂ evgr. (o. d.) N. Australia

pentamera F. Muell. ♂ evgr. E. Australia

Ordo. STYRACEAE. Richard.

Halesia LINN.

tetraptera Linn. ♂ shr. decid. (o. d.) Carolina

Styrax LINN.

japonicum Siebold. ♂ evgr. (o. d.) Japan

officinale Linn. ♂ shr. decid. (o. d.) Asia

Ordo. OLEACEAE. Lindley.

*Tribus. Jasmineae.***Jasminium** LINN.

gracile R. Br. ♂ ~ evgr. (o. d.) Norfolk Island

grandiflorum Linn. ♂ shr. evgr. (o. d.) E. India

nudiflorum Lindl. ♂ shr. decid. (o. d.) China

odoratissimum Linn. ♂ shr. evgr. (o. d.) Isl. Madeira

officinale Linn. ♂ shr. evgr. (o. d.) E. India

pubescens Willd. ♂ shr. evgr. (o. d.) E. India

pubigerum Don. ♂ shr. evgr. (o. d.) Nepal

revolutum Sims ♂ shr. evgr. (o. d.) E. India

Sambac. Ait. ♂ ~ evgr. (st.) E. India

Wallichianum Lindl. ♂ shr. evgr. (o. d.) E. India

*Tribus. Syringaeae.***Forsythia** VAHL.

Fortuni (?) ♂ shr. decid. (o. d.) Japan

suspensa Vahl. ♂ shr. decid. (o. d.) Japan

viridissima Lindl. ♂ shr. decid. (o. d.) China

Syringa LINN.

- amurensis Regel. ♂ shr. decd. (o. d.) Rio Amur.
 Emodi Wall. ♂ shr. decd. (o. d.) India
 Josikaea Jacq. ♂ shr. decd. (o. d.) Europe
 persica Linn. ♂ shr. decd. (o. d.) Persia
 vulgaris Linn. ♂ shr. decd. (o. d.) Persia
 " fl. alba

*Tribus. Fraxineae.***Fraxinus LINN.***Ash Tree.*

- acuminata Lam. ♂ decd. (o. d.) N. America
 alba Bosc. ♂ decd. N. America
 americana Linn. ♂ decd. (o. d.) N. America
 argentea Loisl. ♂ decd. (o. d.) Corsica
 asplenifolia Hort. ♂ decd. (o. d.)
 aucubaefolia Hort. ♂ decd. (o. d.)
 australis Hort. ♂ decd. (o. d.)
 epiptera Michx. ♂ decd. (o. d.) N. America
 excelsior Linn. ♂ decd. (o. d.) Europe
 " var. pendula
 lentiscifolia Desf. ♂ decd. (o. d.) Aleppo
 longifolia Bosc. ♂ decd. (o. d.) N. America
 Ornus Linn. ♂ decd. (o. d.) S. Europe
 pubescens Walt. ♂ decd. (o. d.) N. America
 rufa Bosc. ♂ decd. (o. d.) N. America
 superba Hort. ♂ decd. (o. d.)
 viridis Bosc. var. nobilis ♂ decd. (o. d.) N. America

*Tribus. Oleineae.***Phillyrea LINN.**

- angustifolia Linn. ♂ shr. evgr. (o. d.) S. Europe
 latifolia Linn. ♂ shr. evgr. (o. d.) S. Europe
 media Link. ♂ shr. evgr. (o. d.) S. Europe

Osmanthus LOUR.

- ilicifolius Lour. ♂ shr. evgr. (st.) Japan
 " var. variegata
 populifolius Lour. ♂ shr. evgr. (st.) Japan


Chionanthus LINN.

- virginica Linn. ♂ decd. (o. d.) N. America

Notelaea VENT.

- ligustrina Vent. ♂ shr. evgr. (o. d.) Australia
 longifolia Vent. ♂ shr. evgr. (o. d.) N. Zealand

ROSERY.



Olea LINN.*Olive.*

- acuminata Wall. h evgr. (o. d.) E. India
 americana Linn. h shr. evgr. (o. d.) N. America
 cernua Vahl. h shr. evgr. (o. d.) Isl. Mauritius
 europaea Linn. h evgr. (o. d.) S. Europe
 fragrans Thunb. h shr. evgr. (o. d.) China
ilicifolia Hassk. h shr. evgr. (o. d.) Japan
 " var. *nanus variegata*
Oleaster Link. h shr. evgr. (o. d.) Europe
verrucosa Thunb. h shr. evgr. (o. d.) C. G. Hope
Whightiana Wall. h shr. evgr. (o. d.) E. India

Ligustrum LINN.*Privet.*

- coriaceum Nois. h shr. evgr. (o. d.) Hort.
japonicum Thunb. h shr. evgr. (o. d.) Japan
ovalifolium Hassk. h shr. evgr. (o. d.) Japan
 " var. *glaucia*
sinense Lour. h shr. evgr. (o. d.) China
undulatum Blum. h shr. evgr. (o. d.) N. Guinea
vulgare Linn. h shr. evgr. (o. d.) Europe
 " var. *semperfiriens*
-

Ordo. SALVADORACEAE. Lindley.

Salvadora LINN.*Mustard Tree of Scripture.*

- persica* Linn. h evgr. (o. d.) Persia
-

Ordo. APOCYNACEAE. Lindley.

*Tribus. Carisseae.***Allamanda LINN.**

- Aubletii* Pohl. h shr. evgr. (st.) S. America
Hendersonii Hort. h — shr. evgr. (st.)
neriifolia Hook. h shr. evgr. (st.) S. America
nobilis T. Moore h — evgr. (st.) Rio Branco
Schottii Pohl. h shr. evgr. (st.) Brazil
verticillata Desf. h — (st.) S. America
violacea Hort. h — evgr. (st.)
Wardleana Hort. h — evgr. (st.)

Melodinus FORST.

- monogynus* Carey. h evgr. tr. (st.) E. India

Carissa LINN.

ovata R. Br. ♂ shr. evgr. (o. d.) Australia

Arduina LINN.bispinosa Linn. ♂ shr. evgr. (o. d.) C. G. Hope
grandiflora E. Mey. ♂ shr. evgr. (o. d.) C. G. Hope*Tribus. Plumerieae.***Cyrtosiphonia MIQ.**

sumatrana Miq. ♂ shr. evgr. (st.) Sumatra

Alyxia R. BR.ruscifolia R. Br. ♂ shr. evgr. (o. d.) Australia
tetragona R. Br. ♂ shr. evgr. (o. d.) Australia**Calpicarpum G. DON.**

albiflorum Teysm. ♂ shr. evgr. (st.) Java

Cerbera LINN.

Thouarsii (?) ♂ evgr. (o. d.) E. India

Tanghinia THOUARS. *Ordal Tree of Madagascar.*

veneniflua Poir. ♂ evgr. (o. d.) Madagascar

Ochrosia JUSS.elliptica Labill. ♂ evgr. (o. d.) E. Australia
sandwicensis A. Dec. ♂ evgr. (st.) Isl. Sandwich**Lactaria RMPH.**

coccinea (?) ♂ shr. evgr. (st.)

Vinca LINN.*Perewinkle.*

major Linn. ♀ (o. d.) Europe

minor Linn. ♀ (o. d.) Europe

rosea Linn. ♂ und. shr. evgr. (o. d.) E. India

" var. fl. alba

Plumeria LINN.

acuminata Ait. ♂ evgr. (st.) E. India

alba Linn. ♂ evgr. (st.) E. India

Alstonia R. BR.

constricta F. Muell. ♂ shr. evgr. (o. d.) E. Australia

scholaris R. Br. ♂ evgr. (st.) N. Australia

Tabernaemontana LINN.

orientalis R. Br. ♂ shr. evgr. (o. d.) E. Australia

Orchipeda BLUM.

grandifolia Miq. ♂ evgr. (st.) Java

*Tribus. Echitideae.***Parsonisia** R. Br.

heterophylla A. Cunn. ♂ ~ evgr. (o. d.) N. Zealand
velutina R. Br. ♂ ~ evgr. (o. d.) N. Australia

Wrightia R. Br.

mollissima Wall. ♂ shr. evgr. (st.) E. India

Nerium LINN.*Oleander.*

odorum Soland. ♂ shr. evgr. (o. d.) E. India
Oleander Linn. ♂ shr. evgr. (o. d.) S. Europe
 " var. *alba*
 " " *album grandiflorum nivosum* fl. pl.
 " " *atropurpureum*
 " " *cardinale*
 " " *carniæum*
 " " *fl. pleno*
 " " *flavum duplex*
 " " " *lacteum*
 " " *luteum erectum*
 " " " *marginatum*
 " " *Madoni grandiflora*
 " " *pictum argenteum*
 " " *punctatum*
 " " *purpurascens*
 " " *purpurea coccinea*
 " " *roseum carneum*
 " " *rubrum plenum*
 " " *splendidissimum*
 " " *variegatum*
 " " *fol. variegata*

Rhyncospermum A. DEC.

jasminoides Lindl. ♂ ~ evgr. (g. h.) China
 " var. *variegata*. ♂ ~

Beaumontia WALL.

grandiflora Wall. ♂ ~ evgr. (st.) E. India

Echites LINN.

grandiflora Meyer. ♂ ~ evgr. (st.)

" *picta*

longiflora Desf. ♂ ~ evgr. (st.) Brazil

melaleuca Hook. ♂ ~ evgr. (st.) Brazil

rubro-venosa Lindl. ♂ ~ evgr. (st.) Rio Negro

variegata Lindl. ♂ ~ evgr. (st.) Brazil

Strophanthus DEC.

capensis Dec. ♂ shr. evgr. (o. d.) C. G. Hope

Dipladenia A. DEC.

- amabilis Hort. $\text{h} \sim$ tw. evgr. (st.)
 amoena Hort. $\text{h} \sim$ tw. evgr. (st.)
 boliviensis Hook. $\text{h} \sim$ tw. evgr. (st.) Brazil
 Bearleyana Hort. $\text{h} \sim$ tw. evgr. (st.)
 crassinoda A. Dec. $\text{h} \sim$ tw. evgr. (st.)

Mandevilla LINDL.

- suaveolens Lindl. $\text{h} \sim$ evgr. (o. d.) B. Ayres
-

Ordo. ASCLEPIADEAE. Jacquin.

*Tribus. Periploceae.***Cryptostegia** R. BR.

- grandiflora R. Br. $\text{h} \sim$ evgr. (st.) E. India

Periploca LINN.

- graeca Linn. $\text{h} \sim$ decd. (o. d.) Syria

*Tribus. Cynancheae.***Araujia** BROT.

- albens G. Don. $\text{h} \sim$ evgr. (o. d.) Brazil

Tweedia HOOK.

- coerulea G. Don. h tw. decd. (st.) S. America

Gomphocarpus R. BR. *Wild Cotton.*

- arborescens R. Br. h und. shr. evgr. (o. d.) Africa
 fruticosus R. Br. h und. shr. evgr. (o. d.) C. G. Hope

Calotropis R. BR.

- gigantea R. Br. h und. shr. evgr. (st.) India

Asclepias LINN. *Swallow Wort.*

- curassavica Linn. q und. shr. evgr. (st.) S. America
 incarnata Linn. q (o. d.) N. America
 tuberosa Linn. q (o. d.) N. America

Sarcostemma R. BR.

- australe R. Br. $\text{h} \sim$ evgr. (o. d.) Australia

Raphistemma WALL.

- Hooperianum Wall. h und. shr. evgr. (st.) E. India
 pulcherrimum (?) h und. shr. evgr. (st.)

*Tribus. Marsdenieae.***Marsdenia** R. Br.

suaveolens R. Br. h shr. evgr. (o. d.) E. Australia

Tylophora R. Br.

barbata R. Br. h ~ evgr. (o. d.) E. Australia

Sympthicarpus HASSKL.

crysanthus Hasskl. h ~ evgr. (st.) Java

Stephanotis THOUARS.

floribunda Brong. h ~ evgr. (st.) Madagascar

Pergularia LINN.

odoratissima Andr. h ~ evgr. (st.) India

Heterostemma WIGHT.

acuminatum Den. h shr. evgr. (st.) Java

Hoya R. Br.

australis R. Br. h ~ evgr. (o. d.) E. Australia

bella Hook. h ~ evgr. (st.) E. India

carnosa R. Br. h ~ evgr. (st.) Asia

" fol. aur. variegata

fraterna Blum. h ~ evgr. (st.) E. India

Nicholsoniae F. Muell. h ~ evgr. (g. h.) N. Australia

picta Siebold. h ~ evgr. (st.) Japan

*Tribus. Ceropegieae.***Ceropegia** LINN.

elegans Hook. h und. shr. tw. (st.) E. India

stapeliaeformis Haw. h und. shr. tw. (o. d.) C. G. Hope

*Tribus. Stapelieae.***Stapelia** LINN.*Carrion Flower.*

ciliata Thunb. h und. shr. (o. d.) C. G. Hope

clypeata Jacq. h und. shr. (o. d.) C. G. Hope

europaea Guss. h und. shr. (o. d.) N. Africa

fuscata Jacq. h und. shr. (o. d.) Africa

glauca Jacq. h und. shr. (o. d.) Africa

grandiflora Mass. h und. shr. (o. d.) C. G. Hope

hirsuta Willd. h und. shr. (o. d.) C. G. Hope

lepidia Jacq. h und. shr. (o. d.) C. G. Hope

marmorata Jacq. h und. shr. (o. d.) Africa

Plantii Ait. h und. shr. (o. d.) C. G. Hope

stellaris Jacq. h und. shr. (o. d.) Africa

Ordo. LOGANIACEAE. Lindley.

*Tribus. Gelsemieae.***Gelsemium** JUSS.

semperfires Pers. ♂ ~ (o. d.) N. America

*Tribus. Euloganieae.***Spigelia** LINN.*Spot Flower.*

marilandica Linn. ♀ (o. d.) N. America

splendens Hort. ♀ (o. d.)

Logania R. BR.

latifolia R. Br. ♂ shr. evgr. (o. d.) Australia

longifolia R. Br. ♂ shr. evgr. (o. d.) Australia

Nuxia LAM.

grandiflora (?) ♂ shr. evgr. (o. d.) Africa

Chilianthus BURCH.

dysophyllus Benth. ♂ shr. evgr. (o. d.) Africa

Buddleia LINN.

globosa Lam. ♂ shr. evgr. (o. d.) Chili

Lindleyana Fort. ♂ shr. evgr. (o. d.) China

madagascariensis Vahl. ♂ shr. evgr. (o. d.) Madagascar

Neemda Roxb. ♂ shr. evgr. (o. d.) E. India

salvifolia Lam. ♂ shr. evgr. (o. d.) S. Africa

Fagraea THUNB.

zeylanica Thunb. ♂ shr. evgr. (st.) Ceylon.

Strychnos LINN.

Atherstonei (?) ♂ tr. evgr. (st.) (?)

nux vomica Linn. ♂ tr. (st.) *Poison Nut.* E. India-

Ceylon

Ordo. GENTIANEAE. Jussieu.

*Tribus. Chironieae.***Chironia** LINN.

floribunda Paxt. ♂ und. shr. (o. d.) C. G. Hope

frutescens Linn. ♂ und. shr. (o. d.) C. G. Hope

linifolia Moesl. ♂ und. shr. (o. d.) Europe

Erythraea RICH.

australis R. Br. ♂ (o. d.) Australia

Ordo. POLEMONIACEAE. Ventenat.

Phlox LINN.

decussata Lyon. ♀ (o. d.) N. America
 Drummondii Hook. ♂ (o. d.) Texas

Collomia NUTT.

coccinea Lehm. ♂ (o. d.) N. America
 grandiflora Dougl. ♂ (o. d.) N. America

Gilia RUIZ & PAV.

capitata Hook. ♂ (o. d.) Columbia
 tricolor Benth. ♂ (o. d.) California

Polemonium LINN. *Jacob's Ladder.*

coeruleum Linn. ♀ (o. d.) S. Europe
 pulchellum Regel. ♀ (o. d.) S. Europe

Cantua JUSS.

buxifolia Lam. ♂ shr. evgr. (o. d.) Peru
 pyrifolia Juss. ♂ shr. evgr. (o. d.) Peru

Cobaea CAV.

scandens Cav. — evgr. (o. d.) Mexico

Ordo. HYDROPHYLACEAE. Lindley.

*Tribus. Hydrophyllae.***Nemophila** NUTT.

atomaria Fisch. ♂ (o. d.) California
 discoidalis Hook. ♂ (o. d.) N. America
 insignis Benth. ♂ (o. d.) California
 maculata Benth. ♂ (o. d.) California

*Tribus. Nameae.***Wigandia** HUMB. & BONPL.

Caracassana Humb. & Bonpl. ♂ und. shr. evgr. Caraccas
 macrophylla Chamss. ♂ (o. d.) Mexico
 urens G. Don. ♂ und. shr. evgr. (o. d.) Peru
 Vigieri Hort. ♂ und. shr. evgr. (o. d.)

Ordo. BORAGINEAE. Jussieu.

*Tribus. Cordieae.***Cordia** LINN.

bantamensis Blume. ♂ shr. evgr. (st.) Java
 subcordata Lam. ♂ shr. evgr. (o. d.) N. Australia

*Tribus. Heliotropieae.***Tournefortia** LINN.

sarmentosa Lam. ♂ shr. evgr. (st.) Java

Heliotropium LINN. *Turnsole.*

peruvianum Linn. ♂ und. shr. evgr. (o. d.) Peru

*Tribus. Boraginæae.***Cynoglossum** LINN. *Hound's Tongue.*

linifolium Linn. ♂ (o. d.) S. Europe
 officinale Linn. ♂ (o. d.) Europe

Symphytum LINN. *Comfrey.*

aspernum Bbrst. ♀ (o. d.) Caucasus

Borago LINN.

officinalis Linn. ♂ (o. d.) Asia

Anchusa LINN. *Bugloss.*

capensis Thunb. ♀ (o. d.) S. Africa

italica Retz. ♀ (o. d.) S. Europe

officinalis Linn. ♀ (o. d.) S. Europe

semperflorens Linn. ♀ (o. d.) S. Europe

Myosotis LINN. *Scorpion Grass.*

azorica Wats. ♂ (o. d.) Azores

palustris Roth. ♀ (o. d.) Europe

sylvatica Ehrh. ♀ (o. d.) Europe

Lithospermum LINN.

arvense Linn. ♂ (o. d.) Europe

Echium LINN. *Viper's Bugloss.*

candicans Linn. fil. ♂ und. shr. (o. d.) Europe

italicum Linn. ♀ (o. d.) Italy

Onosma LINN.

tinctoria Bibrst. ♀ (o. d.) Tauria

Cerinthe LINN.*Honeywort.*

- gymnandra Gasp. ♂ ⊖ (o. d.) S. Europe
 major Linn. ♂ ⊖ (o. d.) S. Europe
 minor Linn. ♂ ⊖ (o. d.) S. Europe
-

Ordo. CONVOLVULACEAE. De Candolle.

*Tribus. Convolvuleae.***Rivea CHOIS.**

- nervosa Chois. ♂ ⊖ (st.) E. India
 tiliaefolia Chois. ♂ ⊖ (st.) E. India

Argyreia LOUR.

- speciosa Sweet. ♂ ⊖ E. India

Ipomaea LINN.

- angustifolia Jacq. ♀ ⊖ (o. d.) E. India
 coccinea Linn. ♂ ⊖ (o. d.) America
 digitata Linn. ♀ ⊖ (o. d.) E. India
 dissecta Willd. ♂ ⊖ (o. d.) N. Guinea
 ficiifolia Lindl. ♂ ⊖ (o. d.) S. America
 Hardingii Paxt. ♀ ⊖ (o. d.)
 hederacea Linn. ♂ ⊖ (o. d.) India
 Horsfalliae Hook. ♀ ⊖ (st.) E. India
 insignis Ait. ♀ ⊖ E. India
 Jalappa Pursh. ♀ ⊖ (st.) S. America
 Learii Lindl. ♂ ⊖ (o. d.) Ceylon
 limbata Hort. ♀ ⊖ (?) (o. d.)
 mexicana (?) ♂ (o. d.) Mexico
 Nil Roth. ♂ ⊖ (o. d.)
 palmata Forsk. ♀ ⊖ (o. d.) Egypt
 rubens Chois. ♀ ⊖ (o. d.) E. India
 rubro coerulea Hook. ♂ ⊖ (o. d.) Mexico
 Sellowii Penny ♀ ⊖ (o. d.) Brazil
 tuberculata Roem. & Schult. ♂ ⊖ (o. d.) Monte Video
 tuberosa Linn. ♂ ⊖ (o. d.) Isl. Jamaica
 Turpetum R. Br. ♀ ⊖ (o. d.) E. India

Quamoclit MOENCH.

- coccinea Monch. ♂ ⊖ (o. d.) W. India
 vulgaris Chois. ♂ ⊖ (o. d.) E. India

Batatas CHOIS.

- edulis Chois. ♀ ⊖ (o. d.) E. India
 venosa G. Don. ♀ ⊖ (o. d.) Isl. Mauritius

Calonyction Chois.

diversifolium Hassk. ♀ ~ (o. d.) Java
sanguineum Chois. ♀ ~ (st.) E. India

Calystegia R. Br. *Bearbind.*

grandiflora G. Don. ♀ ~ tw. (o. d.) Brazil
inflata G. Don. ♀ ~ tw. (o. d.) Hungary
pubescens Lindl. fl. pl. ♀ ~ tw. (o. d.) China
sylvestris Roem. & Shult. ♀ ~ tw. (o. d.) Hungary

Convolvulus LINN.

althaeoides Linn. ♀ ~ tw. (o. d.) S. Europe
canariensis Linn. ♂ ~ tw. (o. d.) Isl. Canary
cantabricus Linn. ♀ ~ (o. d.) S. Europe
floridus Linn. ♂ und. shr. evgr. (o. d.) Isl. Canary
mauritanicus Boiss. ♀ tw. (o. d.) N. Africa
tricolor Linn. ♂ tw. (o. d.) S. Europe

Breweria R. Br.

Roxburghii Arnot. ♂ ~ evgr. (st.) E. India

*Tribus. Nolaneae.***Nolana** LINN.

atriplicifolia D. Don. ♂ (o. d.) Peru
paradoxa Lindl. ♂ (o. d.) Chili
prostrata Linn. ♂ (o. d.) Peru
tenella Lindl. ♂ (o. d.) Chili

Ordo. SOLANACEAE. Jussieu.

*Tribus. Solaneae.***Lycopersicum** MILL. *Tomato.*

esculentum Mill. ♂ (o. d.) S. America

Solanum LINN. *Nightshade.*

arboreum Humb. & Bonpl. ♂ evgr. (o. d.) S. America
armatum R. Br. ♂ und. shr. evgr. (o. d.) Australia
aviculare Forst. ♂ und. shr. evgr. (o. d.) Australia
Balbisii Dunal. ♂ und. shr. evgr. (o. d.) S. Africa
biflorum R. Br. ♂ shr. evgr. (o. d.) S. Australia
capsicatum Linn. ♂ und. shr. evgr. (o. d.) S. Europe
ciliatum Lam. ♂ und. shr. evgr. (o. d.) Brazil
corniculatum (?) ♂ und. shr. evgr. (o. d.)
Dulcamara Linn. ♂ und. shr. decd. Europe

Solanum—continued.

- ferox Linn. ♂ und. shr. evgr. (o. d.) Malabar
 Fontanesianum Dunal. ♂ (o. d.) Brazil
 giganteum Jacq. ♂ shr. evgr. (o. d.) C. G. Hope
 Gilo Raddi. ♂ und. shr. evgr. (o. d.) Brazil.
 horridum Dunal. ♂ und. shr. evgr. (o. d.) S. Australia
 jasminoides Paxt. ♂ und. evgr. (o. d.) S. America
 lucidum Mart. ♂ und. shr. decd. S. America
 mammosum Linn. ♂ (o. d.) E. India
 marginatum Linn fil. ♂ shr. evgr. (o. d.) Africa
 Melongena Linn. ♂ (g. h.) Egg Plant. Africa
 nigrum Dun. ♂ (o. d.) Europe
 ovigerum Dun. ♂ (o. d.) E. India
 Pseudo-capsicum Linn. ♂ shr. evgr. (o. d.) Isl. Madeira
 pyracanthum Jacq. ♂ shr. evgr. (o. d.) Africa
 reclinatum L'Herit. ♀ (o. d.) Peru
 robustum Wendl. ♂ shr. evgr. (o. d.) Brazil
 sodomaeum Linn. ♂ und. shr. evgr. (o. d.) Asia Minor
 " var. spinosissimum
 stelligerum Sm. ♂ shr. evgr. (o. d.) Australia
 tomentosum Linn. ♂ shr. evgr. (o. d.) S. America
 violaceum R. Br. ♂ shr. evgr. (o. d.) E. India

Physalis LINN. *Hottentot Gooseberry.*

- Alkekengi Linn. ♀ (o. d.) S. Europe
 peruviana Linn. ♀ (o. d.) Peru

Capsicum LINN. *Capsicum.*

- annuum Linn. ♂ (o. d.) S. America
 baccatum Linn. ♂ shr. evgr. (o. d.) E. India
 cerasiforme Willd. ♀ (o. d.)

Withania PAUQ.

- somnifera Dun. ♂ shr. evgr. (o. d.) S. Europe

Jochroma BENTH.

- grandiflora Benth. ♂ shr. evgr. (o. d.) Peru
 lanceolata Miers. ♂ shr. evgr. S. America
 tubulosa Benth. ♂ shr. evgr. (o. d.) Loxa
 Warscewiczii Regel. ♂ shr. evgr. (o. d.) S. America

Nicandra ADANS.

- physaloides Gaertn. ♂ Peru

*Tribus. Atropeae.***Lycium LINN.** *Box Thorn.*

- afrum Linn. ♂ shr. decd. (o. d.) C. G. Hope
 barbarum Linn. ♂ — decd. (o. d.) S. Europe

Atropa LINN. *Deadly Nightshade.*

Bella Donna Linn. ♀ (o. d.) Europe

Solanandra SWARTZ.

grandiflora Swartz. ♂ shr. evgr. (o. d.) Jamaica
 laevis Hook. ♂ und. shr. evgr. (o. d.) S. America
 viridiflora Ker. ♂ shr. evgr. (o. d.) S. America

*Tribus. Hyoscyameae.***Datura LINN.** *Thorn Apple.*

chlorantha Hort. ⊖ (o. d.) S. America
 fastuosa Linn. ⊖ (o. d.) S. America
 humilis Desf. ⊖ (o. d.) S. America
 Metel Linn. ⊖ (o. d.) Asia
 meteloides Dec. ⊖ (o. d.) N. Spain.
 Stramonium Linn. ⊖ (o. d.) Europe
 Wrighti Hort. ⊖ (o. d.) S. America

Brugmansia PERS.

arborea Pers. ♂ shr. evgr. (o. d.) S. America
 Knightii Hort. ♂ shr. evgr. (o. d.)
 sanguinea Don. ♂ shr. evgr. (o. d.) S. America
 Wallisii Hort. ♂ shr. evgr. (o. d.)

Hyoscyamus LINN.

niger Linn. ♀ (o. d.) Europe

*Tribus. Cestrineae.***Juanulloa RUIZ & PAV.**

parasitica Ruiz & Pav. ♂ und. shr. evgr. (st.) Peru

Cestrum LINN.

aurantiacum Lindl. ♂ shr. evgr. (o. d.) S. America
 diurnum Linn. ♂ shr. evgr. (o. d.) W. Indies
 nocturnum Murr. ♂ shr. evgr. (o. d.) S. America

Fabiana RUIZ & PAV.

imbricata Ruiz & Pav. ♂ shr. evgr. (o. d.) Peru

Habrothamnus ENDL.

elegans Humb. & Bonpl. ♂ shr. evgr. (o. d.) S. America
 fasciculatus Endl. ♂ shr. evgr. (o. d.) Mexico

Nicotiana LINN. *Tobacco.*

acuminata Grah. ⊖ (o. d.) S. America
 glauca Grah. ♂ evgr. (o. d.) S. America
 longiflora Cav. ⊖ (o. d.) B. Ayres
 rustica Linn. ♂ (o. d.) S. America
 suaveolens Lehm. ⊖ (o. d.) Australia
 Tabacum Linn. ♂ (o. d.) S. America

*Tribus. Salpiglossidae.***Petunia** JUSS.

- nyctagineiflora Juss. ♀ (o. d.) S. America
 variabilis Hort. ♂ (o. d.)
 violacea Lindl. ♂ (o. d.) B. Ayres

Nierembergia RUIZ & PAV.

- frutescens Miers. ♂ (o. d.) S. America
 gracilis Hook. ♂ (o. d.) Uruguay

Anthocercis LABILL.

- viscosa R. Br. ♂ shr. evgr. (o. d.) W. Australia

Browallia LINN.

- elata Linn. ♂ (o. d.) Peru.
 Jamesonii Benth. ♂ shr. evgr. (o. d.) N. Granada
 viscosa Humb. & Bonpl. ♂ (o. d.) S. America

Brunfelsia LINN.

- americana Linn. ♂ shr. evgr. (o. d.) W. Indies
 Hopiana Hort. ♂ shr. evgr. (o. d.)
 Lindenii Hort. ♂ shr. evgr. (o. d.) India

Franciscea POHL.

- acuminata Pohl. ♂ shr. evgr. (st.) Brazil
 confertiflora Pohl. ♂ shr. evgr. (st.) Brazil
 " fol. varieg.
 crossa perfecta Hort. ♂ shr. evgr. (st.)
 eximea Sheidw. ♂ shr. evgr. (st.) Brazil
 Lindenii Hook. ♂ shr. evgr. (st.) S. America
 macrantha Lem. ♂ shr. evgr. (st.) Brazil
 Pohliana (?) ♂ shr. evgr. (st.) Brazil

Salpiglossis RUIZ & PAV.

- sinuata Ruiz & Pav. ♂ (o. d.) Chili
 variabilis Hort. ♂ (o. d.) Chili

Schizanthus RUIZ & PAV.

- Grahamii Hook. ♂ (o. d.) Chili
 pinnatus Ruiz & Pav. ♂ (o. d.) Chili
 retusus Hook. ♂ (o. d.) Chili

Ordo. SCROPHULARINEAE. R. Brown.

*Tribus. Verbasceae.***Celsia** LINN.

- cormandeliana Vahl. ♂ (st.) E. India
 cretica Linn. ♂ (o. d.) Crete

Verbascum LINN. *Mullein.*

- Blattaria Linn. ♂ (o. d.) Europe
 phlomoides Linn. ♂ (o. d.) Europe
 phoeniceum Linn. ♂ (o. d.) S. Europe
 Thapsus Linn. ♂ (o. d.) Europe

*Tribus. Calceolarieae.***Calceolaria LINN.** *Slipperwort.*

- hybrida Hort. ○ (g. h.)
 pinnata Willd. ○ (o. d.) Peru
 rugosa Ruiz & Pav. ♀ shr. evgr. (g. h.) Chili
 scabiosaeifolia Sims. ○ (g. h.) Peru

*Tribus. Hemimerideae.***Alonsoa RUIZ & PAV.**

- urticaefolia Steud. ○ (o. d.) S. America
 Warscewiczii Hort. ○ (o. d.) S. America

Angelonia HUMB. & BONPL.

- floribunda Kunze. ♀ (st.) Brazil

Nemesia VENT.

- compacta Benth. ○ (o. d.) C. G. Hope
 floribunda Benth. ○ (o. d.) C. G. Hope

*Tribus. Antirrhineae.***Linaria TOURNEF.** *Toad Flax.*

- bipartita Willd. ○ (o. d.) S. Africa
 Cymbalaria Willd. ♀ (o. d.) Europe
 purpurea Mill. ♀ (o. d.) S. Europe
 tristis Mill. ♀ (o. d.) Spain
 versicolor Moench. ○ (o. d.) S. Europe
 vulgaris Mill. ♀ (o. d.) Europe

Antirrhinum LINN. *Snapdragon.*

- majus Linn. ♀ (o. d.) Europe

Maurandia ORT.

- Barckleyana Jacq. ♀ (o. d.) Mexico
 " var. fl. alba
 semperflorens Jacq. ♀ — Mexico

Rhodochiton ZUCC.

- volubile Zucc. ♀ — (o. d.) S. America

*Tribus. Cheloneae.***Phygelius** E. MEY.

capensis E. Mey. ♂ shr. evgr. (o. d.) C. G. Hope

Halleria LINN.

lucida Linn. ♂ shr. evgr. (o. d.) S. Africa

Seropularia LINN. *Figwort.*

divaricata Bunge. ♀ (o. d.) Iberia

nodosa Linn. ♀ (o. d.) Europe

vernalis Linn. ♂ (o. d.) S. Europe

Paulownia SIEB & ZUCC.

imperialis Sieb. ♂ decd. (o. d.) Japan

Chelone LINN.

barbata Cav. ♀ (o. d.) Mexico

Pentstemon MITCH.

campanulatus Willd. ♀ (o. d.) Mexico

* Cobaea Nutt. ♀ (o. d.) Texas

cordifolius Benth. ♀ (o. d.) California

glaber Pursh. ♀ (o. d.) N. America

gentianoides Poir. ♀ (o. d.) Mexico

Hartwegi Benth.. ♀ (o. d.) Mexico

Jeffreyanus Hook. ♀ (o. d.) Carolina

Lobbianus Hook. ♂ und. shr. (o. d.) Chili

Murrayanus Hook. ♀ (o. d.) Texas

ovatus Dougl. ♀ (o. d.) N. America

perfoliatus Brog. ♀ (o. d.) Mexico

pulchellus Lindl. ♀ (o. d.) Mexico

speciosus Dougl. ♀ (o. d.) N. America

Wrightii Lindl. ♀ (o. d.) Texas

Russelia JACQ.

juncea Zucc. ♂ und. shr. evgr. (o. d.) Mexico

multiflora Sims. ♂ und. shr. evgr. (o. d.) Mexico

Collinsia NUTT.

bicolor Benth. ♂ (o. d.) Columbia

corymbosa Herd. ♂ (o. d.) Columbia

grandiflora R. Br. ♂ (o. d.) Columbia

Tetranema BENTH.

mexicana Benth. ♂ und. shr. evgr. (o. d.) Mexico

*Tribus. Gratiroleae.***Mimulus LINN.** *Monkey Flower.*

- luteus Dec. ♂ (o. d.) Chili
 moschatus Dougl. ♂ (g. h.) *Musk Plant.* Chili
 quinquevulnerus Hort. ♂ (g. h.)
 roseus Lindl. ♂ (g. h.) California
 Tilingi Regel. ♂ (g. h.) California

Gratiola LINN.

- officinalis Linn. ♀ (o. d.) Europe

Torenia LINN.

- asiatica Linn. ♀ (st.) E. India
 " var. pulcherrima ♀ (st.) E. India

Artanema DON.

- fimbriatum Don. ♀ (o. d.) E. Australia


*Tribus. Digitaleae.***Digitalis LINN.** *Foxglove.*

- aurea Lindl. ♀ (o. d.) Greece
 canariensis Linn. ♀ (o. d.) Isl. Canary
 ferruginea Linn. ♀ (o. d.) S. Europe
 grandiflora All. ♀ (o. d.) Europe
 lanata Ehrh. ♀ (o. d.) Hungary
 lutea Linn. ♀ (o. d.) Italy
 purpurea Linn. ♀ (o. d.) Europe
 Sceptrum Linn. ♀ (o. d.) Isl. Madeira

Veronica LINN.

- Andersonii Lindl. ♂ shr. evgr. Hybrid. (o. d.)
 " fol. variegata
 Buxbaumii Ten. ♂ shr. evgr. (o. d.) S. Europe
 cataractae Forst. var. diffusa ♂ (o. d.) N. Zealand
 chadamica (?) ♂ shr. evgr. (o. d.) Chadam Island
 cupressoides (?) shr. evgr. (o. d.) N. Zealand
 diosmaefolia A. Cunn. ♂ shr. (o. d.) N. Zealand
 elliptica Forst. ♂ und. shr. evgr. (o. d.) N. Zealand
 formosa R. Br. ♂ shr. evgr. (o. d.) Tasmania
 glabra Ehrh. ♂ (o. d.) S. Europe
 glauca Sibth. ♂ (o. d.) Greece
 Hectori (?) ♂ shr. evgr. (o. d.) N. Zealand
 Hulkii F. Muell. ♂ und. shr. evgr. (o. d.) N. Zealand
 latifolia Linn. ♀ (o. d.) S. Europe
 Lavaudeana Raol. ♂ shr. evgr. (o. d.) N. Zealand

VIEW FROM THE PALM-HOUSE TERRACE.



Veronica—continued.

- Leitchfieldi Hort. ♂ shr. evgr. (o. d.)
 licopodioides (?) shr. evgr. (o. d.) N. Zealand
 macrocarpa Vahl. ♂ shr. evgr. (o. d.) N. Zealand
 parviflora Vahl. ♂ shr. evgr. (o. d.) N. Zealand
 perfoliata R. Br. ♂ shr. evgr. (o. d.) E. Australia
 pinnata Linn. ♀ (o. d.) Siberia
 salicifolia Forst. ♂ shr. evgr. (o. d.) N. Zealand
 salicornioides (?) ♂ shr. evgr. (o. d.) N. Zealand
 Schmidtii Roem. and Schult. ♀ (o. d.) Europe
 speciosa Cunn. var. Kermesina ♂ shr. evgr. (o. d.) N. Zealand
 spicata Linn. ♀ (o. d.) Europe
 syriaca Roem. & Schult. ♂ (o. d.) Syria
 urticaefolia Linn. fil. ♀ (o. d.) S. Europe
-

Ordo. GESNERACEAE. Lindley.

Tribus. *Gesnereae.***Gloxinia** L'HERIT.

- *caulescens Lindl. ♀ tubr. (st.) Brazil
 insignis Hort. ♀ tubr. (st.)
 maculata L'Herit. ♀ tubr. (st.) S. America

Achimenes P. BR.

- grandiflora Dec. ♀ (st.) Mexico

Isoloma BENTH.

- Decaisneana Benth. ♀ (st.) Brazil

Tydaea DECSNE.

- Lindenii Hort. ♀ tubr. (st.) S. America
 picta Decsne. ♀ tubr. (st.) S. America
 Thalii Hort. ♀ tubr. (st.)

Gesnera MART.

- barbata Nees. ♀ tubr. (st.) Brazil
 Lindleyi Hook. ♀ tubr. (st.) Brazil
 longiflora Humb. & Bonpl. ♀ tubr. (st.) Brazil
 splendens Hort. ♀ tubr. (st.)
 tuberosa Mart. ♀ tubr. (st.) Brazil
 zebrina Paxt. ♀ tubr. (st.) S. America

Sinningia NEES.

- guttata Lindl. ♀ tubr. (st.) Brazil

Tapina GAERT.

- splendens Mart. ♀ tubr. (st.) S. America
 variegata Hort. ♀ tubr. (st.)

*Tribus. Cyrtandreae.***Cyrtodeira** HANST.

chontalensis Seem. ♀ (st.) Mexico
fulgida Lindl. ♀ (st.) S. America

Columnea LINN.

Lindleyi Hort. ♂ ~ (st.) S. America
scandens Linn. ♂ ~ (st.) S. America
Schiedeana Schlechtd. ♀ (st.) Mexico

Nematanthus MART.

longipes Dec. ♂ ~ shr. evgr. (st.) Brazil

Mitraria CAV.

coccinea Cav. ♂ ~ evgr. (o. d.) Chili

Aeschynanthus JAK.

Boschianus de Vr. ♀ epi. (st.) Java
grandiflora E. Don. ♀ epi. (st.) E. India
Lobbianus Hort. ♀
ramosissima Wall. ♀ epi. (st.) Nepal
splendidus Hort.
zebrinus v. Houtte. ♀ epi. (st.) Java

Chiritia HAMILT.

Moonii Hamilt. ♀ (st.) Brazil

Streptocarpus LINDL.

biflorus (?) ♀ (st.) C. G. Hope
Rexii Lindl. ♀ (st.) C. G. Hope
macrophyllus Hort. ♀ (st.)

Ordo. BIGNONIACEAE. De Candolle.

*Tribus. Bignonieae.***Bignonia** LINN. *Trumpet Flower.*

alba lutea Hort. ♂ ~ evgr. (o. d.) S. America
argyrea versicolor Lindl. ♂ ~ evgr. (st.) S. America
aurantiaca Hort. ♂ ~ evgr. (st.) Brazil
capreolata Linn. ♂ ~ evgr. (o. d.) N. America
Chamberlainii Sims. ♂ ~ evgr. (o. d.) Brazil
Cherere Lindl. ♂ ~ evgr. (o. d.) S. America
gracilis Lodd. ♂ ~ evgr. (o. d.) S. America

Bignonia—continued.

- Lindleyi Dec. ♂ ~ evgr. (o. d.) B. Ayres
 mirabilis (?) ♂ ~ evgr. (o. d.) S. America
 ornata (?) ♂ ~ evgr. (st.) Brazil
 picta Humb. & Bonpl. ♂ ~ evgr. (st.) Guiana
 Roezliana Hook. ♂ ~ evgr. (st.) S. America
 speciosa Hook. ♂ ~ evgr. (o. d.) S. America
 Tweediana Lindl. ♂ ~ evgr. (o. d.) S. America
 villosa Vahl. ♂ ~ evgr. (o. d.) S. America
 venusta Ker. ♂ ~ decd. (o. d.) Brazil
 Wallichiana (?) ♂ ~ evgr. (o. d.) (?)
 Xylocarpa Roxb. ♂ ~ S. America

Adenocalymna MART.

- nitidum Mart. ♂ ~ evgr. Brazil

*Tribus. Tecomeae.***Catalpa** JUSS.

- Kaempferi Dec. ♂ decd. (o. d.)
 syringaefolia Sims. ♂ decd. (o. d.) N. America

Tecoma JUSS.

- australis R. Br. ♂ ~ evgr. (o. d.) E. Australia
 " var. La Trobi F. Muell. E. Australia
 capensis R. Br. ♂ evgr. (o. d.) C. G. Hope
 ceramensis Blum. ♂ ~ evgr. (st.) Java
 fulva Dec. ♂ evgr. (o. d.) Peru
 grandiflora Delaun. ♂ ~ decd. (o. d.) China
 hybrida Hort. ♂ ~
 jasminoides G. Don. ♂ ~ evgr. E. Australia
 pulchra Chams. ♂ evgr. (o. d.) Brazil
 radicans Juss. ♂ ~ decd. (o. d.) N. America
 stans Juss. ♂ shr. evgr. (o. d.) S. America
 velutina (?) ♀ evgr. (o. d.) S. America

Campsidium SEEM.

- filicifolium Seem. ♂ ~ evgr. (o. d.) Fiji Islands
 Valdivianum Seem. ♂ ~ evgr. (o. d.) Chili

Spathodea BEAUV.

- alba Hort. ♂ evgr. (o. d.) (?)

*Tribus. Jacarandeae.***Jacaranda** JUSS.

- mimosaeifolia Don. ♂ decd. (o. d.) Brazil

Eccremocarpus RUIZ & PAV.

- scaber Ruiz & Pav. ♀ ~ evgr. Peru

Parmentiera DEC.

cerifera Seem. ♂ evgr. (st.) Panama

Colea Boj.

floribunda Boj. ♂ evgr. (st.) Isl. Mauritius

*Tribus. Crescentieae.***Crescentia LINN.** *Calabash Tree.*

Cujete Linn. ♂ evgr. (st.) S. America

Kigelia DEC.

pinnata Dec. ♂ evgr. (o. d.) Nubia

Ordo. PEDALINEAE. R. Brown.

*Tribus. Martynieae.***Martynia LINN.**

fragrans Lindl. ⊖ (o. d.) Mexico

proboscidea Linn. ⊖ (o. d.) S. America

*Tribus. Pedalieae.***Pterodiscus HOOK.**

speciosus Hook. ♀ (o. d.) S. Africa

*Tribus. Sesameae.***Sesamum LINN.**

orientale Linn. ⊖ (o. d.) India

Ordo. ACANTHACEAE. R. Brown.

*Tribus. Thunbergieae.***Thunbergia LINN FIL.**

alata Hook. — evgr. (st.) Ceylon-Java

" var. alba

chrysops Hook. — evgr. (st.) S. Leone

grandiflora Roxb. — evgr. (st.) E. India

Thunbergia—continued.

- Harrisii Hook. ♂ evgr. (st.) Madras
 Hawtaynii Wall. ♂ evgr. (st.) Nepal
 javanica Gaert. ♂ evgr. (st.) Java
 laurifolia Lindl. ♂ evgr. (st.) E. India
 lutea Hort. ♂

Hexacentris NEES.

- coccinea Nees. ♂ evgr. (st.) India
 mysorensis Wight. ♂ evgr. (st.) Mysore

Meyenia SCHLECHTD.

- erecta Arrab. ♂ shr. evgr. (st.) Brazil
 " var. fl. alba
 Vogeliana Hook. ♂ shr. evgr. (st.) Brazil

*Tribus. Ruellieae.***Ruellia** LINN.

- ciliata Hornm. ♂ und. shr. (g. h.) E. India
 formosa Andr. ♂ und. shr. (g. h.) Brazil

Dipteracanthus NEES.

- affinis Nees. ♀ (st.) E. India
 spectabilis (?) ♀ (st.) (?)

Sanchezia RUIZ & PAV.

- glaucocephala Hort. ♂ und. shr. evgr. (st.) Ecuador
 nobilis Ruiz & Pav. ♂ und. shr. evgr. (st.) Ecuador
 " var. variegata

Strobilanthes BLUME.

- laevigatus Hort. ♂ shr. evgr. (st.) (?)
 scaber Nees. ♂ shr. evgr. (st.) Java

Whitfieldia HOOK.

- lateritia Hook. ♂ shr. evgr. (st.) Sierre Leone

*Tribus. Acantheae.***Acanthus** LINN. *Bear's Breech.*

- ilicifolius Linn. Linn. ♀ (o. d.) E. India
 latifolius Hort. ♀ (o. d.)
 mollis Linn. ♀ (o. d.) Europe
 montanus Rosc. ♀ (o. d.) E. Africa
 niger Mill. ♀ (o. d.) Portugal
 spinosus Linn. ♀ (o. d.) Italy

*Tribus. Justicieae.***Barleria LINN.**

- Arnottiana Nees. ♀ shr. evgr. (o. d.) Ceylon
 cristata Linn. ♀ (o. d.) E. India
 dichotoma Roxb. ♀ (o. d.) E. India
 Mackenii Hook. ♀ (o. d.) E. India
 obtusa Nees. ♂ und. shr. evgr. (o. d.) Africa
 Prionitis Linn. ♂ und. shr. evgr. (o. d.) E. India

Crossandra SALISB.

- flava Hook. ♀ (st.) Sierre Leone

Mackaya HARV.

- bella Harv. ♀ (o. d.) S. Africa

Chamaeranthemum NEES.

- Beyrichii Nees. ♀ (st.) Brazil
 Gaudichaudii Nees. ♀ (st.) Brazil

Eranthemum LINN.

- Andersonii (?) ♂ und. shr. evgr. (st.)
 aureum reticulatum Hort. ♀ S. S. Islands
 bicolor Schrank. ♂ und. shr. evgr. (st.) Isl. Lucon
 marmoratum Hort. ♂ und. shr. evgr. (st.) S. S. Islands
 sanguineum Hort. und. shr. evgr. (st.) S. S. Islands
 secundum (?) ♀ (st.) (?)
 semperflorens Roth. ♂ und. shr. evgr. (st.) E. India
 tuberculatum Hook. ♂ und. shr. evgr. (st.) S. S. Islands
 variabile R. Br. ♂ und. shr. evgr. (st.) Australia
 variegatum Hort. ♀ (st.) S. S. Islands
 verbenaceum Nees. ♀ (st.) Brazil

Gymnostachy whole NEES.

- Pearci Hort. ♀ (st.) E. India

Aphelandra R. BR.

- aurantiaca Lindl. ♂ und. shr. evgr. (st.) Mexico
 " Roezli Ortig. ♂ Mexico
 cristata R. Br. ♂ und. shr. evgr. (st.) E. India
 elegans Hort. ♂ und. shr. evgr. (st.)
 Fascinator Lind. & Andr. ♂ und. shr. evgr. (st.) Brazil
 Leopoldii v. Houtte. ♂ und. shr. evgr. (st.) Brazil
 Liboniana Hort. ♂ und. shr. evgr. (st.) Brazil
 Porteana Morel. ♂ und. shr. evgr. (st.) Brazil
 Sinitzini Lind. ♂ und. shr. evgr. (st.) Brazil

Beloperone NEES.

- oblongata Nees. ♂ und. shr. evgr. (st.) Brazil
 pulchella Nees. ♂ und. shr. evgr. (st.) Brazil

Justicia LINN.

- Adhatoda* Willd. ♂ und. shr. evgr. (o. d.) Ceylon
carnea Lindl. ♂ und. shr. evgr. (o. d.) Brazil
discolor Hort. ♂ und. shr. evgr. (o. d.)
flavicoma Lindl. ♂ und. shr. evgr. (o. d.) Brazil
ramosissima Roxb. ♂ und. shr. evgr. (o. d.) E. India

Adhatoda NEES.

- cydoniaefolia* Nees. ♂ ~ evgr. (st.) Brazil
ventricosa Nees. ♂ shr. evgr. (st.) E. India

Cyrtanthera NEES.

- chrysostephana* Hook. ♂ und. shr. evgr. (st.) S. America
magnifica Nees. ♂ und. shr. evgr. (st.) S. America

Libonia C. KOCH.

- floribunda* C. Koch. ♂ und. shr. evgr. (g. h.) Brazil
Penrhosiensis Hort. ♂ und. shr. evgr. (g. h.) Brazil

Sericobonia LIND. & ANDR.

- ignea* Lind. & Andr. ♂ und. shr. evgr. (g. h.)

Fittonia E. COEM.

- argyroneura* Coem. ♀ (st.) Peru
gigantea Hort. ♀ (st.)
rubro-nervia Hort. ♀ (st.)

Graptophyllum NEES.

- hortense* Nees. var. *aurea maculatum*. ♀ (st.) Java
pictum Nees. ♀ (st.) E. India

Thyrsacanthus NEES.

- rutilans* Planch. ♂ und. shr. evgr. (st.) C. America

Dicliptera JUSS.

- Burmanni* Nees. ♀ evgr. (st.) E. India
violacea Lindl. ♀ (st.) Siberia

Peristrophe NEES.

- lanceolaria* Nees. ♂ und. shr. evgr. (st.) E. India
 " var. *variegata*

Hypoestes R. BR.

- floribunda* R. Br. ♀ (st.) N. Australia
-

Ordo. MYOPORINEAE. Endlicher.

Myoporum BANKS & SOL. *Native Myrtle.*

- acuminatum R. Br. ♂ shr. evgr. (o. d.) Australia
 debile R. Br. ♂ shr. evgr. (o. d.) E. Australia
 laetum Forst. ♂ shr. evgr. (o. d.) N. Zealand
 parvifolium R. Br. ♂ shr. evgr. (o. d.) Australia

Pholidia R. BR.

- divaricata F. Muell. ♂ shr. evgr. (o. d.) Australia

Eremophila R. Br.

- alternifolia R. B. ♂ und. shr. evgr. (o. d.) S. Australia
 Brownii F. Muell. ♂ shr. evgr. (o. d.) Australia
 Macdonellii F. Muell. ♂ und. shr. evgr. (o. d.) S. Australia
 maculata F. Muell. ♂ shr. evgr. (o. d.) Australia
-

Ordo. VERBENACEAE. Jussieu.

*Tribus. Chloantheae.***Spartothamnus** A. CUNN.

- junceus A. Cunn. ♂ shr. evgr. E. Australia

*Tribus. Verbeneae.***Lantana** LINN.

- alba Mill. ♂ shr. evgr. (o. d.) S. America
 Camara Linn. ♂ shr. evgr. (o. d.) S. America
 crocea Jacq. ♂ shr. evgr. (o. d.) Isl. Jamaica
 odorata Linn. ♂ shr. evgr. (o. d.) E. India
 Sellowiana Link. ♂ shr. evgr. (o. d.) S. America
 urticaefolia Mill. ♂ shr. evgr. (o. d.) S. America

Aloysia SCHAU. *Lemon Plant.*

- citriodora Orteg. ♂ shr. evgr. (o. d.) Chili

Verbena LINN. *Vervain.*

- Aubletia Linn. ⊖ (o. d.) N. America
 hispida Ruiz. & Pav. ♀ (o. d.) Peru
 Melindres Gill. ♀ (o. d.) Brazil
 Tweediana Hook. ♀ (o. d.) Brazil
 venosa Gill. ♀ (o. d.) B. Ayres

Petraea LINN.

vulobilis Linn. $\text{h} \sim$ evgr. (st.) S. America

Citharexylum LINN.

subserratum Sw. h shr. evgr. (o. d.) Isl. Domingo

Duranta LINN.

Ellisia Jacq. h shr. evgr. (o. d.) E. India

integrifolia (?) h shr. evgr. (o. d.)

mexicana (?) h shr. evgr. (o. d.) Mexico

Plumieri Jacq. h shr. evgr. (o. d.) S. America

turbinata (?) h shr. evgr. (o. d.)

*Tribus. Viticeae.***Callicarpa LINN.**

cana Linn. h shr. evgr. (o. d.) E. India

macrophylla Vahl. h shr. evgr. (o. d.) E. India

pedunculata R. Br. h shr. evgr. (o. d.) E. Australia

Vitex LINN.*Chaste Tree.*

Agnus-castus Linn. h shr. decd. (o. d.) S. Europe

arborea Roxb. h evgr. (o. d.) E. India

littoralis A. Cunn. h shr. evgr. (o. d.) N. Zealand

nitens F. Muell. h shr. evgr. (o. d.) E. Australia

trifolia Linn. h shr. evgr. (o. d.) E. India

Oxera LABILL.

pulchella Labill. h shr. evgr. (st.) N. Caledonia

Clerodendron LINN.*Glory Tree.*

calamitosum Linn. h shr. evgr. (st.) Java

Cunninghamii Benth. h shr. evgr. (o. d.) N. Australia

fallax Lindl. h shr. evgr. (st.) Java

“ var. *alba*

fragrans Willd. h shr. evgr. (st.) Japan

glabrum E. Mey. h shr. evgr. (o. d.) S. Africa

nutans Wall. h shr. evgr. (st.) E. India

speciosum Hort. h shr. evgr. (st.) China

splendens G. Don. h shr. evgr. (st.) Sierre Leone

ternifolium D. Don. h shr. evgr. Orinoco

Thomsoniae Balf. $\text{h} \sim$ evgr. (st.) Africa

“ var. *Balfouri*

tomentosum R. Br. h shr. evgr. (o. d.) Australia

volubile Beauv. $\text{h} \sim$ evgr. (st.) N. Guinea

Holmskioldia RETZ.

sanguinea Retz. h shr. evgr. (o. d.) Java

Ordo. LABIATAE. Jussieu.

*Tribus. Ocimoideae.***Ocimum LINN.** *Sweet Basil.*

Basilicum Linn. ♂ (o. d.) India

Plectranthus LEHR.

Eckloni Benth. ♀ (o. d.) Africa

Coleus LOUR.

Blumei Benth. ♂ und. shr. evgr. (st.) Java

laciiniatus Benth. ♂ und. shr. evgr. (st.) Java

pictus Hort. ♂ und. shr. evgr. (st.) Duke of York Island

Verschaffettii Hort. ♂ (st.)

Lavandula LINN. *Lavender.*

dentata Linn. ♂ und. shr. evgr. (o. d.) S. Europe

Spica Dec. ♂ und. shr. evgr. (o. d.) S. Europe

Stoechas Linn. ♂ und. shr. evgr. (o. d.) S. Europe

*Tribus. Satureineae.***Pogostemon DESF.** *Patchouly Plant.*

Patchouly Pellet. ♂ shr. evgr. (st.) E. India

Perilla LINN.

Nankinensis (?) ♂ (o. d.) China

Mentha LINN. *Mint.*

australis R. Br. ♀ (o. d.) Australia

lavandulacea Willd. ♀ (o. d.) Spain

piperita Linn. ♀ (o. d.) *Peppermint.* EuropePulegium Linn. ♀ (o. d.) *Penny Royal.* Europe

sylvestris Linn. var. canescens. ♀ (o. d.)

“ “ *candidans*

viridis Linn. ♀ (o. d.) Europe

Origanum LINN. *Marjoram.*

vulgare Linn. ♀ (o. d.) Europe

Thymus LINN. *Thyme.*

Serpullum Lion. ♂ und. shr. evgr. (o. d.) Europe

vulgaris Linn. ♂ und. shr. evgr. (o. d.) Europe

Satureia LINN. *Savory.*

montana Linn. ♀ (o. d.) Europe

- Hyssopus LINN.** *Hyssop.*
officinalis Linn. ♂ und. shr. evgr. (o. d.) Europe
- Calamintha MOENCH.** *Calamint.*
alpina Benth. ♀ (o. d.) Europe
Nepeta Link. ♀ (o. d.) Europe
officinalis Moench. ♀ (o. d.) Europe
- Melissa LINN.** *Balm.*
officinalis Linn. ♀ (o. d.) Europe

Tribus. Monardeae.

- Salvia LINN.** *Sage.*
africana Linn. ♂ shr. evgr. (o. d.) C. G. Hope
amabilis Knth. ♂ shr. evgr. (o. d.) Hort.
angustifolia Cav. ♀ (o. d.) Mexico
argentea Linn. ♂ (o. d.) Crete
aurea Linn. ♂ shr. evgr. (o. d.) Crete
aurita Thunb. ♂ shr. evgr. (o. d.) C. G. Hope
azurea Lam. ♀ (o. d.) Carolina
bracteata Russ. ♀ (o. d.) Europe
occinea Linn. ♀ (o. d.) Florida
 " var. *grandiflora*
 " " *hybrida*
 " " *splendens*
controversa Tenor. ♀ (o. d.) Europe
fulgens Cav. und. shr. evgr. (o. d.) Mexico
Horminum Linn. ♂ (o. d.) Europe
japonica Thunb. ♂ (o. d.) Japan
Lileana Hort. ♀ (o. d.)
officinalis Linn. ♂ und. shr. evgr. (o. d.) Europe
patens Cav. ♀ (g. h.) Mexico
Roemeriana Scheele. ♀ (o. d.) Mexico
Sclarea Linn. ♂ (o. d.) Europe
Sibthorpii Sm. ♀ (o. d.) Europe
splendens Ker. ♀ (o. d.) Brazil
verticillata Linn. ♀ (o. d.) Europe

- Rosmarinus LINN.** *Rosemary.*
officinalis Linn. ♂ und. shr. evgr. (o. d.) Europe

Tribus. Nepeteae.

- Dracocephalum LINN.** *Dragon's Head.*
canariense Linn. ♂ und. shr. evgr. (o. d.) Isl. Canary
thymiflorum Linn. ♂ (o. d.) Siberia

Lophanthus BENTH.

rugosus Fisch. ♀ evgr. (o. d.) China

Nepeta LINN.*Cat Mint.*

Cataria Linn. ♀ (o. d.) Europe

grandiflora Bibrst. ♀ (o. d.) Caucasus

macrantha Fisch. ♀ (o. d.) Siberia

Nepetella Linn. ♀ (o. d.) S. Europe

*Tribus. Stachydeae.***Scutellaria** LINN.*Skullcap.*

galericulata Linn. ♀ (o. d.) Europe

lateriflora Linn. ♀ (o. d.) N. America

macrantha Fisch. ♀ (o. d.) Siberia

Mociniana Benth. ♀ (o. d.) S. America

oblonga Benth. ♀ (o. d.) Ceylon

orientalis Linn. ♀ (o. d.) Caucasus

peregrina Linn. ♀ (o. d.) Tauria

Ventenatii Hook. ♀ (o. d.) St. Martha

Physostegia BENTH.

pubescens Benth. ⊖ (o. d.) America

Marrubium LINN.*Horehound.*

vulgare Linn. ♀ (o. d.) Europe

Stachys LINN.*Hedge Nettle.*

alpina Linn. ♀ (o. d.) Europe

germanica Linn. ♀ (o. d.) Europe

lanata Jacq. ♀ (o. d.) Tauria

pubescens Ten. ♀ (o. d.) Europe

setifera C. A. Mey. ♀ (o. d.) Caucasus

sibirica Link. ♀ (o. d.) Siberia

stenophylla Sprgl. ♀ (o. d.) Spain

Anisomeles R. BR.

albiflora Miq. ⊖ (o. d.) Java

ovata R. Br. ⊖ (o. d.) E. India

salvifolia R. Br. ♀ (o. d.) N. Australia

Leonotis PERS.*Lion's Ear.*

Leonurus R. Br. ♂ shr. evgr. (o. d.) C. G. Hope

Phlomis LINN.*Jerusalem Sage.*

tuberosa Linn. ♀ (o. d.) Caucasus

Eremostachys BUNGE.

- iberica Jaub. ♀ (o. d.) Iberia
 laciniata Bunge. ♀ (o. d.) Caucasus

*Tribus. Prostanthereae.***Prostanthera** LABILL.

- lasianthos Labill. ♂ shr. evgr. (o. d.) E. Australia
 nivea A. Cunn. ♂ shr. evgr. (o. d.) Australia
 rotundifolia R. Br. ♂ shr. evgr. (o. d.) E. Australia
 spinosa F. Muell. ♂ shr. evgr. (o. d.) E. Australia

Westringia Sm.

- rosmariniformis Sm. ♂ shr. evgr. (o. d.) Australia

*Tribus. Ajugoideae.***Teucrium** LINN.

- corymbosum R. Br. ♀ (o. d.) Australia
 cubense Linn. ♀ (o. d.) Cuba
 hircanicum Linn. ♀ (o. d.) Persia
 Marum Linn. ♂ und. shr. evgr. (o. d.) Europe
 massiliense Linn. ♀ (o. d.) S. Europe
 Scorodonia Linn. ♀ (o. d.) Europe

Ajuga LINN.

- australis R. Br. ♀ (o. d.) Australia
 pyramidalis Linn. ♀ (o. d.) Europe
-

Ordo. **PHYTOLACCEAE.** R. Brown*Tribus. Petiverieae..***Rivina** LINN.

- brasiliensis Nucc. ♂ und. shr. evgr. (o. d.) Brazil
 humilis Linn. ♂ und. shr. evgr. (o. d.) E. India

*Tribus. Phytolacceae.***Phytolacca** TOURNEF.

- decandra Linn. ♂ (o. d.) America
 dioica Linn. ♂ decd. (o. d.) S. America
 purpurascens A. Braun. ♀ (o. d.) S. America

Ordo. PLANTAGINEAE. R. Brown.

Plantago LINN.

- lanceolata* Linn. ♀ (o. d.) Europe
major Linn. ♀ (o. d.) Europe
media Linn. ♀ (o. d.) Europe
-

Ordo. NYCTAGINEAE. A. Jussieu.

*Tribus. Mirabileae.***Mirabilis** LINN.

- Jalapa* Linn. ♀ (o. d.) Peru
longiflora Linn. ♀ (o. d.) Mexico

Abronia JUSS.

- arenaria* Hook. ♀ (o. d.) California

*Tribus. Bougainvilleae.***Bougainvillea** COMM.

- spectabilis* Hook. ♂ ~ evgr. (o. d.) S. America
 " var. *glabra*
 " " *magnifica*
 " " *speciosa*

*Tribus. Boerhaavieae.***Pisonia** LINN.

- inermis* Forst. ♂ shr. evgr. (o. d.) Australia
longirostris Teysm. ♂ shr. evgr. (o. d.) Java
Sinclairii Hook. ♂ shr. evgr. (o. d.) N. Zealand
-

Ordo. POLYGONEAE. Jussieu.

*Tribus. Polygoneae.***Coccoloba** JACQ.

- platyclada* F. Muell. ♂ shr. evgr. (o. d.) E. Australia

Polygonum LINN. *Persicaria.*

- Fagopyrum Linn. ♂ (o. d.) *Buckwheat.* Europe
 Hippopotami H. Huber. ♀ (o. d.)
 Sieboldi Meisn. ♀ (o. d.) Japan

Muehlenbeckia MEISN.

- adpressa Meisn. ♂ shr. evgr. (o. d.) E. Australia
 Cunninghamii F. Muell. ♂ shr. evgr. (o. d.) Australia

Rheum LINN. *Rhubarb.*

- Emodi Wall. ♀ (o. d.) Europe
 palmatum Linn. und. shr. (o. d.) Asia
 Rhaponticum Linn. ♀ (o. d.) Asia
 undulatum Linn. ♀ (o. d.) China

Rumex LINN. *Dock.*

- Acetosa Linn. ♀ (o. d.) *Sorrel.* Europe
 maximus Schreb. ♀ (o. d.) Europe
 salicifolius Weinm. ♀ (o. d.) California
 sanguineus Linn. ♀ (o. d.) Europe

Triplaris LINN.

- Lindeni Andr. ♂ evgr. (st.) S. America

*Tribus. Brunnichieae.***Antigonon ENDL.**

- leptopus Hook. ♂ ~ evgr. (g. h.) S. America
-

Ordo. AMARANTACEAE. R. Brown*Tribus. Celosieae.***Deeringia R. BR.**

- Amherstiana variegata Wall. ♂ und. shr. (o. d.) E. India.
 celosioides R. Br. ♂ und. shr. evgr. (o. d.) E. Australia
 japonica variegata Hort. (o. d.) Japan

Celosia LINN. *Cockscomb.*

- cristata Linn. ♂ (g. h.) E. India
 pyramidalis Burm. ♂ (g. h.) E. India

*Tribus. Achyrantheae.***Aerva FORSK.**

- javanica Juss. ♂ shr. evgr. (st.) E. India

Amarantus LINN. *Amaranth.*

- caudatus Linn. ♂ (o. d.) *Prince's Feather.* E. India
 hypochondriacus Linn. ♂ (o. d.) *Love Lies Bleeding.*
 Virginia
 melancholicus Linn. ♂ (o. d.) E. India
 polygamus Linn. ♂ (o. d.) E. India
 salicifolius Veitch. ♂ (o. d.) India
 spinosus Linn. ♂ (o. d.) E. India
 tricolor Linn. ♂ (o. d.) E. India

Achyranthes LINN.

- argentea Lamm. ♀ (o. d.) Egypt
 australis R. Br. ♀ (o. d.) Australia

*Tribus. Gomphrenaeae.***Iresine WILLD.**

- acuminata Hook. ♀ (g. h.) Brazil
 Herbstii Hook. ♀ (g. h.) Brazil
 var. reticulata
 Huttonii Hort. ♀ (o. d.)
 Lindenii v. Houtte. ♀ (o. d.) Ecuador

Alternanthera FORSK.

- amabilis Hort. ♀ (o. d.)
 paronychioides St. Hill. ♀ (o. d.) S. America
 sessilis R. Br. ♀ (o. d.) China
 spathulata Lem. ♀ (o. d.)
 versicolor Hort. ♀ (o. d.)

Gomphrena LINN. *Globe Amarant.*

- globosa Willd. ♂ (o. d.) E. India
 Haageana Hort. ♂ (o. d.)
-

Ordo. CHENOPODEAE. R. Brown.*Tribus. Chenopodeae.***Rhagodia R. Br.**

- linifolia R. Br. ♀ (o. d.) E. Australia

Beta LINN. *Beetroot.*

- Cicla Linn. ♂ (o. d.) Europe
 " var. brasiliensis Brazil
 vulgaris Linn. ♂ (o. d.) Europe

DIANA'S ISLAND.



Chenopodium LINN. *Goose Foot.*

Bonus-Henricus Linn. ♀ (o. d.) Europe

Blitum LINN. *Strawberry Spinach.*

capitatum Linn. ♀ (o. d.) S. Europe

*Tribus. Spinacieae.***Atriplex** LINN. *Orach.*

hortensis Linn. ♂ (o. d.) S. Europe.

*Tribus. Camphorosmeae.***Kochia** ROTH.Brownii F. Muell. ♂ und. shr. evgr. (o. d.) S. Australia
villosa F. Muell. ♂ und. shr. evgr. (o. d.) S. Australia*Ordo. BASELLEAE. Brongniart.***Boussingaultia** HUMB. & BONPL.

baselloides Humb. & Bonpl. ♀ ~ (o. d.) S. America

*Ordo. MONIMIACEAE. Jussieu.**Tribus. Monimieae.***Kibara** ENDL.

macrophylla Benth. ♂ evgr. (o. d.) E. Australia

*Tribus. Atherospermeae.***Doryphora** ENDL.

Sassafras Endl. ♂ evgr. (o. d.) E. Australia

*Ordo. LAURINEAE. De Candolle.**Tribus. Perseaceae.***Cinnamomum** BURM. *Cinnamon.*

aromaticum Nees. ♂ evgr. (st.) China

zeylanicum Nees. ♂ evgr. (st.) Java

*Tribus. Cryptocaryaee.***Cryptocarya** R. Br.

glaucescens R. Br. ♂ evgr. (o. d.) Australia
 " var. *nitida*

*Tribus. Oreodaphneae.***Oreodaphne** NEES.

californica Nees. ♂ shr. evgr. (o. d.) California

*Tribus. Litsaeaceae.***Litsaea** JUSS.

dealbata Nees. ♂ evgr. (o. d.) E. Australia

Laurus NEES.*Laurel.*

australis A. Cunn. ♂ evgr. (o. d.) E. Australia
camphora Willd. ♂ evgr. (o. d.) Japan
glaucia Thunb. ♂ evgr. (o. d.) Japan
nobilis Linn. ♂ evgr. (o. d.) S. Europe

Tetranthera JACQ.

dealbata R. Br. ♂ evgr. (o. d.) E. Australia

Ordo. THYMELEAE. Adanson.*Tribus. Drimyspermeae.***Drimyspermum** REINW.

ambiguum Meisn. ♂ evgr. (st.) Sumatra
Blumei Den. ♂ shr. evgr. (st.) Java
laurifolium Decn. ♂ evgr. (st.) Java
Phaleria Meisn. ♂ shr. evgr. (st.) Java
urens Reinw. ♀ shr. evgr. (st.) Java

*Tribus. Daphneae.***Daphne** LINN.

collina Sm. ♂ shr. evgr. (o. d.) Italy
indica Linn. ♂ shr. evgr. (o. d.) China
 " var. *rubra*
 " " *variegata*

Laureola Linn. ♂ shr. evgr. (o. d.) Europe
Mezereum Linn. ♂ shr. evgr. (o. d.) Europe
odorata Thunb. ♂ shr. evgr. (o. d.) China

Pimelea BANKS.

- decussata R. Br. ♂ shr. evgr. (o. d.) W. Australia
 longiflora R. Br. ♂ shr. evgr. (o. d.) W. Australia
-

Ordo. HERNANDIEAE. Blume.

Hernandia LINN.

- bivalvis Benth. ♂ evgr. (o. d.) E. Australia
 ovigera Linn. ♂ evgr. (st.) E. India
 peltata Meisn. ♂ shr. evgr. (st.) China
 sonora Linn. ♂ shr. evgr. (st.) Java
-

Ordo. ELAEAGNEAE.

Elaeagnus LINN.*Oleaster.*

- angustifolia Linn. ♂ shr. (o. d.) S. Europe
 argentea Pursh. ♂ decd. (o. d.) N. America
 chinensis (?) ♂ (o. d.)
 fusca Hort. ♂ (o. d.)
 latifolia Linn. ♂ shr. evgr. (o. d.) E. India
 parvifolia Royle. ♂ evgr. (o. d.) India
 pungens Thunb. ♂ evgr. (o. d.) Japan
 " var. variegata
-

Ordo. PROTEACEAE. R. Brown.

*Tribus. Proteae.***Isopogon** R. BR.

- anemonifolius Knight. ♂ shr. evgr. (o. d.) E. Australia
 ceratophyllum R. Br. ♂ shr. evgr. (o. d.) S. Australia
 longifolius R. Br. ♂ shr. evgr. (o. d.) W. Australia

Adenanthes LABILL.

- sericea Labill. ♂ shr. evgr. (o. d.) W. Australia

Leucadendron LINN. *Silver Tree.*

- argenteum Linn. ♂ evgr. (o. d.) C. G. Hope

Protea R. BR.

- mellifera Thunb. ♂ shr. evgr. (o. d.) C. G. Hope

*Tribus. Grevilleae.***Macadamia F. Muell.**

ternifolia F. Muell. ♂ evgr. (o. d.) N. Australia

Grevillea R. Br.

- alpina* Lindl. ♂ shr. evgr. (o. d.) E. Australia
- asplenifolia* Knight. ♂ shr. evgr. (o. d.) E. Australia
- Banksii* R. Br. ♂ evgr. (o. d.) N. Australia
- buxifolia* R. Br. ♂ shr. evgr. (o. d.) E. Australia
- concinna* R. Br. ♂ shr. evgr. (o. d.) E. Australia
- Drummondii* Meisn. ♂ evgr. W. Australia
- glabrata* Meisn. ♂ shr. evgr. (o. d.) W. Australia
- Hilliana* F. Muell. ♂ evgr. (o. d.) Australia
- Huegelii* Meisn. ♂ shr. evgr. (o. d.) Australia
- ilicifolia* R. Br. ♂ shr. evgr. (o. d.) S. Australia
- intricata* Meisn. ♂ shr. evgr. (o. d.) W. Australia
- juniperina* R. Br. ♂ shr. evgr. (o. d.) E. Australia
- lavandulacea* Schlechtd. ♂ shr. evgr. (o. d.) Australia
- leucoptera* Meisn. ♂ shr. evgr. (o. d.) E. Australia
- linearis* R. Br. ♂ shr. evgr. (o. d.) E. Australia
- macrostylis* F. Muell. ♂ shr. evgr. (o. d.) W. Australia
- oleoides* Sieb. ♂ shr. evgr. (o. d.) E. Australia
- “ var. *dimorpha*
- parviflora* R. Br. ♂ shr. evgr. (o. d.) Australia
- punicea* R. Br. ♂ shr. evgr. (o. d.) E. Australia
- robusta* Cunn. ♂ evgr. (o. d.) E. Australia
- sericea* R. Br. ♂ shr. evgr. (o. d.) E. Australia.

Hakea SCHRAD.

- acicularis* R. Br. ♂ shr. evgr. (o. d.) E. Australia
- circumalata* Meisn. ♂ shr. evgr. (o. d.) W. Australia
- cycloptera* R. Br. ♂ shr. evgr. (o. d.) S. Australia
- cucullata* R. Br. ♂ shr. evgr. (o. d.) W. Australia
- flexilis* F. Muell. ♂ shr. evgr. (o. d.) S. Australia
- gibbosa* Cav. ♂ shr. evgr. (o. d.) E. Australia
- laurina* R. Br. ♂ evgr. (o. d.) W. Australia
- leucoptera* R. Br. ♂ shr. evgr. (o. d.) Australia
- linearis* R. Br. ♂ shr. evgr. (o. d.) W. Australia
- multilineata* var. *grammatophylla* Meisn. ♂ evgr. (o. d.) S. Australia
- nitida* R. Br. ♂ shr. evgr. (o. d.) W. Australia
- nodosa* R. Br. ♂ shr. evgr. (o. d.) Australia
- pandanarpa* R. Br. ♂ shr. evgr. (o. d.) W. Australia
- pugioniformis* Cav. ♂ shr. evgr. (o. d.) E. Australia
- rostrata* F. Muell. ♂ shr. evgr. (o. d.) S. Australia
- rugosa* R. Br. ♂ shr. evgr. (o. d.) Australia
- saligna* Knight. ♂ shr. evgr. (o. d.) S. Australia

Hakea—continued.

- suaveolens R. Br. ♂ shr. evgr. (o. d.) S. Australia
 ulicina R. Br. ♂ shr. evgr. (o. d.) Australia
 undulata R. Br. ♂ shr. evgr. (o. d.) E. Australia
 verrucosa F. Muell. ♂ shr. evgr. (o. d.) Australia
 vittata R. Br. ♂ shr. evgr. (o. d.) S. Australia

Buckinghamia F. MUELL.

- celsissima F. Muell. ♂ evgr. (o. d.) N. Australia

Rhopala R. BR.

- corcovadensis Hort. ♂ shr. evgr. (o. d.) S. America
 Skinnerii Hort. ♂ shr. evgr. (o. d.) S. America

*Tribus. Embothriaceae.***Telopea** R. BR.

- speciosissima R. Br. ♂ shr. evgr. (o. d.) E. Australia

Lomatia R. BR.

- Fraseri R. Br. ♂ shr. evgr. (o. d.) Australia

Stenocarpus R. BR.

- Cunninghamii R. Br. ♂ evgr. (o. d.) N. Australia
 salignus R. Br. ♂ evgr. (o. d.) E. Australia

*Tribus. Banksieae.***Banksia** LINN. FIL.

- collina R. Br. ♂ shr. evgr. (o. d.) E. Australia
 ericifolia Linn. fil. ♂ evgr. (o. d.) W. Australia
 grandis Willd. ♂ evgr. (o. d.) W. Australia
 Hookeriana Meisn. ♂ shr. evgr. (o. d.) W. Australia
 integrifolia Linn. fil. ♂ evgr. (o. d.) Australia
 " var. paludosa
 latifolia R. Br. ♂ shr. evgr. (o. d.) E. Australia
 littoralis R. Br. ♂ evgr. (o. d.) W. Australia
 serrata Linn. fil. ♂ evgr. (o. d.) E. Australia
 sphaeroarpa R. Br. ♂ shr. evgr. (o. d.) W. Australia
 Solandri R. Br. ♂ evgr. (o. d.) W. Australia

Dryandra R. BR.

- Baxteri R. Br. ♂ shr. evgr. (o. d.) W. Australia
 floribunda R. Br. ♂ shr. evgr. (o. d.) W. Australia
 serratuloides Meisn. ♂ shr. evgr. (o. d.) W. Australia

Ordo. URTICEAE. R. Brown.

Tribus. Urereae.

Urtica LINN. Nettle.

urens Linn. ♂ (o. d.) Europe

Laportea GAUDICH.

gigas Wedd. ♂ evgr. (o. d.) E. Australia

photiniphylla Wedd. ♂ evgr. (o. d.) E. Australia

Schomburgkii versicolor Bull. ♂ evgr. (st.) S. S. Islands

Tribus. Boehmerieae.

Boehmeria JACQ. Chinese Grass Cloth.

argentea Hook. ♂ shr. evgr. (o. d.) China

nivea Hook. ♂ shr. evgr. (o. d.) Rea Fibre. China

Ordo. MOREAE. Endlicher.

Tribus. Artocarpeae.

Antiaris LESCH. Upas Tree.

toxicaria Lesch. ♂ evgr. (st.) Java

Cecropia LINN. Snake Wood.

palmata Willd. ♂ evgr. (st.) Brazil

Galactodendron KNTH. Cow Tree.

utile Humb. & Bonpl. ♂ evgr. (st.) S. America

Artocarpus LINN. Breadfruit Tree.

Cannoni W. Hill. ♂ evgr. (st.) N. Australia

incisa Linn. fil. ♂ evgr. (st.) S. S. Islands

integrifolia Linn. ♂ evgr. (st.) E. India

Tribus. Moreae.

Ficus LINN. Fig Tree.

Ampelos Burm. ♂ evgr. (o. d.) E. India

argentea Hort. ♂ (o. d.) (?)

aspera R. Br. ♂ evgr. (o. d.) N. Australia

Benjaminea Linn. ♂ evgr. (o. d.) N. Australia

benghalensis Linn. ♂ evgr. (o. d.) Bengal Fig. India

brasiliensis Link. ♂ evgr. (o. d.) Brazil

Ficus—continued.

- Carica Linn. ♂ decd. (o. d.) *Common Fig.* S. Europe
 cerasiformis Parment. ♂ evgr. E. India
 Cooperi Hort. ♂ evgr. S. S. Islands
 Cunninghamii Miq. ♂ evgr. N. Australia
 dealbata Lind. ♂ evgr. (st.) Brazil
 eburnea Lind. ♂ evgr. (st.) Brazil
 elastica Roxb. ♂ evgr. (o. d.) *Indian Rubber.* E. India
 furfuracea Lind. ♂ evgr. (st.) Brazil
 glomerata Willd. ♂ evgr. (o. d.) N. Australia
 hispida Linn fil. ♂ evgr. (o. d.) N. Australia
 indica Linn. ♂ evgr. (st.) India
 longifolia Schott. ♂ evgr. (st.) Brazil
 lucida Ait. ♂ evgr. (o. d.) E. India
 macrocarpa Blum. ♂ evgr. (st.) Java
 macrophylla Desf. ♂ evgr. (o. d.) *Moreton Bay Fig.* E.
 Australia
 nitida Thunb. ♂ evgr. (o. d.) N. Australia
 Parcellii Bapt. ♂ evgr. (st.) S. S. Islands
 pendula Linn. ♂ evgr. (st.) Java
 quercifolia Roxb. ♂ evgr. (o. d.) Java
 religiosa Linn. ♂ evgr. (o. d.) E. India
 Roxburghii Wall. ♂ evgr. (o. d.) E. India
 Roezlii Lind. ♂ evgr. (st.) S. America
 rubiginosa Desf. ♂ evgr. (o. d.) E. Australia
 spuria (?) ♂ evgr. (o. d.)
 stipulata Thunb. ♂ evgr. (o. d.) China
 Sycomorus Linn. ♂ evgr. (o. d.) Egypt
 syringaefolia Cunn. ♂ evgr. (o. d.) E. Australia

Dorstenia PLUM.

- argentata Hook. ♀ (st.) E. India
 Contrajerva Linn. ♀ (st.) *Contrajerva Root.* E. India

Morus LINN. *Mulberry.*

- alba Linn. ♂ decd. (o. d.) Asia
 " var. cedrona
 calcar-galli A Cunn. ♂ shr. evgr. (o. d.) E. Australia
 hispanica Hort. ♂ decd. (o. d.) Spain
 japonica Audib. ♂ decd. (o. d.) Japan
 Kaempferi Seringe ♂ decd. (o. d.)
 multicaulis Perrot. ♂ decd. (o. d.) China
 nigra Poir. ♂ decd. (o. d.) Italy
 tatarica Pall. ♂ decd. (o. d.) Tartary
 urticaefolia Hort. ♂ decd. (o. d.)

Maclura NUTT. *Osage Orange.*

- aurantiaca Nutt. ♂ decd. (o. d.) N. America

Broussonetia VENT.papyrifera Vent. ♂ decd. (o. d.) *Paper Mulberry*. Japan**Cudrania** TRÉCUL.

javanensis Trécul. ♂ evgr. (st.) Java

Ordo. CELTIDEAE. Endlicher.

Celtis TOURNEF.*Nettle Tree.*

australis Linn. ♂ decd. (o. d.) Australia

occidentalis Linn. ♂ decd. (o. d.) N. America

" var. pumila

orientalis Willd. ♂ evgr. (o. d.) E. India

ramnoides Willd. ♂ evgr. (o. d.) E. India

Sponia COMMERS.

Andaresa Commers. ♂ evgr. (o. d.) E. India

aspera Decaisn. ♂ evgr. (o. d.) E. India

crassifolia G. Don. ♂ decd. (o. d.) N. America

Ordo. CANNABINEAE. Endlicher.

Cannabis LINN.*Hemp.*

sativa Linn. ♂ (o. d.) India

" var. gigantea

Humulus LINN.*Hop.*

Lupulus Linn. ♀ (o. d.) Europe

Ordo. ULMACEAE. Mirbel.

Ulmus LINN.*Elm Tree.*

americana Linn. ♂ decd. (o. d.) N. America

campestris Linn. ♂ decd. (o. d.) Europe

" var. aurea

" " planifolia

" " fol. variegata

chinensis Desf. ♂ decd. (o. d.) China

effusa Willd. ♂ decd. (o. d.) Europe

glabra Mill. ♂ decd. (o. d.) Europe

Ulmus—continued.

- microphylla* Pers. ♂ decid. (o. d.) Europe
montana Smith. ♂ decid. (o. d.) Europe
 " *var. fastigata*
 " *major*
nigra Hort. ♂ decid. (o. d.) Europe
planifolia var. *vegeta*. Hort. ♂ decid. (o. d.) Europe
 " *variegata*
suberosa Ehrh. ♂ decid. (o. d.) *Cork Elm.* Europe
 " *pendula*
tiliaefolia Hort. ♂ decid. (o. d.)
tridens var. *adiantifolia* (o. d.)
 " " *macrophylla*
 " " *superba*
viminalis Hort. ♂ decid. (o. d.) Europe
virgata Roxb. ♂ evgr. (o. d.) E. India

Planera MICHX.

- acuminata* (?) ♂ evgr. (o. d.) Japan
-

Ordo. BETULACEAE. Bartling.

Betula LINN.*Birch Tree.*

- alba* Linn. ♂ decid. (o. d.) Europe
 " *var. latifolia*
 " " *papyrifera*
excelsa Ait. ♂ decid. (o. d.) N. America
fruticosa Pall. ♂ decid. (o. d.) Europe
lenta Linn. ♂ decid. (o. d.) N. America
populifolia Ait. ♂ decid. (o. d.) N. America

Alnus TOURNEF.*Alder Tree.*

- glutinosus* Willd. ♂ decid. (o. d.) Europe
-

Ordo. CASUARINEAE. Mirbel.

Casuarina LINN.*Sheaoak.*

- equisetifolia* Forst. ♂ evgr. (o. d.) E. India
humilis Otto. ♂ evgr. W. Australia
leptoclada Miq. ♂ evgr. (o. d.) E. Australia
Rumphii Miq. ♂ evgr. (st.) Sumatra
stricta Ait. ♂ evgr. (o. d.) Australia
sumetrana Jungh. ♂ evgr. (o. d.) Sumatra

Ordo. PLATANEAE. Lindley.

Platanus LINN. *Plane Tree.*

<i>acerifolia</i> Willd.	↳	decd.	(o. d.)	Levant
<i>orientalis</i> Linn.	↳	decd.	(o. d.)	Greece

Ordo. MYRICEAE. L. Richard.

Myrica LINN. *Candleberry Tree.*

<i>cerifera</i> Spr.	↳	shr. evgr.	(o. d.)	N. America
<i>cordifolia</i> Linn.	↳	shr. evgr.	(o. d.)	C. G. Hope

Ordo. SALICINEAE. L. Richard.

Salix LINN. *Willow.*

<i>alba</i> Linn.	↳	decd.	(o. d.)	Europe
<i>americana</i> Ands.	var. <i>pendula</i> .	↳	decd.	(o. d.) N. America
<i>amygdalina</i> Linn.	↳	shr. decd.	(o. d.)	Europe
<i>babylonica</i> Linn.	↳	decd.	(o. d.)	<i>Weeping Willow.</i> Levant
"	var. <i>Napoleona</i>			
<i>bicolor</i> Ehrh.	↳	shr. decd.	(o. d.)	Switzerland
<i>caesia</i> Vill.	↳	shr. decd.	(o. d.)	S. Europe
<i>Caprea</i> Linn.	↳	decd.	(o. d.)	Europe
<i>conifera</i> Mhlbrg.	↳	decd.	(o. d.)	N. America
<i>Helix</i> Smith.	↳	decd.	(o. d.)	Europe
<i>Hoffmannia</i> Smith.	↳	decd.	(o. d.)	Europe
<i>ilex</i> (?)	↳	decd.	(o. d.)	Europe
<i>Lambertiana</i> Smith.	↳	shr. decd.	(o. d.)	Europe
<i>moschata</i> Hort.	↳	decd.	(o. d.)	
<i>rubra</i> Huds.	↳	shr. decd.	(o. d.)	Europe
<i>Russelliana</i> Sm.	↳	decd.	(o. d.)	Europe
<i>sericea</i> Mhlbrg.	↳	shr. decd.	(o. d.)	Europe
<i>viminalis</i> Linn.	↳	shr. decd.	(o. d.)	<i>Osier.</i> Europe

Populus LINN. *Poplar Tree.*

<i>alba</i> Linn.	↳	decd.	(o. d.)	Europe
<i>angulata</i> Ait.	↳	decd.	(o. d.)	Europe
<i>balsamifera</i> Linn.	↳	decd.	(o. d.)	N. America
<i>betulifolia</i> Pursh.	↳	decd.	(o. d.)	N. America
<i>dilatata</i> Linn.	↳	decd.	(o. d.)	Italy
<i>graeca</i> Ait.	↳	decd.	(o. d.)	Archipel
<i>grandidentata</i> Michx.	↳	decd.	(o. d.)	Canada
<i>macrophylla</i> Lindl.	↳	decd.	(o. d.)	N. America
<i>monilifera</i> Ait.	↳	decd.	(o. d.)	N. America
<i>tremula</i> Linn.	↳	decd.	(o. d.)	<i>Aspen.</i> Europe

Ordo. EUPHORBIACEAE. R. Brown.

*Tribus. Phylanthae.***Dissiliaria** F. MUELL.

baloghioides F. Muell. h shr. evgr. (o. d.) N. Australia

Phyllanthus LINN.

calycinus Labill. h shr. evgr. (o. d.) Australia

nivosus Hort. h shr. evgr. (st.) S. S. Islands

" var. atropurpurascens

variegata C. Moore. h shr. evgr. (st.) S. S. Islands

Hemicyclia WIGHT & ARN.

australasica F. Muell. h shr. evgr. (o. d.) N. Australia

*Tribus. Crotoneae.***Croton** LINN.

Cascilla Linn. h shr. evgr. (st.) Florida

cornutum Veitch. h shr. evgr. (st.) S. S. Islands

discolor Rich. h shr. evgr. (st.) Isl. S. Domingo

Omalianthus A. JUSS.

populifolius Grah. h shr. evgr. (st.) E. Australia

Baloghia ENDL.

lucida Endl. h shr. evgr. (o. d.) Norfolk Island

Suregada BAIL.

glomerulata Baill. h shr. evgr. (st.) Java

*Tribus. Acalypheae.***Aleurites** FORST. *Candlenut Tree.*

triloba Forst. h evgr. (o. d.) Ceylon, Moluccas

Acalypha LINN.

Brownii Hort. h shr. evgr. (st.) S. S. Islands

discolor E. Mey. h shr. evg. (st.) S. S. Islands

Macleayii Hort. h shr. evgr. (st.) S. S. Islands

marginata Spr. h shr. evgr. (st.) E. India

tricolor Linn. h shr. evgr. (st.) S. S. Islands

Wilkinsiana Hort. h shr. evgr. (st.) S. S. Islands

Macaranga PET. THUAR.

involucrata Pet. Thuar. h evgr. (st.) Madagascar

Cluytia AIT.

pulchella Muell. h shr. evgr. (o. d.) C. G. Hope

Ricinus LINN. *Castor Oil Tree.*

africanus Mill. ♂ shr. evgr. (o. d.) C. G. Hope
 communis Linn. ♂ evgr. (o. d.) E. India

Jatropha LINN. *Physic Nut.*

Curcas Linn. ♂ evgr. (st.) S. America
 glauca Vahl. ♂ und. shr. evgr. (o. d.) Arabia
 Manihot Linn. ♂ shr. evgr. (o. d.) *Cassava*. S. America
 multifida Linn. ♂ und. shr. (st.) S. America
 panduraefolia (?). ♂ und. shr. evgr. (st.) Cuba
 podagraria Hook. ♀ (st.) S. America

Hippomane LINN.

Mancinella Linn. ♂ evgr. (st.) *Manchineel Tree*. S. America

Codiaeum BLUME.

obovatum Z. & M. ♂ shr. evgr. (st.) Java

Stillingia GARDN. *Tallow Tree.*

sebifera Michx. ♂ evgr. (o. d.) China

Hura LINN. *Sandbox Tree.*

crepitans Linn. ♂ evgr. (st.) S. America

*Tribus. Dalechampieae.***Dalechampia PLUM.**

Roeziana A. Muell. ♂ shr. evgr. (st.) Mexico
 " var. alba
 " var. carnea

*Tribus. Euphorbieae.***Euphorbia LINN.** *Spurge.*

atropurpurea Brouss. ♂ shr. evgr. (o. d.) Teneriffe
 Bojeri Hook. ♂ shr. evgr. (o. d.) Madagascar
 canariensis Linn. ♂ shr. evgr. (o. d.) Isl. Canary
 candelabrum Trem. ♂ shr. evgr. (o. d.) Africa
 Caput Medusa Linn. ♂ und. shr. evgr. (o. d.) Africa
 ceratocarpa Tenor. ♀ (g. h.) Nepal
 cereiformis Linn. ♂ und. shr. evrg. (o. d.) C. G. Hope
 clava Jacq. ♂ und. shr. evgr. (o. d.) Africa
 fulgens Karw. ♂ und. shr. evgr. (st.) Mexico
 imbricata Vahl. ♀ (o. d.) Africa
 Lagascae Spr. ♂ (o. d.) Spain
 Lathyris Linn. ♂ (o. d.) S. Europe
 lophogona Lam. ♂ shr. evgr. (st.) Madagascar
 meloformis Ait. ♀ (o. d.) Africa
 neriifolia Linn. ♂ shr. evgr. (o. d.) E. India

Euphorbia—continued.

- officinarum Linn. ♂ shr. evgr. (o. d.) Africa
 orientalis Linn. ♂ (o. d.) Orient
 pandurata (?) ♀ (st.)
 pistiaefolia Bois. ♀ (o. d.) C. G. Hope
 splendens Bojer. ♂ shr. evgr. (o. d.) Madagascar
 variegata Sims. ♂ (o. d.) Louisiana

Daphniphyllum BLUME.

- bancanum Krz. ♂ shr. evgr. (st.) Java

Poinsettia GRAHAM.

- pulcherrima Graham. ♂ shr. evgr. (st.) Mexico
 " var. fl. alba
 " " plenissima

Pedilanthus NECK.

- tithymaloides Poit. ♂ shr. evgr. (st.) S. America
 " var. variegata
-

Ordo. BUXINEAE. F. Plée.

Buxus LINN.*Box Tree.*

- balearica Linn. ♂ shr. evgr. (o. d.) Isl. Balcar.
 rosmarinifolius Hort. ♂ shr. evgr. (o. d.)
 sempervirens Linn. ♂ shr. evgr. (o. d.) Europe
 " var. argentea variegata
-

Ordo. JUGLANDEAE. De Candolle.

Juglans LINN.*Walnut.*

- regia Willd. ♂ decid. (o. d.) Persia

Carya NUTT.*Hickory-Nut Tree.*

- alba Nutt. ♂ decid. (o. d.) N. America
 amara Nutt. ♂ decid. (o. d.) N. America
 microcarpa Nutt. ♂ decid. (o. d.) N. America
 olivaeformis Nutt. ♂ decid. (o. d.) N. America
 spicata Nutt. ♂ decid. (o. d.) N. America
 tomentosa Nutt. ♂ decid. (o. d.) N. America

Pterocarya KNTH.

- caucasica C. A. Mey. ♂ decid. (o. d.) Caucasus

Ordo. NEPENTHEAE. Blume.

Nepenthes LINN. *Pitcher Plant.*

- destillatoria Linn. ♂ ~ evgr. (st.) Ceylon
 laevis (?) ♂ ~ evgr. (st.) Ceylon
 Phyllamphora Willd. ♂ ~ evgr. (st.) China
 Rafflesiana Jacq. ♂ ~ evgr. (st.) E. India
-

Ordo. ARISTOLOCHIEAE. Endlicher.

*Tribus. Aristolochiae.***Aristolochia LINN.** *Birthwort.*

- acuminata Lam. ♂ ~ evgr. (o. d.) Isl. Mauritius
 arborescens Linn. ♂ ~ evgr. America
 barbata Jacq. ♂ ~ evgr. (st.) S. America
 Bonplandii Tenor. ♂ ~ evgr. (st.) S. America
 ciliosa Benth. ♂ ~ evgr. tubr. (st.) N. Caledonia
 clypeata Lind. & Andr. ♂ ~ evgr. (st.) S. America
 Duchartrei Andr. ♂ ~ evgr. (st.) E. India
 galeata Mart. ♂ ~ evgr. (st.) Brazil
 glauca Desf. ♂ ~ evgr. (st.) Africa
 indica Linn. ♂ ~ evgr. (st.) E. India
 Kaempferi Willd. ♂ ~ (st.) Japan
 labiosa Ker. ♂ ~ evgr. (st.) Brazil
 ornithocephala Hook. ♂ ~ evgr. (st.) Brazil
 ringens Vahl. ♂ ~ evgr. (st.) Brazil
 saccata Nees. ♂ ~ evgr. (st.) Brazil
 sempervirens Linn. ♂ ~ (st.) Crete
 Sipho L'Herit. ♂ ~ decd. (o. d.) N. America
 trilobata Lindl. ♂ ~ evgr. (st.) E. India
-

Ordo. CUPULIFERAE. ^w_a L. Richard.**Quercus LINN.** *Oak Tree.*

- alba Linn. ♂ decd. (o. d.) N. America
 ambigua Michx. ♂ decd. (o. d.) N. America
 asplenifolia Hort. ♂ decd. (o. d.)
 bicolor Willd. ♂ decd. (o. d.) N. America
 Castanea Willd. ♂ decd. (o. d.) America
 Cerris Linn. ♂ decd. (o. d.) S. Europe
 coccifera Linn. ♂ evgr. (o. d.) S. Europe

Quercus—continued.

- cochleata* Hort. ♂ decd. (o. d.)
coccinea Wngm. ♂ decd. (o. d.) N. America
fastigiata Lam. ♂ decd. (o. d.) Europe
Ilex Linn. ♂ evgr. (o. d.) S. Europe
imbricata vera Hamilt. ♂ decd. (o. d.) N. America
incana Roxb. ♂ evgr. (o. d.) India
lanata Sm. ♂ evgr. (o. d.) Nepal
macrocarpa Michx. ♂ decd. (o. d.) N. America
microcarpa Lapeyr. ♂ decd. (o. d.) Europe
palustris DuRoi. ♂ decd. (o. d.) N. America
pedunculata Willd. ♂ decd. (o. d.) Europe
Phellos Linn. ♂ decd. (o. d.) N. America
Robur Willd. ♂ decd. (o. d.) Europe
 " var. *atropurpurea*
 " " *acuminata*
 " " *fol. variegata*
 " " *purverulenta*
rubra Linn. ♂ decd. (o. d.) N. America
scolopendrifolia Hort. ♂ decd. (o. d.)
Skinneri Hort. ♂ evgr. (o. d.)
Suber Linn. ♂ evgr. (o. d.) *Cork Oak.* Spain
tinctoria Willd. ♂ decd. (o. d.) N. America
virens Ait. ♂ decd. (o. d.) N. America

Castanea MILL. *Chestnut.*

- vesca* Gaert. ♂ decd. (o. d.) S. Europe

Fagus LINN. *Beach Tree.*

- Cunninghamii* Hook. ♂ evgr. (o. d.) E. Australia
Moorei F. Muell. ♂ evgr. (o. d.) E. Australia
purpurea Desf. ♂ decd. (o. d.) N. America
sylvatica Linn. ♂ decd. (o. d.) Europe
-

Ordo. SANTALACEAE. R. Brown.

*Tribus. Santaleae.***Santalum** LINN. *Sandalwood.*

- album* Linn. ♂ evgr. (o. d.) India
lanceolatum R. Br. ♂ shr. evgr. (o. d.) W. Australia

*Tribus. Anthoboleae.***Exocarpus** LABILL. *Native Cherry Tree.*

- cupressiformis* Labill. ♂ evgr. (o. d.) Australia

Ordo. CORYLACEAE. A. De Candolle.

- Ostrya** Scop. *Hop Hornbean.*
vulgaris Willd. ♂ decd. (o. d.) Europe
- Carpinus** LINN. *Hornbeam.*
Betulus Linn. ♂ decd. (o. d.) Europe
- Corylus** LINN. *Filbert Nut.*
Avellana Linn. ♂ shr. decd. (o. d.) Europe
-

Ordo. PIPERACEAE. Endlicher.

- Piper** SPR. *Pepper.*
- Betle* Linn. ♂ shr. evgr. (st.) E. India
Cubeba Linn. fil. ♂ shr. evgr. (st.) Java
excelsum Forst. ♂ shr. evgr. (o. d.) N. Zealand
 " var. fol. varieg.
longifolium Ruiz & Pav. ♂ shr. evgr. (o. d.) Peru
nigrum Linn. ♂ shr. evgr. (st.) E. India
- Peperomia** RUIZ & PAV.
- adscendens* Dec. ♀ (st.) S. America
arifolia Miq. ♀ (st.) Brazil
 " var. *argyreia*
blanda Humb. & Bonpl. ♀ (st.) Caracas
Lechenaultiana Hort. ♀ (st.)
maculosa Hook. ♀ (st.) St. Domingo
magnoliaefolia C. Dec. ♀ (st.) Brazil
urocarpa Fisch. ♀ (st.) Brazil
velutina Hort. ♀ (st.)
Verschaffeltii Hort. ♀ (st.)
- Artanthe** MIQ.
- magnifica* Miq. ♂ shr. evgr. Brazil
rubro nodosa Hort. ♂ shr. evgr. Brazil
-

Ordo. CONIFERAEE. Ventenant.

Sub Tribus. Araucarieae.

- Araucaria** HENK & HOCHST.
- Bidwillii* Hook. ♂ evgr. (o. d.) *Bunya.* E. Australia
Cookii R. Br. ♂ evgr. (o. d.) N. Caledonia

BULB BEDS.



Araucaria—continued.

- Cunninghamii Ait. ♂ evgr. (o. d.) *Moreton Bay Pine.*
 E. Australia
 " var. *glaуca*
excelsa R. Br. ♂ evgr. (o. d.) *Norfolk Island Pine.*
imbricata Pav. ♂ evgr. (o. d.) *Monkey Puzzle.* Brazil
Rulei F. Muell. ♂ evgr. (o. d.) N. Caledonia

Dammara RUMPH *Kauri Pine.*

- australis* Lamb. ♂ evgr. (o. d.) N. Zealand
Moorii Lindl. ♂ evgr. (o. d.) N. Zealand
obtusa Lindl. ♂ evgr. (o. d.) N. Hebrides
ovata C. Moore. ♂ evgr. (o. d.) N. Caledonia
robusta C. Moore. ♂ evgr. (o. d.) E. Australia

*Sub Tribus. Pineae.***Pinus** LINN. *Pine or Fir Tree.*

- Abies* Du Roi. ♂ evgr. (o. d.) *Common Silver Fir.*
 Europe
alba Ait. ♂ evgr. (o. d.) *White Spruce Fir.* N. America
amabilis Dougl. ♂ evgr. (o. d.) *Silver Fir.* N. America
aristata Engelm. ♂ evgr. (o. d.) *Awned Cone Pine*
austriaca Hoess. ♂ evgr. (o. d.) *Austrian Pine.* Europe
balsamea Linn. ♂ evgr. (o. d.) *Balm Pine.* N. America
Brutia Ten. ♂ evgr. (o. d.) *Calabrian Cluster Pine.*
 Calabria
canariensis Sm. ♂ evgr. (o. d.) *Canary Island Pine.* Isl.
 Canary
Cedrus Linn. ♂ evgr. (o. d.) *Cedar of Lebanon.* Mt.
 Lebanon
 " var. *atlantica*
Cembra Linn. ♂ evgr. (o. d.) *Stone Pine.* Europe
contorta Dougl. ♂ evgr. (o. d.) *Twisted Branched Pine.*
 N. America
Coulteri Don. ♂ evgr. (o. d.) California
davurica Fisch. ♂ evgr. (o. d.) *Dahurian Larch.* Siberia
Deodara Roxb. ♂ evgr. (o. d.) *Indian Cedar.* India
Douglasii Sabin. ♂ evgr. (o. d.) N. America
excelsa Wall. ♂ evgr. (o. d.) *Lofty Bothan Pine.*
 Himalayas
Gerardiana Wall. ♂ evgr. (o. d.) Himalayas
grandis Dougl. ♂ evgr. (o. d.) *Great Californian Silver*
Fir. California
Haageana Roezl. ♂ evgr. (o. d.) Mexico
halepensis Ait. ♂ evgr. (o. d.) *Aleppo* or *Jerusalem*
Pine. Levant

Pinus—continued.

- inops Soland. ♂ evgr. (o. d.) *New Jersey Pine*. N. America
- insignis Dougl. ♂ evgr. (o. d.) *Beautiful Pine*. California
- Jeffreyii Balf. ♂ evgr. (o. d.) *Jeffrey's Pine*. California
- Lambertiana Dougl. ♂ evgr. (o. d.) *Lambert's Pine*. California
- Laricio Poir. ♂ evgr. (o. d.) *Corsican Pine*. Europe
“ var. *calabrica*
“ “ *tenuifolia*
- Llaveana Schied. ♂ evgr. (o. d.) *Llave's Pine*. Mexico
- longifolia Roxb. ♂ evgr. (o. d.) *Long-leaved Pine*. E. India
- lophosperma Lindl. ♂ evgr. (o. d.) *Crest-seeded Pine*. California
- Massoniana Lamb. ♂ evgr. (o. d.) China
- Menziesii Dougl. ♂ evgr. (o. d.) *Menzie's Spruce Fir*. California
- Mertensiana Bong. ♂ evgr. (o. d.) California
- mitis Michx. ♂ evgr. (o. d.) *Yellow Pine*. N. America
- monophylla Torr. ♂ evgr. (o. d.) *Nut Pine*. California
- montana DuRoi. ♂ evgr. (o. d.) Europe
- monticola Dougl. ♂ evgr. (o. d.) *Mountain Pine*. California
- muricata Don. ♂ evgr. (o. d.) *Bishop's Pine*. California
- nigra Ait. ♂ evgr. (o. d.) *Black Spruce Fir*. N. America
- orientalis Linn. ♂ evgr. (o. d.) *Eastern Spruce*. Orient
- pendula Soland. ♂ evgr. (o. d.) N. America
- Picea DuRoi. ♂ evgr. (o. d.) *Norway Spruce*. Norway
- Pinaster Ait. ♂ evgr. (o. d.) *Star or Cluster Pine*. Europe
“ var. *Hamiltoni* Ten.
- Pindrow Royle. ♂ evgr. (o. d.) *Upright Indian Silver Fir*. E. India
- Pinea Linn. ♂ evgr. (o. d.) *Italian Stone Pine*. Italy
- Pinsapo Boiss. ♂ evgr. (o. d.) *Pinsapo Fir*. Spain
- ponderosa Dougl. ♂ evgr. (o. d.) *Heavy Wooded Pine*. N. America
- pungens Michx. ♂ evgr. (o. d.) *Table Mountain Pine*. N. Carolina
- pyrenaica Lapeyr. ♂ evgr. (o. d.) *Pyrenean Pine*. Spain
- radiata Don. ♂ evgr. (o. d.) *Radiated Pine*. California
- resinosa Soland. ♂ evgr. (o. d.) *Red American Pine*. N. America
- rigida Mill. ♂ evgr. (o. d.) *Stiff-leaved Pine*. N. America
- rubra Lamb. ♂ evgr. (o. d.) *Red Spruce Fir*. Nova Scotia

Pinus—continued.

- Sabiniana Dougl. ♂ evgr. (o. d.) California
 Smithiana Lamb. ♂ evgr. (o. d.) *Indian Spruce Fir.*
 E. India
 Strobus Linn. ♂ evgr. (o. d.) *Weymouth Pine.* America
 sylvestris Linn. ♂ evgr. (o. d.) *Scotch Fir.* Europe
 Taeda Linn. ♂ evgr. (o. d.) *Torch Pine.* N. America
 taurica Hort. ♂ evgr. (o. d.) *Taurian Pine.* Crimea
 tenuifolia Benth. ♂ evgr. (o. d.) *Slender-leaved Pine.*
 Guatemala
 tuberculata Don. ♂ evgr. (o. d.) *Tuberculated Coned*
 Pine. California
 Webbiana Wall. ♂ evgr. (o. d.) *Webb's Indian Fir.*
 Nepal

*Sub Tribus. Taxodieae.***Cunninghamia** R. BR.

- sinensis R. B. ♂ evgr. (o. d.) *Chinese Cunninghamia.*
 China

Sequoia ENDL.

- * sempervirens Endl. ♂ evgr. (o. d.) *The Californian*
 Redwood. California

Wellingtonia LINDL.

- gigantea Lindl. ♂ evgr. (o. d.) *Mammoth Tree.* California

Sciadopitys SIEB. & ZUCC.

- verticillata Sieb. & Zucc. ♂ evgr. (o. d.) *The Parasol*
 Pine. Japan

Cryptomeria DON.

- japonica Don. ♂ evgr. (o. d.) *Japan Cedar.* Japan
 “ var. *Lobbii*

Taxodium RICH.

- distichum Rich. ♂ decd. (o. d.) *Deciduous Cypress.*
 Florida

Widdringtonia ENDL.

- cupressoides Endl. ♂ shr. evgr. (o. d.) *African Cypress.*
 C. G. Hope
 juniperoides Endl. ♂ evgr. (o. d.) C. G. Hope

*Sub Tribus. Cupressineae.***Actinostrobus** MIQ.

- pyramidalis Miq. ♂ shr. evgr. (o. d.) *Pyramidal Swan*
 River Cypress. W. Australia

Frenela MIRB.

- Gunnii Endl. ♂ evgr. (o. d.) *Gunn's Frenela*. Tasmania
 Macleyana Parl. ♂ evgr. (o. d.) *Macley's Frenela*. E.
 Australia
 pyramidalis Carr. ♂ evgr. (o. d.) *Pyramidal Frenela*.
 Australia
 rhomboidea Endl. ♂ evgr. (o. d.) *Australian Pine*.
 Australia
 robusta Cunn. ♂ evgr. (o. d.) *Australian Pine*. S. Aus-
 tralia

Callitris VENT.

- quadrivalvis Vent. ♂ evgr. (o. d.) *Jointed Arbor Vitae*.
 Barbary

Libocedrus ENDL.

- chilensis Endl. ♂ evgr. (o. d.) *Chilian Arbor Vitae*. Chili
 decurrens Torr. ♂ evgr. (o. d.) *Decurrent-leaved Arbor
 Vitae*. N. America
 Doniana Endl. ♂ evgr. (o. d.) *Don's New Zealand Arbor
 Vitae*. N. Zealand

Thuya TOURN.*Arbor Vitae*.

- gigantea Nutt. ♂ evgr. (o. d.) *Gigantic Arbor Vitae*.
 California
 occidentalis Linn. ♂ evgr. (o. d.) *American Arbor Vitae*.
 N. America
 " var. variegata
 plicata, Don. ♂ evgr. (o. d.) *Nootka Sound Arbor Vitae*.
 N. America

Biota ENDL.

- orientalis Endl. ♂ evgr. (o. d.) *Chinese Arbor Vitae*.
 China
 " var. aurea
 " var. pendula
 " var. Sieboldii

Chamaecyparis SPACH.

- Lawsoniana Parl. ♂ evgr. (o. d.) *Lawson's Cypress*.
 California
 Nutkaensis, Hook. ♂ evgr. (o. d.) *Nootka Sound Cypress*.
 N. America
 obtusa Sieb. & Zucc. ♂ evgr. (o. d.) *Obtuse-leaved Japan
 Cypress*. Japan
 pisifera Sieb. & Zucc. ♂ evgr. (o. d.) *Pea-fruited
 Chamaecyparis*. Japan
 squarrosa Sieb. & Zucc. ♂ evgr. (o. d.) *Square-leaved
 Chamaecyparis*. Japan
 sphaeroidea Spach. ♂ evgr. (o. d.) *White Cedar*. Virginia

Thuyopsis SIEB. & ZUCC.

- dolabrata Sieb. & Zucc. ♂ evgr. (o. d.) *Hatchet-leaved Arbor Vitae.* Japan
 " var. laetevirens
 " var. variegata

Fitz-Roya HOOK. FIL.

- patagonica Hook. fil. ♂ evgr. (o. d.) *Patagonian Fitz-Roya.* Patagonia

Cupressus TOURNEF. *True Cypress.*

- Benthamii Endl. ♂ evgr. (o. d.) *Bentham's Cypress.*
 Mexico
 Corneyana Knight. ♂ evgr. (o. d.) *Corney's Chinese Cypress.* Japan
 funebris Endl. ♂ evgr. (o. d.) *Weeping Funeral Cypress.*
 China
 glauca Lam. ♂ evgr. (o. d.) *Cedar of Goa.* E. India
 Goveniana Gord. ♂ evgr. (o. d.) California
 Knightiana Carr. ♂ evgr. (o. d.) Mexico
 Macnabiana Murr. ♂ evgr. (o. d.) California
 macrocarpa Hartw. ♂ evgr. (o. d.) *Lambert's Cypress.*
 California
 sempervirens Linn. ♂ evgr. (o. d.) *Upright Cypress.*
 Cyprus
 " var. horizontalis
 " var. indica
 " var. pendula
 " var. stricta
 thurifera Humb. & Bonpl. ♂ evgr. (o. d.) *Incense-bearing Mexican Cypress.* Mexico
 torulosa Don. ♂ evgr. (o. d.) *Bohtan Cypress.* Himalayas
 " var. elegans
 " var. majestica
 " var. variegata

Juniperus LINN. *Juniper.*

- bermudiana Linn. ♂ evgr. (o. d.) *Bermuda or Pencil Cedar.* Isl. Bermuda
 chinensis Linn. ♂ evgr. (o. d.) *Chinese Juniper.* China
 communis Linn. ♂ evgr. (o. d.) *Common Juniper.* Europe
 davurica Pall. ♂ evgr. (o. d.) *Daurian Juniper.* Dauria
 drupacea Labill. ♂ evgr. (o. d.) *Plum-fruited Juniper.*
 Asia
 excelsa Bibrst. ♂ evgr. (o. d.) *Tall Crimson Juniper.*
 Syria
 macrocarpa Sibth. ♂ evgr. (o. d.) *Large Purple-fruited Juniper.* S. Europe
 Oxycedrus Linn. ♂ evgr. (o. d.) *Prickly Cedar.* Spain

Juniperus—continued.

- phoenicea Linn. ♂ evgr. (o. d.) *Phænician Juniper.* S.
 Europe
 " var. *Lycia*
 " var. *turbinata*
 prostrata Pers. ♂ shr. evgr. (o. d.) *Prostrate-branched Juniper.* N. America
 recurva Don. ♂ evgr. (o. d.) *Drooping Indian Juniper.*
 Nepal.
 " var. *squamata*
 rigida Sieb. & Zucc. ♂ evgr. (o. d.) *Stiff-leaved Japan Juniper.* Japan
 Sabina Linn. ♂ shr. evgr. (o. d.) *Common Savin.* S.
 Europe
 sphaerica Lindl. ♂ evgr. (o. d.) *Globular-fruited Juniper.*
 China
 virginiana Linn. ♂ evgr. (o. d.) *Virginian or Red Cedar.*
 N. America
 " var. *glaуca*

*Tribus. Taxineae.****Dacrydium*** SOLAND.

- Colensoi Hook. ♂ evgr. (o. d.) New Zealand
 cupressinum Soland. ♂ evgr. *Cypress-like Dacridium.*
 N. Zealand
 Franklinii Hook. ♂ evgr. (o. d.) *Franklin's Dacridium.*
 N. Zealand
 Kirkii F. Muell. ♂ evgr. (o. d.) *Kirk's Daoridium.* N.
 Zealand

Taxus LINN.

- baccata Linn. ♂ shr. evgr. (o. d.) *Common Yew.* Europe
 " var. *elegantissima*
 " var. *fastigiata*
 " var. *hibernica*
 cuspidata Sieb. & Zucc. ♂ shr. evgr. (o. d.) *Abrupt-pointed Yew*
 tardiva Laws. ♂ shr. evgr. (o. d.) Japan

Torreya ARN.

- nucifera Sieb. & Zucc. ♂ evgr. (o. d.) *Nut-bearing Torreya.* Japan

Phyllocladus RICHARD.

- rhomboidalis Richard. ♂ evgr. (o. d.) *Adventure Bay Pine.* Tasmania
 trichomanoides Don. ♂ evgr. (o. d.) *Maidenhair-like Phyllocladus.* N. Zealand

Salisburia Sm.

adianthifolia Sm. ♂ decd. (o. d.) *Maidenhair Tree*. Japan
 " var. variegata

Cephalotaxus Sieb. & Zucc.

Fortunei Hook. ♂ evgr. (o. d.) China

Saxe-Gothaea Lindl. *Prince Albert's Yew*.

conspicua Lindl. ♂ evgr. (o. d.) Patagonia

Podocarpus L'Herit.

chinensis Wall. ♂ evgr. *Chinese Podocarpus*. China

dacrydioides A. Rich. ♂ evgr. (o. d.) *Dacridium-like Podocarpus*. N. Zealand

elata R. Br. ♂ evgr. (o. d.) *Lofty Podocarpus*. E. Australia

ferruginea Don. ♂ evgr. (o. d.) *Rusty-colored Podocarpus*. N. Zealand

japonica Sieb. & Zucc. ♂ evgr. (o. d.) *Japan Podocarpus*. Japan

neriifolia Don. ♂ evgr. (o. d.) *Nerium-leaved Podocarpus*. E. India

Rumphii Bl. ♂ evgr. (o. d.) *Rumphius's Podocarpus*. N. Guinea

spinulosa R. Br. ♂ evgr. (o. d.) *Spiny-leaved Podocarpus*. Australia

taxifolia Humb. & Bonpl. ♂ (o. d.) *Yew-leaved Podocarpus*. Peru

Thunbergii Hook. ♂ evgr. (o. d.) C. G. Hope

Totara Don. ♂ evgr. (o. d.) *Totara Pine*. N. Zealand

Ordo. CYCADEAE. Persoon.

Cycas Linn.

media R. Br. ♂ evgr. (o. d.) E. Australia

revoluta Thunb. ♂ evgr. (st.) Japan

Macrozamia Miq.

Paulo-Gulielmi F. Muell. ♂ evgr. (o. d.) E. Australia

spiralis Miq. ♂ evgr. E. Australia

" var. corallipes

Miquelii F. Muell. ♂ evgr. N. Australia

Perowskiana Miq. ♂ evgr. N. Australia

Bowenia Hook. Fil.

spectabilis Hook. fil. (st.) N. Australia

Encephalartos LEHM.

Altensteinii Lehm. (st.) C. G. Hope
cycadifolius Lehm. (st.) C. G. Hope
horridus Lehm. (st.) C. G. Hope
Lehmanni Lehm. (st.) C. G. Hope
villosus Lehm. (st.) C. G. Hope

Zamia LINN.

Lindenii Andr. (st.) Mexico
Roezlii Lind. (st.) Mexico

MONOCOTYLEDONS.

Ordo. HYDROCHARIDAE. De Candolle.

Tribus. Vallisnerieae.

Vallisneria LINN

spiralis Linn. ♀ aq. evgr. S. Europe, Tropical Asia, Australia

Ordo. CANNACEAE. Agardh.

Canna LINN.

Indian Shot.

Achiras Gill.	♀	(o. d.)	Chili
angustifolia Linn.	♀	(o. d.)	Brazil
Annei Hort.	♀	(o. d.)	
" var. fulgida			
" " rubra			
aurantiaca Rosc.	♀	(o. d.)	Brazil
coccinea Ait.	♀	(o. d.)	E. India
compacta Rosc.	♀	(o. d.)	S. America
" var. elegantissima			
commutata Bouché.	♀	(o. d.)	S. America
cubensis Hort.	♀	(o. d.)	Cuba
discolor Lindl.	♀	(o. d.)	Isl. Trinidad
edulis Ker.	♀	(o. d.)	Brazil
flaccida Rosc.	♀	(o. d.)	Carolina
gigantea Desf.	♀	(o. d.)	Brazil
" var. aurantiaca			
glauca Linn.	♀	(o. d.)	E. India
heliconiaefolia Hort.	♀	(o. d.)	Mexico
humilis Bouché	♀	(o. d.)	China
indica Linn.	♀	(o. d.)	India
" var. superba			
" " variabilis			
Lagunenis Lindl.	♀	(o. d.)	Mexico
Lamberti Lindl.	♀	(o. d.)	Mexico

Canna—continued.

- leptochila Bouché. γ (o. d.) S. America
 limbata Rosc. γ (o. d.) Brazil
 lutea Ait. γ (o. d.) India
 occidentalis Rosc. γ (o. d.) E. India
 orientalis Rosc. γ (o. d.) E. India
 pallida Rosc. γ (o. d.) W. Indies
 patens Rosc. γ (o. d.) Isl. St. Helena
 pedunculata Sims. γ (o. d.) Brazil
 peruviana Hort. γ (o. d.) Peru
 polymorpha Lodd. γ (o. d.) S. America
 Reevesii Lindl. γ (o. d.) China
 Roscoeana Hort. γ (o. d.) Brazil
 Sellowi Hort. γ (o. d.) Brazil
 speciosa Rosc. γ (o. d.) Nepal
 spectabilis Bouché. γ (o. d.) S. America
 Warczewiczzii Hort. γ (o. d.) S. America
 " var. rosea
 " " superba
 xalapensis Hort. γ (o. d.) Mexico

Maranta LINN.*Arrowroot.*

- albo lineata Hort. γ (st.) Columbia
 amabilis Lind. γ (st.) S. America
 argyrea Hort. γ (st.)
 arundinacea Linn. γ (st.) S. America
 Baraquiniii Hort. γ (st.) S. America
 Bellula Hort. γ (st.)
 bicolor Lind. γ (st.) S. America
 Chimboracensis Hort. γ (st.) S. America
 cinerea Hort. γ (st.)
 discolor Hort. γ (st.)
 fasciata Hort. γ (st.)
 Goveniana Hort. γ (st.)
 hieroglyphica Lind. γ (st.) S. America
 illustris Lind. γ (st.) Ecuador
 Legrelliana Hort. γ (st.) Amazon
 leopardina Hort. γ (st.)
 Lindeni Andr. γ (st.) Peru
 Lietzei Hort. γ (st.) S. America
 Makóyana E. Morr. γ (st.) S. America
 Massangeana Lind. γ (st.) Brazil
 orbifolia Lindl. γ (st.) S. America
 pacifica Hort. γ (st.) Amazon
 pavonina Hort. γ (st.) S. America
 pardina Hort. γ (st.) S. America
 picturata C. Koch. γ (st.) S. America
 Porteana Hort. γ (st.) S. America

Maranta—continued.

- princeps Hort. ♀ (st.) S. America
 regalis Hort. ♀ (st.)
 roseo lineata Lind. ♀ (st.) Amazon
 “ picta Lind. ♀ (st.) Amazon
 sanguinea Hort. ♀ (st.)
 setosa A. Dietr. ♀ (st.) S. America
 smaragdina Hort. ♀ (st.) S. America
 splendida Versch. ♀ (st.) Brazil
 tubispatha Hort. ♀ (st.) S. America
 undulata Hort. ♀ (st.)
 Van den Heckeii. ♀ (st.) S. America
 virginialis Hort. ♀ (st.) S. America
 Wallisii Hort. ♀ (st.)
 Warczwiczzii Lind. ♀ (st.) S. America
 zebrina Sims. ♀ (st.) S. America
-

Ordo. ZINGIBERACEAE. L. C. Richards.

Zingiber LINN. **Ginger.**

- officinale Rosc. ♀ (o. d.) India
 Zerumbet Rosc. ♀ (o. d.) E. India

Renealmia R. Br.

- pulchella R. Br. ♀ E. Australia

Alpinia LINN.

- calcarata Rosc. ♀ (o. d.) China
 cernua Sims. ♀ (o. d.) E. India
 gigantea Blum. ♀ (o. d.) Java
 nutans Rosc. ♀ (o. d.) E. India
 vittata (?) ♀ (o. d.) E. India

Hedychium KOENIG. **Garland Flower.**

- angustifolium Roxb. ♀ (o. d.) Bengal
 coronarium Koenig. ♀ (o. d.) India
 Roxburghii Blume ♀ (o. d.) Java

Amomum LINN.

- Melegueta Roxb. ♀ (st.) India

Kaempferia LINN.

- ovalifolia Rosc. ♀ (st.) E. India
 Roscooeana Wall. ♀ (st.) E. India
 speciosa Hort. ♀ (st.)
 undulata Link. ♀ (st.) Bengal

Curcuma LINN.

- cordata Wall. ♀ (st.) India
 longa Linn. ♀ (st.) India
 Roscoœana Wall. ♀ (st.) India
 variegata Hort. ♀ (st.) S. S. Islands

Mantisia SIMS.

- saltatoria Sims. ♀ (st.) E. India

Costus LINN.

- albescens Hort. ♀ (st.).
 amazonicus Hort. ♀ (st.) Amazon
 lucidus Hort. ♀ (st.) S. America
 speciosus Sm. ♀ (st.) India
 " var. hirsutus
 zebrinus Hort. ♀ (st.) Guatemala
-

Ordo. MUSACEAE. Agardh.

Heliconia LINN.

- Bihai Sw. ♀ (st.) S. America
 pulverulenta Hook. ♀ (st.) S. America
 sanguinea Hort. ♀ (st.) S. America
 venosa Hort. ♀ (st.) S. America

Musa LINN.*Plantain Tree.*

- africana (?) ♀ (st.) Africa
 Cavendishii Paxt. ♀ (o. d.) China
 coccinea Andr. ♀ (st.) China
 Ensete Bruc. ♀ (o. d.) Abyssinia
 paradisiaca Linn. ♀ (o. d.) E. Indies
 rosacea Jacq. ♀ (st.) Isl. Mauritius
 Rumphiana Krz. ♀ (st.) Malayan Archipelago
 sapientum Linn. ♀ (o. d.) *Banana.* E. India
 superba Roxb. ♀ (st.) S. India
 zebrina Hort. ♀ (st.)

Strelitzia BANKS.*Traveller's Tree.*

- angustifolia Dryand. ♂ (o. d.) C. G. Hope.
 augusta Thunb. ♂ C. G. Hope
 juncea Andr. ♀ (o. d.) C. G. Hope
 Reginae Ait. ♀ (o. d.) C. G. Hope

Ravenala ADANS.

- madagascariensis Sonner. ♂ (st.) Madagascar

Ordo. BROMELIACEAE. Lindley.

Ananas MILL. *Pineapple.*

- bracteatus* Lindl. ♀ (st.) Brazil
sativus Mill. ♀ (st.) S. America
 " var. fol. varieg.

Bromelia WILLD.

- Binoti* (?) ♀ (o. d.) S. America
discolor Lindl. ♀ (st.) S. America
humilis Jacq. ♀ (st.) S. America
Joinvillei (?) ♀ (st.) S. America
Karatas Linn. (o. d.) W. Indies
Riguieri (?) ♀ (st.) S. America
Sceptrum Huegl. ♀ S. America

Agalostachys BEER.

- fastuosa* Beer. ♀ (st.) S. America

Echinostachys BEER.

- Pinellianus* Beer. ♀ (st.) S. America

Aechmea RUIZ. & PAV.

- coeruleascens* Hort. ♀ (st.)
discolor Morr. ♀ (st.) Brazil
distichantha Lem. ♀ (st.) Brazil
fulgens Melin. ♀ (st.) Brazil
glomerata Hook. ♀ (st.) Brazil
Mariae Reginae Wendl. ♀ (st.) Brazil
Melinonii Mack. ♀ (st.) Brazil
surinamensis (?). ♀ (st.) Surinam

Billbergia THUNB.

- amoena* Lindl. ♀ (st.) S. America
carnea Hort. ♀ (st.)
chlorocyanea De Vr. ♀ (st.) Brazil
clavata Lindl. ♀ (st.) Trinidad
coelestis Reichb. ♀ (st.) Brazil
Croyana De Jongh. ♀ (st.) Brazil
discolor Koch. ♀ (st.) Brazil
Euphemiae Ed. Morn. ♀ Brazil
grandiflora Hort. ♀ (st.)
horrida Rgl. ♀ (st.) S. America
iridifolia Lindl. ♀ (st.) Brazil
Liboniana De Jongh. ♀ (st.) Brazil
lineata rosea Koch. ♀ (st.) Brazil
Loddigesii Steud. ♀ (st.) Brazil
macrocalyx (?) ♀ (st.) Brazil

Billbergia—continued.

- Moreliana Brong. ♀ (st.) Brazil
 nutans Hort. ♀ (st.) Brazil
 pallida C. Koch. ♀ (st.) S. America
 Porteana Hort. ♀ (st.) Brazil
 pyramidata Beer. ♀ (st.) Brazil
 " var. bicolor
 quadricolor, var. bicolor Hort. ♀ (st.) Brazil
 rhodocyannea Lem. ♀ (st.) Brazil
 Saundersii Hort. ♀ (st.) Brazil
 splendida Lem. ♀ (st.) Brazil
 thyrsoides Mart. ♀ (st.) S. America
 " var. zebrina
 viridiflora Wendl. ♀ (st.) S. America
 vittata Morel. ♀ (st.) Bahia
 Wetherelli Hook. ♀ (st.) Bahia
 Wiotiana amoena Hort. ♀ (st.) S. America
 zebra Lindl. ♀ (st.) S. America
 " var. viridis

Acanthostachis KLOTZSCH.

- strobilacea Klotzsch. ♀ (st.) Brazil

Guzmannia RUIZ. & PAV.

- tricolor Ruiz. & Pav. ♀ (st.) Peru

Caraguata PLUM.

- splendens Lindl. ♀ (st.) S. America

Hechtia KLOTZSCH.

- Giesebrechtii Lind. ♀ (st.) Brazil

Disteganthus LEM.

- basi-lateralis Lem. ♀ (st.) Brazil

Hoplophytum BEER.

- coeleste C. Koch. ♀ (st.) S. America
 purpureo roseum Beer. ♀ (st.) S. America

Macrochordion DE VRIES.

- pulchrum Beer. ♀ (st.) S. America
 tinctorium De Vries. ♀ (st.) S. America
 Vertmelli (?) ♀ (st.) S. America

Neumannnia BRONG.

- ochroleuca C. Koch. ♀ (st.) S. America

Ronnbergia (?).

- Morreniana Roezl. ♀ (st.) Columbia

Pironneava GAUDICH.

- Morreniana Gaudich. ♀ (st.) S. America

Pourretia RUIZ & PAV.

flexilis Hort. ♀ (st.) S. America

Nidularium LEM.

amazonicum Regl. ♀ (st.) S. America
fulgens Lem. ♀ (st.) S. America
Innocenti Lem. ♀ (st.) Brazil
latifolium Hort. ♀ (st.)
Lindeni Regl. ♀ (st.) Brazil
Meyendorffii Regl. ♀ (st.) Brazil
purpureum Beer. ♀ (st.) S. America
Scheremetiewii Regl. ♀ (st.) Brazil
spectabilis Hort. ♀ (st.) S. America
triste Regl. ♀ (st.) S. America

Pitcairnia L'HERIT.

albucaefolia Shrad. ♀ (st.) E. India
alta Hsskl. ♀ (st.) Brazil
Altensteinii Lem. ♀ (st.) Brazil
 " var. *gigantea*
angustifolia Ait. ♀ (st.) S. America
corallina Hort. ♀ (st.)
deedora A. Dietr. ♀ (st.) S. America
densiflora Brong. ♀ (st.) S. America
flammea Lindl. ♀ (st.) Brazil
flavescens Beer. ♀ (st.) Brazil
fulgens Decsn. ♀ (st.) Brazil
humilis Tenor. ♀ (st.) S. America
integrifolia Gawl. ♀ (st.) S. America
Jacksoni Hook. ♀ (st.) S. America
 " var. *inermis*
latifolia Ait. ♀ (st.) S. America
lepidosa (?) ♀ (st.) S. America
Moritzianum C. Koch. ♀ (st.) S. America
muscosa Mart. ♀ (st.) S. America
nubigera Planch. ♀ (st.) Venezuela
Olfersii Link. ♀ (st.) S. America
paniculata Ruiz & Pav. ♀ (st.) S. America
platyphylla Schrad. ♀ (st.) S. America
punicea Lindl. ♀ (st.) S. America
ramosa Jacq. ♀ (st.) Brazil
 " var. *integrifolia*
recurvata C. Koch. ♀ (st.) S. America
rivalis (?) ♀ (st.) S. America
splendens Warczew. ♀ (st.) Mexico
staminea Lodd. ♀ (st.) Brazil
tabulaeformis Hort. ♀ (st.) Brazil
undulatifolia Hook. ♀ (st.) Brazil
Warczewiciana Klotzsch. ♀ (st.) Brazil

Puya MOLIN.

- Altensteinii Klotzsch. ♀ (st.) S. America
 humilis (?) ♀ (st.) S. America
 maidifolia Planch. ♀ (st.) S. America
 recurvata Scheidw. ♀ (st.) S. America

Cryptanthus KLOTZSCH.

- acaulis-ruber Klotzsch. ♀ (st.) S. America
 bivittatus Regel. ♀ (st.) S. America

Quesnelia GAUDICH.

- Joungii Gaudich. ♀ (st.) S. America

Ortgiesia REGL.

- tillandsioides Regel. ♀ (st.) S. America

Tillandsia WILLD.

- acaulis Lindl. ♀ (st.) Brazil
 " var. viridiflora
 argentea Hort. ♀ (st.)
 bi-vittata Lindl. ♀ (st.) Brazil
 cyanea Hort. ♀ (st.) Brazil
 hieroglyphica Lindl. ♀ (st.) S. America
 Leopoldii Morr. ♀ (st.) S. America
 Lindenii Morr. ♀ (st.) S. America
 sanguinolata Lindl. ♂ (st.) S. America
 Schuechtii Fenzl. ♀ (st.) S. America
 splendens Brong. ♀ (st.) S. America
 tessellata Lindl. ♀ (st.) S. America
 Zahnii Lindl. ♀ (st.) S. America
 zonata Hort. ♀ (st.) S. America

Dyckia SCHULTES.

- Lemairiana Schult. ♀ (st.) S. America
 princeps Lem. ♀ (st.) Brazil
 rariflora Roem & Schult. ♀ (st.) Brazil
 remotiflora Otto ♀ (st.) Brazil

Lamprococcus BEER.

- Weilbachii E. Morn. ♀ (st.) S. America

Vriesia GAUDICH.

- brachystachis Hook. ♀ (st.) S. America
 psittacina Lindl. ♀ (st.) S. America
 Regina Beer. ♀ (st.) S. America
 splendens Brong. ♀ (st.) S. America
 tricolor Hook. ♀ (st.) S. America

Bonapartea RUIZ & PAV.

- glauca Ruiz & Pav. ♀ (o. d.) Peru
 juncea Ruiz & Pav. ♀ (o. d.) Peru
 stricta Ruiz & Pav. ♀ (o. d.) Peru
-

Ordo. ORCHIDÆAE. R. Brown.

Tribus. *Malaxideæ.***Pleurothallis** R. BR.

- Landsbergii (?) ♀ (st.)
 Octomerioides Lindl. ♀ (st.) Mexico
 semi-pellucida Lindl. ♀ (st.) Caracas

Dendrobium SWARTZ.

- crassinode Reichb. ♀ (st.) Siam
 chrysanthum Wall. ♀ (st.) Nepal
 chrysotoxum Lindl. ♀ (st.) E. India
 " var. suavis
 coerulescens Lindl. ♀ (st.) S. America
 Dalhousianum Paxt. ♀ (st.) India
 densiflorum Lindl. ♀ (st.) E. India
 Devonianum Paxt. ♀ (st.) E. India
 elongatum A. Cunn. ♀ (st.) E. Australia
 Farmeri Paxt. ♀ (st.) E. India
 formosum Lindl. ♀ (st.) E. India
 fimbriatum Lindl. ♀ (st.) Nepal
 furcatum (?) ♀ (st.) E. India
 gemellum Lindl. ♀ (st.) Java
 linguiforme Sm. ♂ (st.) E. Australia
 monophyllum F. Muell. ♀ (st.) E. Australia
 nobile Lindl. ♀ (st.) Macao
 Parishi Reichb. ♀ (st.) Moulmein
 Paxtoni Lindl. ♂ (st.) E. India
 secundum Lindl. ♀ (st.) Java
 speciosum Sm. ♀ (st.) N. Australia
 " var. Hillii
 tetragonum A. Cunn. ♀ (st.) E. Australia
 teretifolium R. Br. ♀ (st.) E. Australia
 thrysodes Reichb. ♂ (st.) Java
 undulatum R. Br. ♀ (st.) E. Australia
 Wardianum Hort. ♀ (st.) Assam

Bolbophyllum THOUARS.

- aurantiacum F. Muell. ♀ (st.) E. Australia
 Carreyanum Spr. ♀ (st.) Nepal

Octomeria R. Br.

graminifolia R. Br. ♀ (st.) W. Indies

Eria LINDL.

convallarioides Lindl. ♀ (st.) E. India
 ornata Lindl. ♀ (st.) E. India
 rosea Lindl. ♀ (st.) E. India
 stellata Lindl. ♀ (st.) E. India

Masdevallia RUIZ & PAV.

Davisii. ♀ (st.) S. America
 Harryana. ♀ (st.) Columbia
 Lindeni (?). ♀ (st.) Columbia

'

Liparis RICH.

cylindrostachys Lindl. ♀ (st.) Brazil
 longipes Lindl. ♀ (st.) China
 Rheedii Lindl. ♀ (st.) Java

*Tribus. Epidendreae.***Coelogine LINDL.**

cristata Lindl. ♀ (st.) Nepal
 fimbriata Lindl. ♀ (st.) S. America
 macrophylla Lindl. ♀ (st.) Java
 speciosa Lindl. ♀ (st.) Java

.

Sophronitis LINDL.

grandiflora Lindl. ♀ (st.) Brazil

Chysis LINDL.

aurea Lindl. ♀ (st.) Mexico

Laelia LINDL.

anceps Lindl. ♀ (st.) Mexico
 autumnalis Lindl. ♀ (st.) Mexico
 Brysiana Lem. ♀ (st.) Brazil
 crispa Reichb. ♀ (st.) S. America
 flava Lindl. ♀ (st.) S. America
 furfuracea Lindl. ♀ (st.) S. America
 majalis Lindl. ♀ (st.) S. America
 purpurata Lindl. ♀ (st.) S. America
 superbiens Lindl. ♀ (st.) S. America


Pholidota LINDL.

imbricata Lindl. ♀ (st.) Ceylon

Sarcochilus R. BR.

Hartmannii F. Muell. ♀ (st.) N. Australia

AQUARIUM.



Cattleya LINDL.

- Acklandiae Veitch. ♀ (st.) Brazil
 amethystoglossa Lindl. ♀ (st.) S. America
 anceps superba Hort. ♀ (st.) S. America
 gigas Lindl. ♀ (st.) S. America
 guttata Lindl. ♀ (st.) Brazil
 Harrissonianum Batm. ♀ (st.) Brazil
 labiata, var. Mossiae Lindl. ♀ (st.) S. America
 Leopoldii Lindl. ♀ (st.) Brazil
 maxima Lindl. ♀ (st.) Columbia
 Perrinii Lindl. ♀ (st.) Brazil
 quadricolor Batm. ♀ (st.) Granada
 Skinnerii Batm. ♀ (st.) Brazil
 speciosa Hort. ♀ (st.)
 superba Schomb. ♀ (st.) Guiana
 Trianaei Reichb. ♀ (st.) Brazil
 Warczewiczii Reichb. ♀ (st.) S. America

Spathoglottis BLUME.

- plicata Blume. ♀ (st.) Java

Schomburgkia LINDL.

- crispa Lindl. ♀ (st.) Guiana
 tibicinis Lindl. ♀ (st.) S. America

Broughtonia R. BR.

- sanguinea R. Br. ♀ (st.) Jamaica

Epidendrum LINN.

- ciliare Linn. ♀ (st.) S. America
 chloroleucum Hook. ♀ (st.) S. America
 cochleatum Linn. ♀ (st.) S. America
 " var. major
 decipiens Lindl. ♀ (st.) Mexico
 fragrans Sw. ♀ (st.) Jamaica
 macrochilum Hook. ♀ (st.) Mexico
 oncidoides Lindl. ♀ (st.) S. America
 prismatocarpum Reichb. ♀ (st.) S. America
 vitellinum Linn. ♀ (st.) Mexico

Phajus LINDL.

- albus Lindl. ♀ (st.) India.
 Bernaysii Rowl. ♀ (st.) N. Australia
 bicolor Lindl. ♀ (st.) Ceylon
 Blumei Lindl. ♀ (st.) Java
 flavus Lindl. ♀ (st.) Java
 grandifolius Lour. ♀ (st.) E. Australia
 maculatus Lindl. ♀ (st.) India
 pauciflorus Lindl. ♀ (st.) Java

Bletia RUIZ. & PAV.

- hyacinthina R. Br. ♀ (st.) China
 florida R. Br. ♀ (st.) E. India
 Shepherdii Hook. ♀ (st.) Jamaica

Platycotis BLUME.

- acuminata Blume. ♀ (st.) Java
 javanica Blume. ♀ (st.) Java

*Tribus. Vandaeae.***Eulophia R. BR.**

- lucida Lindl. ♀ (st.) Sierra Leone
 macrostachya Lindl. ♀ (st.) Ceylon
 vires R. Br. ♀ (st.) E. India

Zygotetalum HOOK.

- crinitum Lodd. ♀ (st.) Brazil
 Mackay Hook. ♀ (st.) Brazil

Odontoglossum HUMB. & BONPL.

- Alexandrae Moore. ♀ (st.) N. Granada
 cirrhosum Lindl. ♀ (st.) S America
 citrosum Lindl. ♀ (st.) Mexico
 cordatum Lindl. ♀ (st.) N. Granada
 crispum Lindl. ♀ (st.) Peru
 cristatum Lindl. ♀ (st.) Peru
 grande Lindl. ♀ (st.) Guatemala
 Insleayi Lindl. ♀ (st.) Mexico
 " var. Leopardinum
 maxillare Lindl. ♀ (st.) Mexico
 Pescatorei Lind. ♀ (st.) N. Granada
 Phalaenopsis Lind. ♀ (st.) N. Granada
 Roezlii Lind. ♀ (st.) Mexico
 triumphans Reichb. ♀ (st.) N. Granada
 vexillarium Reichb. ♀ (st.) Columbia

Colax LINDL.

- jugosus Lindl. ♀ (st.) Brazil

Sarcanthus LINDL.

- rostratus Lind. ♀ (st.) China
 teretifolius Lindl. ♀ (st.) China

Houletia BROGN.

- Brocklehurstiana Lindl. ♀ (st.) Brazil

Phalaenopsis BLUME.

- amabilis Blume. ♀ (st.) Java
 Schilleriana Reichb. ♀ (st.) Manila

Pilumna LINDL.

laxa Lindl. ♀ (st.) Mexico

Bromheadia LINDL.

Finnlaysoniana Reichb. ♀ (st.) Singapore

Acropera LINDL.

Loddigesii Lindl. ♀ (st.) Mexico

Vanda R. BR.

gigantea Lindl. ♀ (st.) Moulmain

insignis Blume. ♀ (st.) Timor

Roxburghii R. Br. ♀ (st.) Bengal

teres Lindl. ♀ (st.) Burmah

tricolor Reichb. ♀ (st.) Java

Renanthera LOUR.

Lowei Reichb. ♀ (st.) Borneo

Maxillaria RUIZ & PAV.

ciliata Ruiz & Pav. ♀ (st.) S. America

crassifolia Reichb. ♀ (st.) Caracas

cucullata Linn. ♀ (st.) Mexico

" gigantea Hort. ♀ (st.) S. America

Henchmanni Hook. ♀ (st.) Mexico

Kreisigii (?) ♀ (st.)

orrecta Lindl. ♀ (st.) Brazil

punctulata Klotzsch. ♀ (st.) Brazil

squalens Hook. ♀ (st.) Brazil

variabilis Batm. ♀ (st.) Mexico

" var. lutea

Aerides LOUR.

Lobbii Hort. ♀ (st.) Moulmein

Stanhopea LINDL.

aurea Lodd. ♀ (st.) Brazil

bucephalus Lindl. ♀ (st.) S. America

cirrhata Lindl. ♀ (st.) Brazil

Devoniensis Lindl. ♀ (st.) Mexico

grandiflora Lindl. ♀ (st.) Peru

Haselowiana Reichb. ♀ (st.) Peru

insignis Hook. ♀ (st.) S. America

oculata Lindl. ♀ (st.) Mexico

odoratissima Hort. ♀ (st.) S. America

Shuttleworthii (?) ♀ (st.) S. America

tigrina Batem. ♀ (st.) Mexico

" var. major

" " superba

Wardii Lodd. ♀ (st.) Guatemala

Saccolabium BLUME.

- Blumei Lindl. ♀ (st.) Java
 " var. major
 Dayanum Hook. ♀ (st.) Burmah
 giganteum Lindl. ♀ (st.) Burmah
 rostratum (?). ♀ (st.)
 violaceum Reichb. ♀ (st.) Manila

Calanthe R. BR.

- curculigoides Lindl. ♀ (st.) Malacca
 emarginata Lindl. ♀ (st.) Java
 veratrifolia R. Br. ♀ (st.) N. Australia
 " var. australis
 vestita Lindl. var. rubra. ♀ (st.)
 " var. oculata
 Veitchii Hort. ♀ (st.)

Acanthophippium BLUME.

- javanicum Blume. ♀ (st.) Java

Miltonia LINDL.

- Moreliana Hort. ♀ (st.) Brazil
 spectabilis Lindl. ♀ (st.) Brazil

Jonopsis HUMB & BONPL.

- rosea Reichb. ♀ (st.) S. America

Oncidium SWARTZ.

- altissimum Swartz. ♀ (st.) S. America
 aurosum Reichb. ♀ (st.) Peru
 barbatum Lindl. ♀ (st.) S. America
 Barkeri Lindl. ♀ (st.)
 crispum Lodd. ♀ (st.) Brazil
 flexuosum Sims. ♀ (st.) Brazil
 foveatum Lindl. ♀ (st.) Brazil
 Giesebrechtianum Reich. ♀ (st.) Brazil
 hastilabium Reichb. ♀ (st.) S. America
 incurvum Bark. ♀ (st.) Mexico
 Kramerianum Reichb. ♀ (st.) S. America
 Lanceanum Batem. ♀ (st.) S. America
 leucochilum Batem. ♀ (st.) Mexico
 luridum Lindl. ♀ (st.) W. Indies
 ornithorhynchum Humb. & Bonpl. ♀ (st.) S. America
 Papilio Lindl. ♀ (st.) W. Indies
 " var. majus
 rupestre Lindl. ♀ (st.) Brazil
 sarcodes Lindl. ♀ (st.) Brazil
 tigrinum Lavl. ♀ (st.) S. America
 triquetrum Lindl. ♀ (st.) Jamaica
 uniflorum Lindl. ♀ (st.) Brazil

Gongora RUIZ. & PAV.

- galeata Reichb. ♀ (st.) Brazil
 Jenischii Hort. ♀ (st.) S. America
 odoratissima Lem. ♀ (st.) Brazil
 retrorsa Reichb. ♀ (st.) Brazil

Coryanthes HOOK.

- macrantha Hook. ♀ (st.) S. America

Coelia LINDL.

- Baueriana Lindl. ♀ (st.) S. America

Cirrhaea LINDL.

- saccata Lindl. ♀ (st.) Brazil
 viridipurpurea Lindl. ♀ (st.) China

Brassia R. BR.

- gigantea Hort. ♀ (st.)
 macrostachya Lindl. ♀ (st.) Demerara
 verrucosa Lindl. ♀ (st.) Guatemala

Lycaste LINDL.

- aromatica Lindl. ♀ (st.) Mexico
 Deppii Lindl. ♀ (st.) Mexico
 gigantea Lindl. ♀ (st.) Caracas
 macrophylla Lindl. ♀ (st.) Caracas
 Skinnerii Lindl. ♀ (st.) Guatemala
 veridis Hort. ♀ (st.)

Acampe LINDL.

- multiflora Liadl ♀ China.

Angraecum P. THOUARS.

- eburneum Lindl. ♀ (st.) Madagascar
 sesquipedale Hook. ♀ (st.) Madagascar

Catasetum RICH.

- maculatum Lindl. ♀ (st.) Honduras
 sanguineum Lindl. ♀ (st.) Brazil
 Warczewiczii Lindl. ♀ (st.) S. America

Trichopilia LINDL.

- suavis Lindl. ♀ (st.) S. America
 tortilis Lindl. ♀ (st.) Mexico

Rodriguezia RUIZ. & PAV.

- laxiflora Lindl. ♀ (st.) Brazil
 recurva Lindl. ♀ (st.) Brazil

Peristeria HOOK.

- Bruckmuelleriana Reichb. ♀ (st.) S. America
 elata Hook. ♀ (st.) S. America

Oeceoclades LINDL.

Lindleyi Regel. ♀ (st.) E. India

Renanthera LOUR.

Lowi Reichb. ♀ (st.) Borneo

Geodorum JACKS.dilatatum R. Br. ♀ (st.) India
pictum Lindl. ♀ (st.) N. Australia**Acineta** LINDL.Barkeri Lindl. ♀ (st.) Mexico
Humboldti Lindl. ♀ (st.) Columbia**Cymbidium** SWARTZ.aloifolium Swartz. ♀ (st.) E. India
ensifolium Lindl. ♀ (st.) E. India
giganteum Wall. ♀ (st.) E. India*Tribus. Arethuseae.***Vanilla** PLUM.*Vanille.*

aromatica Swartz. ♀ (st.) S. America

Pogonia JUSS.discolor Blume. ♀ (st.) Java
Nervilia Bldme. ♀ (st.) Java*Tribus. Neottieae.***Anaectochilus** LINDL.Dawsonianus Low. ♀ (st.) Java
petala Blume. ♀ (st.) Java
Reinwardtii Blume. ♀ (st.) Java*Tribus. Cypripedieae.***Cypripedium** LINN. *Lady's Slipper.*

barbatum Lindl. ♀ (st.) Java

" var. Argus

" " coerulescens

" " Hookerianum

" " majus grandiflorum

" " nigrescens

" " pardinum

" " superbum

" " Veitchianum

caudatum Lindl. ♀ (st.) Bolivia

insigne Wall. ♀ (st.) Nepal

Cypripedium—continued.

- insigne var. Maulei
Lowei Lindl. ♀ (st.) Borneo
niveum Reichb. ♀ (st.) Singapore
Pearci Hort. ♀ (st.) Peru
pubescens Willd. ♀ (st.) N. America
purpuratum Lindl. ♀ (st.) Archipelago
Sedenii Hort. ♀ (st.) Archipelago
Stonii Hook. ♀ (st.) Borneo
venustum Wall. ♀ (st.) Nepal
villosum (?) ♀ (st.) Moulmein

Selenipedium REICHB.

- Roezlii* Reichb. ♀ (st.) Mexico
-

Ordo. IRIDAE. R. Brown.

Marica SCHREB.

- coerulea* Ker. ♀ blb. Brazil
Northiana Gaert. ♀ blb. Brazil

Orthrosanthus SWEET.

- multiflorus* Sweet. ♀ (o. d.) W. Australia

Sisyrinchium LINN.

- anceps* Lam. ♀ (o. d.) N. America
californicum Spreng. ♀ (o. d.) California
chilense Hook. ♀ (o. d.) Chili
iridifolium Humb & Bonpl. ♀ (o. d.) S. America
striatum Sm. ♀ (o. d.) Mexico

Patersonia R. BR.

- occidentalis* R. Br. ♀ (o. d.) W. Australia

Moraea LINN.

- bituminosa* Gawl. ♀ blb. C. G. Hope
ciliata Ker. ♀ blb. C. G. Hope
coerulea Thunb. ♀ blb. C. G. Hope
collina Thunb. ♀ blb. C. G. Hope
grandiflora Pers. ♀ blb. C. G. Hope
papilionacea Ker. ♀ blb. C. G. Hope
ramosa Ker. ♀ blb. C. G. Hope
Sisyrinchium Ker. ♀ blb. S. Europe
Robinsoniana F. Muell. ♀ blb. S. S. Islands

Vieusseuxia LA ROCHE.

- Bellendenii* Sweet. ♀ blb. C. G. Hope
glaucopis Dec. ♀ blb. (o. d.) C. G. Hope

Homeria VENT.

collina Sweet. ♀ blb. (o. d.) C. G. Hope

Dietes SALSB.

bicolor Sweet. ♀ (o. d.) C. G. Hope

iridioides Sweet. ♀ (o. d.) C. G. Hope

Schizostylis BACKH. & HARV.

coccinea Backh & Harv. ♀ blb. (o. d.) Caffraria

Iris LINN.*Fleur-de-Lis.*

aequiloba Ledb. ♀ (o. d.) Tauria

Blumei. ♀ (o. d.)

chinensis Curt. ♀ (o. d.) China

daenensis Kotschy. ♀ (o. d.) Persia

foetidissima Linn. ♀ (o. d.) Germany

" var. varieg.

germanica Linn. ♀ (o. d.) Germany

Gueldenstaedtiana Lepech. ♀ (o. d.) Siberia

iberica Hoffm. ♀ (o. d.) Caucasus

juncea Poir. ♀ (o. d.) Isl. Mauritius

Kaempferi Siebold. ♀ (o. d.) Japan

lophopetala (?). ♀ (o. d.)

lurida Ait. ♀ (o. d.) Europe

moraeoides Gawl. ♀ (o. d.) C. G. Hope

Pseudacorus Linn. ♀ (o. d.) Europe

pumila Linn. ♀ (o. d.) Germany

reticulata Bbrst. ♀ (o. d.) Iberia

sambucina Linn. ♀ (o. d.) Levant

setosa Pall. ♂ (o. d.) Levant

sibirica Linn. ♀ (o. d.) Siberia

" var. haematophylla

sicula (?) ♀ (o. d.)

spuria Linn. ♀ (o. d.) Europe

stylosa Desf. ♀ (o. d.) Corfu

susiana Linn. ♀ (o. d.) Levant

tuberosa Linn. ♀ blb. (o. d.) Europe

virginica Linn. ♀ (o. d.) N. America

Xiphioides Ehrh. ♀ blb. (o. d.) *English Iris.* SpainXiphium Linn. ♀ blb. (o. d.) *Spanish Iris.* Spain**Libertia** SPRENGL.

paniculata Sprengl. ♀ (o. d.) E. Australia

Tigridia JUSS.*Tiger Flower.*

coelestis (?) ♀ blb. (o. d.)

conchiflora Sweet. ♀ blb. (o. d.) Mexico

Pavonia Pers. ♀ blb. (o. d.) Mexico

Cypella HERB.

gracilis (?). ♀ blb. (o. d.)
Herberti Hook. ♀ blb. (o. d.) Brazil

Galaxia WILLD.

graminea Thunb. ♀ blb. (o. d.) C. G. Hope

Phalocallis Hook.

plumbea Lindl. ♀ blb. (o. d.) Mexico

Ferraria LINN.

undulata Herb. ♀ blb. (o. d.) C. G. Hope

Anomatheca KER.

cruenta Lindl. ♀ blb. (o. d.) C. G. Hope

Babiana KER.

alba Hort. ♀ blb. (o. d.) C. G. Hope

coccinea Ker. ♀ blb. (o. d.) C. G. Hope

corymbosa Ker. ♀ blb. (o. d.) C. G. Hope

fragrans Ker. ♀ blb. (o. d.) C. G. Hope

grandiflora Ker. ♀ blb. (o. d.) C. G. Hope

plicata Ker. ♀ blb. (o. d.) C. G. Hope

ringens Ker. ♀ blb. (o. d.) C. G. Hope

rubrocyanæa Ker. ♀ blb. (o. d.) C. G. Hope

sambucina Ker. ♀ blb. (o. d.) C. G. Hope

sanguinea Ker. ♀ blb. (o. d.) C. G. Hope

stricta Ker. ♀ blb. (o. d.) C. G. Hope

sulphurea Ker. ♀ blb. (o. d.) C. G. Hope

Thunbergii Ker. ♀ blb. (o. d.) C. G. Hope

tubata Ekl. ♀ blb. (o. d.) C. G. Hope

villosa Ker. ♀ blb. (o. d.) C. G. Hope

Gladiolus TOURNEF. *Corn Flag.*

alatus Linn. ♀ blb. (o. d.) C. G. Hope

angustus Tournef. ♀ blb. (o. d.) C. G. Hope

blandus Ait. ♀ blb. (o. d.) C. G. Hope

cardinalis Curt. ♀ blb. (o. d.) C. G. Hope

communis Linn. ♀ blb. (o. d.) C. G. Hope

eruentus (?). ♀ blb. (o. d.) C. G. Hope

Cunonius Ker. ♀ blb. (o. d.) C. G. Hope

floribundus Jacq. ♀ blb. (o. d.) C. G. Hope

Gandensis Hort. ♀ blb. (o. d.) C. G. Hope

gracilis Jacq. ♀ blb. (o. d.) C. G. Hope

purpurea-auratus Hort. ♀ blb. (o. d.) C. G. Hope

ramosus Paxt. ♀ blb. (o. d.) C. G. Hope

segetum Ker. ♀ blb. (o. d.) C. G. Hope

trimaculatus Lam. ♀ blb. (o. d.) C. G. Hope

tristis Linn. ♀ blb. (o. d.) C. G. Hope

Watsonius Jacq. ♀ blb. (o. d.) C. G. Hope

Lapeyrousia KER.

falcata Gawl. ♀ blb. (o. d.) C. G. Hope
 " var. purpurea

Pardanthus KER.

chinensis Ker. ♀ (o. d.) China
 excelsa Ker. ♀ (o. d.) China

Bobartia LINN.

aurantiaca Sweet. ♀ blb. (o. d.) C. G. Hope.

Rigidella LINDL.

flammea Lindl. ♀ blb. (o. d.) Mexico
 immaculata Lindl. ♀ blb. (o. d.) Guatemala

Antholyza LINN.

aethiopica Linn. ♀ blb. (o. d.) C. G. Hope
 bicolor Hort. ♀ blb. (o. d.) C. G. Hope
 coccinea Spr. ♀ blb. (o. d.) C. G. Hope
 Ludwigii Eckl. ♀ blb. (o. d.) C. G. Hope
 montana Gawl. ♀ blb. (o. d.) C. G. Hope
 rosea Hort. ♀ blb. (o. d.) C. G. Hope
 splendens Steud. ♀ blb. (o. d.) C. G. Hope

Watsonia MILL.

alba Ker. ♀ blb. (o. d.) C. G. Hope
 aletroides Ker. ♀ blb. (o. d.) C. G. Hope
 " var. variegata
 humilis Ker. ♀ blb. (o. d.) C. G. Hope
 hybrida-grandiflora Hort. ♀ blb. (o. d.)
 iridifolia Ker. ♀ blb. (o. d.) C. G. Hope
 marginata Ker. ♀ blb. (o. d.) C. G. Hope
 " var. minor
 punctata Ker. ♀ blb. (o. d.) C. G. Hope
 rosea Ker. ♀ blb. (o. d.) C. G. Hope
 " var. alba
 spicata Ker. ♀ blb. (o. d.) C. G. Hope
 splendens Hort. ♀ blb. (o. d.)
 tuberosa Hort. ♀ blb. (o. d.)

Micranthus PERS.

alopecuroides Pers. ♀ blb. (o. d.) C. G. Hope
 fistulosus Jacq. ♀ blb. (o. d.) C. G. Hope

Phalangium JUSS.

pomeridianum Sw. ♀ (o. d.) California

Hexaglottis VENT.

flexuosa Sweet. ♀ blb. (o. d.) C. G. Hope
 radiata Sweet. ♀ blb. (o. d.) C. G. Hope
 virgata Sweet. ♀ blb. (o. d.) C. G. Hope

Sparaxis KER.

- bulbifera Ker. ♀ blb. (o. d.) C. G. Hope
 grandiflora Ker. ♀ blb. (o. d.) C. G. Hope
 pulcherrima Hook. ♀ blb. (o. d.) C. G. Hope
 tricolor Ker. ♀ blb. (o. d.) C. G. Hope

Tritonia KER.

- aurea Ker. ♀ blb. (o. d.) C. G. Hope
 crispa Ker. ♀ blb. (o. d.) C. G. Hope
 crocata Ker. ♀ blb. (o. d.) C. G. Hope
 deusta Ker. ♀ blb. (o. d.) C. G. Hope
 fenestrata Ker. ♀ blb. (o. d.) C. G. Hope
 fucata Lindl. ♀ blb. (o. d.) C. G. Hope
 lineata Ker. ♀ blb. (o. d.) C. G. Hope
 longiflora Ker. ♀ blb. (o. d.) C. G. Hope
 miniata Ker. ♀ blb. (o. d.) C. G. Hope
 rosea R. Br. ♀ blb. (o. d.) C. G. Hope
 squalida Ker. ♀ blb. (o. d.) C. G. Hope

Crocosma PLANCH.

- aurea Planch. ♀ blb. (o. d.) C. G. Hope

Ixia LINN.

- amoena Link. ♀ blb. (o. d.) C. G. Hope
 aulica Ait. ♀ blb. (o. d.) C. G. Hope
 capillaris Thunb. ♀ blb. (o. d.) C. G. Hope
 coccinea Thunb. ♀ blb. (o. d.) C. G. Hope
 conica Salisb. ♀ blb. (o. d.) C. G. Hope
 crateroides Ker. ♀ blb. (o. d.) C. G. Hope
 erecta Berg. ♀ blb. (o. d.) C. G. Hope
 excisa Thunb. ♀ blb. (o. d.) C. G. Hope
 fragrans Jacq. ♀ blb. (o. d.) C. G. Hope
 Galaxia Linn. ♀ blb. (o. d.) C. G. Hope
 leucantha Jacq. ♀ blb. (o. d.) C. G. Hope
 linearis Linn. fil. ♀ blb. (o. d.) C. G. Hope
 maculata Linn. ♀ blb. (o. d.) C. G. Hope
 monadelpha Delar. ♀ blb. (o. d.) C. G. Hope
 patens Ait. ♀ blb. (o. d.) C. G. Hope
 polystachya Linn. var. lutea. ♀ blb. (o. d.) C. G. Hope
 purpurea Lam. ♀ blb. (o. d.) C. G. Hope
 rosea Linn. ♀ blb. (o. d.) C. G. Hope
 scillaris Linn. ♀ blb. (o. d.) C. G. Hope
 secunda patens Delar. ♀ blb. (o. d.) C. G. Hope
 viridiflora Pers. ♀ blb. (o. d.) C. G. Hope
 " var. maculata

Hesperantha KER.

- falcata Ker. ♀ blb. (o. d.) C. G. Hope
 radiata Ker. ♀ blb. (o. d.) C. G. Hope

Geissorrhiza GAWL.

secunda Gawl. γ blb. (o. d.) C. G. Hope

Trichonema KER.

Columnae Reichb. γ blb. (o. d.) Italy

cruciatum Ker. γ blb. (o. d.) C. G. Hope

ramiflorum Sweet. γ blb. (o. d.) C. G. Hope

roseum Ker. γ blb. (o. d.) C. G. Hope

speciosum Ker. γ blb. (o. d.) C. G. Hope

Crocus LINN.*Saffron.*

sativus Linn. γ blb. (o. d.) Asia

tingitorius (?). γ blb. (o. d.) Tangiers

vernus Sm. γ blb. (o. d.) Europe

Gelasine HERB.

azurea Herb. γ blb. (o. d.) N. America

Ordo. AMARYLLIDÆ. R. Brown.

Tribus. *Amarylleæ.***Leucojum** LINN.*Snowflake.*

aestivum Linn. γ blb. (o. d.) S. Europe

vernus Linn. γ blb. (o. d.) S. Europe

Bravoa LLAV.

geminiflora Llav. γ blb. (o. d.) Mexico

Sternbergia W. K.

Clusiana Ker. γ blb. (o. d.) C. G. Hope

lutea Ker. γ blb. (o. d.) C. G. Hope.

Amaryllis LINN.

aurea Ait. γ blb. (o. d.) China

Belladonna Linn. γ blb. (o. d.) C. G. Hope-W. India

crispa Jacq. γ blb. (o. d.) C. G. Hope

crocata Ker. γ blb. (o. d.) Brazil

falcata L'Herit. γ blb. (o. d.) Brazil

Fothergillia Andr. γ blb. (o. d.) C. G. Hope

ignescens Sweet. γ blb. (o. d.) Hybr

Reginae Linn. γ blb. (o. d.) S. America

undulata Linn. γ blb. (o. d.) C. G. Hope

vittata Ait. γ blb. (o. d.) C. G. Hope

Zephyranthes HERB.

Atamasco Herb. γ blb. (o. d.) Virginia

carinata Herb. γ blb. (o. d.) Mexico

Sprekelia HERB.

formosissima Herb. ♀ blb. (o. d.) S. America

Hippeastrum HERB.

equestre Herb. ♀ blb. (o. d.) C. G. Hope

pardinum Hook. ♀ blb. (o. d.) S. America

solandriflorum Herb. ♀ blb. (o. d.) S. America

vittatum Herb. ♀ blb. (o. d.) C. G. Hope

" var. *Harrisoniana*

Vallota HERB.

flammea Herb. ♂ blb. (o. d.) Peru

purpurea Herb. ♀ blb. (o. d.) C. G. Hope

Eucharis LINDL.

amazonica Lindl. ♀ blb. (o. d.) Amazon

grandiflora Planch. ♀ blb. (o. d.) Amazon

Lycoris HERB.

aurea Herb. ♀ blb. (o. d.) China

radiata Herb. ♀ blb. (o. d.) Japan

Strumararia JACQ.

linguaefolia Jacq. ♀ blb. (o. d.) C. G. Hope

Hessia BERGIUS.

spiralis Bergius. ♀ blb. (o. d.) C. G. Hope

Habranthus HERB.

Andersonii Herb. ♀ blb. (o. d.) Mexico

Nerine HERB.

corusca Herb. ♀ blb. (o. d.) C. G. Hope

flexuosa Herb. ♀ blb. (o. d.) C. G. Hope

humilis Herb. ♀ blb. (o. d.) C. G. Hope

Plantii Herb. ♀ blb. (o. d.) C. G. Hope

sarniensis Herb. ♀ blb. (o. d.) *Guernsey Lily*. Japan

undulata Herb. ♀ blb. (o. d.) C. G. Hope

Brunswigia KER.

falcata Ker. ♀ blb. (o. d.) C. G. Hope

humilis Ker. ♀ blb. (o. d.) C. G. Hope

Josephinae Ker. ♀ blb. (o. d.) C. G. Hope

radula Ker. ♀ blb. (o. d.) C. G. Hope

Buphane HERB.

ciliaris Herb. ♀ blb. (o. d.) C. G. Hope

toxicaria Herb. ♀ blb. (o. d.) C. G. Hope

" var. major

" " minor

Imhofia HERB.

crispa Herb. ♀ blb. (o. d.) C. G. Hope

Griffinia R. Br.

- Blumenavia Gawl. ♀ blb. (st.) Brazil
 hyacinthina Herb. ♀ blb. (st.) Brazil
 parviflora Gawl. ♀ blb. (st.) Brazil

Crinum LINN.

- americanum Linn. ♀ blb. (o. d.) S. America
 " var. erubescens
 aquaticum Burch. ♀ blb. (o. d.) S. Africa
 asiaticum Linn. ♀ blb. (o. d.) China-N. Australia
 capense Herb. ♀ blb. (o. d.) C. G. Hope
 giganteum Andr. ♀ blb. (o. d.) Africa
 namaquense (?) ♀ blb. (o. d.)
 pedunculatum R. Br. ♀ blb. (o. d.) *Murray Lily.* S.
 Australia
 pratense Herb. blb. (o. d.) E. India
 " var. caniculatum
 purpurascens Herb. ♀ blb. (o. d.) Fernando Po
 venosum R. Br. ♀ blb. (o. d.) N. Australia

Haemanthus LINN. *Blood Flower.*

- albiflos Jacq. ♀ blb. (o. d.) C. G. Hope
 coccineus Linn. ♀ blb. (o. d.) C. G. Hope
 pubescens Linn. ♀ blb. (o. d.) C. G. Hope
 puniceus Jacq. ♀ blb. (o. d.) C. G. Hope
 tigrinus Jacq. ♀ blb. (o. d.) C. G. Hope

Cyrtanthus AIT.

- obliquus Ait. ♀ blb. (o. d.) C. G. Hope
 spiralis Burch. ♀ blb. (o. d.) C. G. Hope
 striatus Herb. ♀ blb. (o. d.) C. G. Hope

Gastronema HERB.

- sanguinea Herb. ♀ blb. (o. d.) C. G. Hope
 " var. flammea

*Tribus. Narcisseae.***Phycella LINDL.**

- chloracea Lindl. ♀ blb. (o. d.) Mexico

Eurycles SALISB.


- amboinensis Loud. ♀ blb. (g. h.) Amboina, N. Australia
 Cunninghamii Ait. ♀ blb. (g. h.) N. Australia

Calostemma R. BR.

- luteum Sims. ♀ blb. (o. d.) S. Australia
 purpureum R. Br. ♀ blb. (o. d.) S. Australia

Chlidanthus LINDL.

- fragrans Lindl. ♀ blb. (o. d.) B. Ayers



LAWN PARTERRE.

Urceolina REICHB.

pendula Herb. ♀ blb. (st.) Peru

Phaedranassa HERB.

chloracea Herb. ♀ blb. (o. d.) Peru

gloriosa Herb. ♀ blb. (o. d.) S. America

obtusa Herb. ♀ blb. (o. d.) Peru

Stenomesson HERB.

breviflorum Herb. ♀ blb. (o. d.) C. G. Hope

Pancratium SPRENGL.

illyricum Linn. ♀ blb. (o. d.) S. Europe

maritimum Linn. ♀ blb. (o. d.) S. Europe

Reginae Hort. ♀ blb. (o. d.)

rotatum Ker. ♀ blb. (o. d.) Carolina

speciosum Salisb. ♀ blb. (o. d.) W. Indies

Callithauma HERB.

spathulatum Herb. ♀ blb. (o. d.) Truxillo

Ismene HERB.

Amancaes Herb. ♀ blb. (o. d.) Brazil

calathina Herb. ♀ blb. (o. d.) Brazil

undulata Herb. ♀ (o. d.) Caracas

Choretis HERB.

glauca Herb. ♀ blb. (o. d.) Mexico

Narcissus LINN.

angustifolius Willd. ♀ blb. (o. d.) S. Europe

bicolor Linn. ♀ blb. (o. d.) S. Europe

biflorus Curtis. ♀ blb. (o. d.) Europe

Bulbocodium Linn. ♀ blb. (o. d.) *Hoop Petticoat.* Portugal

calathinus Linn. ♀ blb. (o. d.) Italy

floribundus Schult. ♀ blb. (o. d.) S. Europe

galanthifolius Schult. ♀ blb. (o. d.) S. Europe

incomparabilis Curt. ♀ blb. (o. d.) *Butter and Eggs.*

Portugal

italicus Herb. ♀ blb. (o. d.) S. Europe

Jonquilla Linn. ♀ blb. (o. d.) Spain

odoratus Herb. ♀ blb. (o. d.) *Campanel.* S. Europe

orientalis Linn. ♀ blb. (o. d.) Levant

papyraceus Ker. ♀ blb. (o. d.) S. Europe

poeticus Linn. ♀ blb. (o. d.) S. Europe

Pseudo-Narcissus Linn. ♀ blb. (o. d.) S. Europe

Tazetta Linn. ♀ blb. (o. d.) *French Daffodil.* Spain

*Tribus. Alstroemerieae.***Alstroemeria LINN.**

- argentea vittata Hook. ♀ tubr. (o. d.) S. America
 aurea Grah. ♀ tubr. (o. d.) Chili
 brasiliensis Sellow. ♀ tubr. (o. d.) Brazil
 chilensis Jacq. ♀ tubr. (o. d.) Chili
 haemantha Ruiz & Pav. ♀ tubr. (o. d.) Chili
 Hookeriana Schult. ♀ tubr. (o. d.) Chili
 pallida Graham. ♀ tubr. (o. d.) Chili
 Pelegrina Linn. ♀ tubr. (o. d.) Peru
 pulchella Linn. ♀ tubr. (o. d.) Chili
 pulchra Sims. ♀ tubr. (o. d.) Chili
 versicolor Ruiz & Pav. ♀ tubr. (o. d.) Chili

Bomarea HERB.

- acutifolia Hook. ♀ tubr. (o. d.) Mexico
 Bredemeyeriana Hook. ♀ tubr. (o. d.) S. America
 Jacquinesiana v. Houtte. ♀ tubr. (o. d.) Chili
 oculata Mirb. ♀ tubr. (o. d.) Chili
 speciosa Hort. ♀ tubr. (o. d.)
 variabilis Herb., var. subglabrata. ♀ tubr. (o. d.) Peru

*Tribus. Agaveae.***Clivia LINDL.**

- cyrtanthiflora Lindl. ♀ (g. h.) C. G. Hope
 Gardeni Hook. ♀ (g. h.) C. G. Hope
 intermedia Lindl. ♀ (g. h.) C. G. Hope
 miniata Backh. ♀ (g. h.) C. G. Hope
 nobilis Lindl. ♀ (g. h.) C. G. Hope

Doryanthes R. Br.

- excelsa R. Br. ♀ (o. d.) E. Australia
 Palmeri Hill. ♀ (o. d.) N. Australia

Agave LINN. *American Aloe.*

- americana Linn. ♀ (o. d.) Mexico
 var. obsolata striata
 " fol. varieg.
 angustifolia Haw. ♀ (o. d.) St. Helena
 atrovirens Karw. ♀ (o. d.) Mexico
 attenuata Salm. ♀ (o. d.)
 Bouchéana Hort. ♀ (o. d.) Mexico
 bulbifera Salm. ♀ (o. d.) Mexico
 Celsiana Hook. ♀ (o. d.) Mexico
 coccinea Roezl. ♀ (o. d.) Mexico

Agave—continued.

- dasylioioides (?). ♀ (o. d.)
 densiflora Hook. ♀ (o. d.) Mexico
 filifera Salm. ♀ (o. d.) Mexico
 geminiflora Gawl. ♀ (o. d.) Peru
 Gilbeysi Hort. ♀ (o. d.)
 hystrrix Hort. ♀ (o. d.) Mexico
 ixtlioides C. Lehm. ♀ (o. d.) Mexico
 Jacquiniana Schult. ♀ (o. d.) Mexico
 Kerkhovei (?). ♀ (o. d.) Mexico
 longifolia picta Hort. ♀ (o. d.) S. America
 lophantha Schied. ♀ (o. d.) S. America
 lurida Ait. ♀ (o. d.) Mexico
 mexicana Lam. ♀ (o. d.) Mexico
 Milleri Haw. ♀ (o. d.) N. Carolina
 " var. alba marginata
 Roezli Hort. ♀ (o. d.) Mexico
 Salmiana Otto. ♀ (o. d.) Mexico
 Seemannii Hort. ♀ (o. d.) Mexico
 Tecamachale (?). ♀ (o. d.) Mexico
 yuccaeifolia Red. ♀ (o. d.) Mexico

Littaea BRIGNOL.

- geminiflora Brignol. ♀ (o. d.) Peru

Fourcroya VENT.

- cubensis Haw. ♀ (o. d.) Cuba
 gigantea Vent. ♀ (o. d.) S. America
 rigida Haw. ♀ (o. d.) S. America

Chloropsis HERB.

- Blanchardiana (?). ♀ (o. d.)

Ordo. HAEMODORACEAE. R. Brown.

Anigozanthos LABILL.

- flavida Red. ♀ (o. d.) W. Australia
 humilis Lindl. ♀ (o. d.) W. Australia
 Manglesii Don. ♀ (o. d.) W. Australia
 Preissii Endl. ♀ (o. d.) W. Australia
 rufa Labill. ♀ (o. d.) W. Australia
 viridis Endl. ♀ (o. d.) W. Australia

Ordo. HYPOXIDEAE. R. Brown.

Hypoxis LINN.

- elegans Andr. ♀ (o. d.) C. G. Hope
 pratensis R. Br. ♀ (o. d.) Australia
 stellata Jacq. ♀ blb. (o. d.) C. G. Hope
 villosa Linn. fil. ♀ (o. d.) C. G. Hope

Curculigo GAERTN.

- latifolia Dryand. ♀ (o. d.) C. G. Hope
 plicata Ait. ♀ (o. d.) C. G. Hope
 recurvata Dryand. ♀ (st.) Bengal
 " var. striata
 " " variegata
 sumatrana Roxb. ♀ (st.) Sumatra
-

Ordo. DIOSCOREAE. R. Brown.

Dioscorea LINN. *Yam.*

- acuminata Steud. ♀ ~ tubr. (o. d.) China
 anaectochilus Lind. ♀ ~ tubr. (st.) S. America
 discolor Hort. ♀ ~ tubr. (st.) S. America
 " var. variegata
 illustrata Lind. ♀ ~ tubr. (st.) Rio Grande
 lucida R. Br. ♀ tubr. (st.) E. Australia
 marmorata Hort. ♀ tubr. (st.)
 multicolor var. metallica Lind. & Andr. ♀ tubr. (st.)
 sativa Linn. ♀ tubr. (o. d.) Yam. W. Indies
 sinuata Arrab. ♀ ~ tubr. (o. d.) Brazil
-

Ordo. ALISMACEAE. R. Brown

Alisma LINN. *Waterplantain.*

- lanceolata Linn. ♀ acqu. (o. d.) Europe
 Plantago Linn. ♀ acqu. (o. d.) Europe

Ordo. PALMAE. Martius.

Tribus. Arecineae.

Chamaedorea WILLD.

formosa Hort. ♂ evgr. (st.) S. America

Seaforthia R. BR.

elegans R. Br. ♂ evgr. (st.) E. Australia
robusta Mart. ♂ evgr. (st.) E. Australia

Areca LINN.

Cabbage Palm.

alba Bory. ♂ evgr. (st.) Madagascar

aurea (?). ♂ evgr. (st.)

Baueri Hook. ♂ evgr. (st.) Norfolk Island

Catechu Linn. ♂ evgr. (st.) Sumatra, Malayan Peninsula

glandiformis Lam. ♂ evgr. (st.) Java, Moluccas

lutescens Bory. ♂ evgr. (st.) Mauritius

monostachya Mart. ♂ evgr. (st.) Java

Nenga Blum. ♂ evgr. (st.) Java

Nibung Mart. ♂ evgr. (st.) Sumatra

rubra Bory. ♂ evgr. (st.) Madagascar

sapida Forst. ♂ evgr. (o. d.) N. Zealand

triandra Roxb. ♂ evgr. (st.) Java

Hyophorbe GAERTN.

amaricaulis Mart. ♂ evgr. (st.) Bourbon

indica Gaertn. ♂ evgr. (st.) Bourbon

Verschaffeltii Hort. ♂ evgr. (st.) E. India

Euterpe MART.

edulis Mart. ♂ evgr. (st.) S. America

oleracea Linn. ♂ evgr. (st.) S. America

Arenga LABILL.

obtusifolia Mart. ♂ evgr. (st.) Java

saccharifera Labill. ♂ evgr. (st.) Malayan Peninsula,
Siam, Moluccas

Wallichia ROXB.

caryotoides Roxb. ♂ evgr. (st.) India

porphyrocarpa Mart. ♂ evgr. (st.) India

Ptychosperma LABILL.

Alexandrae F. Muell. ♂ evgr. (st.) N. Australia

Ceroxylon HUMB. & BONPL.

Andicola Humbl. & Bonpl. ♂ evgr. (st.) S. America

niveum Mart. ♂ evgr. (st.) Brazil

Kentia BLUME.

- Belmoriana* C. Moore. h evgr. (st.) Howe's Island
Canterburyana C. Moore. h evgr. (st.) Howe's Island
gracilis C. Moore. h evgr. (st.) Howe's Island
macrocarpa (?). h evgr. (st.) Howe's Island
monostachya F. Muell. h evgr. (st.) Howe's Island
Moorei F. Muell. h evgr. (st.) Howe's Island
sapida Mart. h evgr. (st.) Howe's Island
Wendlandiana (?). h evgr. (st.) (?)

Oreodoxa WILLD.

- regia* Humb. & Bonpl. h evgr. (st.) S. America

Oenocarpus MART.

- Bacaba* Mart. h evgr. (st.) Guiana

Malortica WENDL.

- lacerata* Wendl. h evgr. (st.) S. America

Pinanga BLUME.

- Kuhlii* Blume. h evgr. (st.) E. India
Smithii Blume h evgr. (st.) E. India

Calyptrocalyx BLUME.

- spicatus* Blume. h evgr. (st.) Java

Caryota LINN.

- furfuracea* Blume var. *plicata*. h evgr. (st.) Java
sobolifera Wall. h evgr. (st.) India

Oncosperma BLUME.

- filamentosa* Blume. h evgr. (st.) Java
Whightii (?) h evgr. (st.)

*Tribus. Calameae.***Calamus** LINN.

- australis* Mart. h evgr. (st.) N. Australia
ciliaris Blume. h evgr. (st.) Java
Oxleyanus Teys. & B. h evgr. (st.) Malacca

Zalacca REINW.

- edulis* Reinw. h evgr. (st.) Java

Daemonorops BLUME.

- fissus* Blume. h evgr. (st.) Borneo
Lewisianus Griff. h evgr. (st.) Sumatra
melanochaetes Blume. h evgr. (st.) Java
palembanicus Blume. h evgr. (st.) Sumatra

Sagus RUMPH.

- farinifera* Gaetn. h evgr. (st.) Moluccas

Mauritia LINN. FIL.

flexuosa Linn. fil. ♂ evgr. (st.) S. America

Plectocomia MART.

elongata Mart. ♂ evgr. (st.) Java

*Tribus. Borassineae.***Latania COMM.**

aurea Hook. ♂ evgr. (st.) Isl. Mauritius

borbonica Lam. ♂ evgr. (st.) Madagascar

glaucocephala Lodd. ♂ evgr. (st.) Isl. Mauritius

mauritanica (?). ♂ evgr. (st.) Isl. Mauritius

rubra Jacq. ♂ evgr. (st.) Isl. Mauritius

Geonoma WILLD.

gracilis Mart. ♂ evgr. (st.) Brazil

Schottiana Mart. ♂ evgr. (st.) Brazil

*Tribus. Coryphineae.***Corypha LINN.**

australis R. Br. ♂ evgr. (st.) E. Australia

Miraguama Humb. & Bonpl. ♂ evgr. (st.) Cuba

umbraculifera Linn. ♂ evgr. (st.) India, Malabar, Ceylon

Thrinax LINN. FIL.

argentea Lodd. ♂ evgr. (st.) Antilles

elegantissima Hort. ♂ evgr. (st.) W. Ind. Islands

parviflora Sw. ♂ evgr. (st.) W. Ind. Islands

stellata Lind. ♂ evgr. (st.) W. Ind. Islands

Thrithrinax MART.

aculeata Lindl. ♂ evgr. (st.) Brazil

brasiliensis Mart. ♂ evgr. (st.) Brazil

mauritiaeformis Karst. ♂ evgr. (st.) Venezuela

Pritchardia SEEM.

Gaudichaudi Wendl. ♂ evgr. (st.) S. S. Islands

macrocarpa Seem. ♂ evgr. (st.) S. S. Islands

maritima (?). ♂ evgr. (st.) S. S. Islands

pacifica Seem. ♂ evgr. (st.) S. S. Islands

Brahea MART.

filamentosa Mart. ♂ evgr. (g. h.) California

Licuala RMPH.

amplifrons Miq. ♂ evgr. (st.) Sumatra

peltata Roxb. ♂ evgr. (st.) Sikkim, Assam

spinosa Wurm. ♂ evgr. (st.) Malayan Peninsula, Java

Rhapis LINN. FIL.

flabelliformis Ait. b evgr. (st.) China

Chamaerops LINN.

elegans Hort. h evgr. (st.)
 excelsa Thunb. h evgr. China, Nepal
 Fortunii Hook. h evgr. (st.) China
 humiliis Linn. h evgr. (o. d.) S. Europe, N. Africa
 Palmetto Michx. h evgr. (st.) Florida
 tomentosa Morr. h evgr. (st.) Asia

Livistona R. Br.

altissima Zoll.	h	evgr. (st.)	Java
chinensis Mart.	h	evgr. (st.)	China
Jenkinsii Griff.	h	evgr. (st.)	Assam
Hoogendorpi Hort.	h	evgr. (st.)	Java
mauritiana Wall.	h	evgr. (st.)	Mauritius
oliveiformis Mart.	h	evgr. (st.)	Java
rotundifolia Mart.	h	evgr. (st.)	Java
subglobosa Mart.	h	evgr. (st.)	Java

Sabal ADANS.

Adansonii Guerns. ♂ evgr. (st.) Mexico
Blackburniana Glazebrook. ♂ evgr. (o. d.) Tropics
coerulescens Hort. ♂ evgr. (st.)
princeps (?) ♂ evgr. (st.)
puniceus (?) ♂ evgr. (st.)
umbraculifera Mart. ♂ evgr. (st.) W. Ind. Island

Phoenix LINN.

canariensis (?). ♂ evgr. (o. d.) Canary Isl.
dactylifera Linn. ♂ evgr. (o. d.) *Date Palm.* N. Africa,
 Arabia, Persia, Syria
farinifera Roxb. ♂ evgr. (st.) S. India
mauritanicus (?). ♂ evgr. (st.) Mauritius
paludosa Roxb. ♂ evgr. (st.) India
pumila Hort. ♂ evgr. (st.)
reclinata Jacq. ♂ evgr. (o. d.) C. G. Hope
rupicola (?). ♂ evgr. (st.)
sylvestris Roxb. ♂ evgr. (st.) Bengal

Tribus. Cocoineae.

Astrocarvum G MEY.

granatensis (?) b evgr. (st.) S. America
Malbyo Karst. b evgr. (st.) S. America
mexicanum Liebm. b evgr. (st.) Mexico
Murumuru Mart. b evgr. (st.) Brazil

Maxmiliiana MART.

regia Mart. h evgr. (st.) S. America

Martinezia HUMB. & BONPL.

Aiphanes Mart. h evgr. (st.) S. America

disticha Mart. h evgr. (st.) S. America

erosa (?). h evgr. (st.) S. America

granatensis (?). h evgr. (st.) N. Granada

leucophaena (?). h evgr. (st.)

Cocos LINN.

chilensis Molin. h evgr. (st.) Chili

coronata Mart. h evgr. (st.) Brazil

flexuosa Mart. h evgr. (st.) Brazil

nucifera Linn. h evgr. (st.) *Cocoanut*. Seashores of
S. India, Malayan Islands, Pacific Islands

Normbyana (?). h evgr. (st.)

plumosa Lodd. h evgr. (st.) Brazil

Weddeliana Wendl. h evgr. (st.) Brazil

Stevensonia (?)

grandifolia. h evgr. (st.) Seychelles

Syagrus MART.

majestica (?). h evgr. (st.)

Wallisii (?). h evgr. (st.)

Bactris WILLD.

erosa Mart. h evgr. (st.) St. Domingo

minor Willd. h evgr. (st.) S. America

Orbignya MART.

dubia Mart. h evgr. (st.) S. America

Elaeis JACQ.

guineensis Jacq. h evgr. (st.) W. Africa

Diplothemium MART.

maritimum Mart. h evgr. (st.) Brazil

Ordo. PHYTELEPHASIEAE. Brongniart.**Phytelephas RUIZ. & PAV.**

Poeppigiana Ruiz. & Fav. h evgr. (st.) Peru

Ordo. PANDANEAE. R. Brown.

Pandanus LINN. FIL. Screw Pine.

- ceramicus Rumph. ♂ evgr. (st.) Moluccas
 decora (?). ♂ evgr. (st.) "
 elegans Pet. Thou. ♂ evgr. (st.) Isl. of France
 graminifolius Hort. ♂ evgr. (st.)
 Forsterii C. Moore. ♂ evgr. (st.) Howe's Island
 furcatus Roxb. ♂ evgr. (st.) India
 javanicus Miq. ♂ evgr. (st.) Java
 " var. varieg.
 labyrinthicus Kurz. ♂ evgr. (st.) Java
 laevis Lour. ♂ evgr. (st.) Java
 pygmaeus Pet. Thou. ♀ evgr. (st.) Madagascar
 spiralis R. Br. ♂ evgr. (st.) N. Australia
 spurius Rumph. ♂ evgr. (st.) Java
 utilis Bory. ♂ evgr. (st.) Madagascar, Mauritius
 Vandermeerschii Hort. ♂ evgr. (st.)
 Veitchii Hort. ♂ evgr. (st.)
 " fol. varieg.
-

Ordo. TYPHACEAE. De Candolle.

*Tribus. Typhaeae.***Typha LINN.** Bullrush.

- angustifolia Linn. ♀ aq. pl. (o. d.) Europe
-

Ordo. CYCLANTHEAE. Poiteau.

Carludovica RUIZ. & PAV.

- atrovirens Wendl. ♀ (st.) N. Granada
 latifolia Ruiz. & Pav. ♀ (st.) Peru
 palmata Ruiz. & Pav. ♀ (st.) Peru
 speciosa Klotzsch. ♀ (st.) Peru

Ordo. AROIDEAE. Jussieu.

*Tribus. Callaceae.***Dracontium LINN.** *Dragon.*

- albo stipes. γ (st.)
 asperum Hort. γ (st.)
 elatum Hort. γ (st.)

Anthurium SCHOTT.

- acaule Schott. γ (st.) India
 angustissimum C. Koch. γ (st.) S. America
 candidum Hort. γ (st.) Columbia
 cellum C. Koch. γ (st.) S. America
 coriaceum Endl. γ (st.) Brazil
 crystalinum Lind. & Andr. γ (st.) Brazil
 elatum C. Koch. γ (st.) Brazil
 excelsum (?) γ (st.) S. America
 eximium C. Koch. γ (st.) Brazil
 floribundum. γ (st.)
 grandis Hort. γ (st.)
 Hookerii Knth. γ (st.) British Guiana
 hybridum Hort. γ (st.)
 Laucheicum Knth. γ (st.) S. America
 leuconeuron Lem. γ (st.) S. America
 longifolium Knth. γ (st.) Mexico
 magnificum Lind. & Andr. γ (st.) S. America
 margaritacum Baker. γ (st.) S. America
 Miquelianum C. Koch. γ (st.) S. America
 ornatum Hort. γ (st.)
 Patinii Hort. γ (st.)
 podophyllum Knth. γ (st.) Mexico
 ramosus (?). γ (st.)
 Regale Lind. & Andr. γ (st.) Brazil
 rubricaula C. Koch. γ (st.) S. America
 Scherzerianum Schott. γ (st.) Costa Rica
 " var. album
 tricaudata C. Koch. γ (st.) S. America
 variabile Knth. γ (st.) Brazil
 Willdenowii Knth. γ (st.) S. America

Pothos LINN.

- argyrea Hort. γ (st.) W. Indies
 excelsa Hort. γ (st.)
 lanceolata Linn. γ (st.) S. America
 macrophylla Hort. γ (st.)

Phyllotaenium ANDR.

Lindeni Andr. ♀ (st.) S. America

Spathiphyllum SCHOTT.

commutatum Hort. ♀ (st.)

heliconiaeifolia Hort. ♀ (st.)

Ortigiesi Regel. ♀ (st.) Brazil

pictum Lind. & Andr. ♀ (st.) S. America

Scindapsus SCHOTT.

decurvatus Sweet. ♀ (st.) E. India

*Tribus. Araceae.***Richardia** KNTH.

aethiopica Knth. ♀ tubr. (o. d.) C. G. Hope

albo maculata Hook. ♀ tubr. (o. d.) C. G. Hope

hastata Hook. ♀ tubr.

melanoleuca Hook. ♀ tubr. Africa

Aglaonema SCHOTT.

commutatum Schott. ♀ (st.) Sumatra

Homalonema SCHOTT.

rubescens Knth. ♀ (st.) Java

Dieffenbachia SCHOTT.

amabilis Hort. ♀ (st.) Columbia

Baraquinii Hort. ♀ (st.)

Bausei Veitch. ♀ (st.) Brazil

Bowmanni Hort. ♀ (st.)

brasiliensis Hort. ♀ (st.) Brazil

eburnea Hort. ♀ (st.)

flavo virens Hort. ♀ (st.)

gigantea Versch. ♀ (st.)

imperialis Hort. ♀ (st.)

lanceolata Hort. ♀ (st.)

lancifolia Lind. & Andr. ♀ (st.)

lati-maculata Lind. & Andr. ♀ (st.)

var. illustris Hort. ♀ (st.)

marmorata Hort. ♀ (st.)

nobilis Hort. ♀

Parlatorei Lind. & Andr. ♀ (st.)

Pearcei Hort. ♀ (st.)

picta Schott. ♀ (st.) Brazil

vittata. ♀ (st.)

Wallisii Hook. ♀ (st.) Brazil

Weirii Lind. & Andr. ♀ (st.) S. America

Caladium VENT.

- amabile Hort. γ tubr. (st.)
 argyrites Versch. γ tubr. (st.) S. America
 discolor Mart. γ tubr. (st.) Brazil
 haematostigma Hort. γ tubr. (st.) S. America
 hastatum Lem. γ tubr.
 mirabile Hort. γ tubr. (st.) S. America
 picturatum C. Koch. γ tubr. (st.) S. America
 poecile Schott. γ tubr. (st.) Brazil
 regale Hort. γ tubr. (st.)
 Seguinum Vent. γ tubr. (st.) S. America
 smaragdinum C. Koch. γ tubr. (st.) S. America
 violaceum Desf. γ tubr. (st.) Antilles

Alocasia SCHOTT.

- gigantea Hort. γ tubr. (st.) E. India
 illustris Hort. γ tubr. (st.)
 indica Koch. γ tubr. (st.) India
 Jenningsii Veitch. γ tubr. (st.) India
 Lowii Hook. γ tubr. (st.) Borneo
 macrorrhiza Schott. var. varieg. γ tubr. (st.) Japan
 Marshallii Hort. γ tubr. (st.)
 metallica Schott. γ tubr. (st.) Borneo
 Portii Hort. γ tubr. (st.)
 Roezlii Hort. γ tubr. (st.)
 Sedeni Hort. γ tubr. (st.)
 Veitchii Schott. γ tubr. (st.)
 vivipara Hort. γ tubr. (st.)
 zebrina Hort. γ tubr. (st.) Philippines

Colocasia SCHOTT.

- antiquorum Schott. γ tubr. (st.)
 argyroneura Hort. γ (st.)
 currasavica Hort. γ (st.)
 euchlora C. Koch. γ (st.) S. America
 fragrans Hort. γ (st.)

Xanthosoma SCHOTT.

- belophyllum Knth. γ (st.) S. America
 edule Schott. γ (st.) S. America

Philodendron LINDL.

- amurense Regel. γ (st.) River Amur
 atrosanguineum Hort. γ (st.)
 bipinnatifidum Schott. γ (st.) Brazil
 cardyophyllum C. Koch. γ (st.) S. America
 cordatum Knth. γ (st.) Peru
 crassinervium Lindl. γ (st.) S. America
 crinipes Brongn. γ (st.) S. America

Philodendron—continued.

- daguense Lindl. & Andr. ♀ (st.) Brazil
 gloriosum Lind. ♀ (st.) Brazil
 hastatum Schott. ♀ (st.) S. America
 Imbe Schott. ♀ (st.) S. America
 lacerum Schott. ♀ (st.) S. America
 Lindenianum Andr. ♀ (st.) S. America
 melanochrysum Lind. & Andr. ♀ (st.) N. Granada
 pertusum Knth. ♀ (st.) S. America
 pinnatifidum Knth. ♀ (st.) Caracas
 radiatum Schott. ♀ (st.) Caracas
 Roezlii Schott. ♀ (st.) Mexico
 sanguineum Hort. ♀ (st.)

Syngonium SCHOTT.

- albo-lineatum Schott. ♀ (st.) W. Indies

Schismatoglottis ZUCC & M.

- picta Teysm. ♀ (st.) Java

Arisarum TOURNEF.

- vulgare Targ. ♀ (o. d.) Europe

Arum LINN.

- albispathum Hort. ♀ (o. d.)
 cornutum Hort. ♀ (o. d.)
 corsicum Lois. ♀ (o. d.) Corsica
 crinitum Ait. ♀ (o. d.) S. Europe
 Dracontium Linn. ♀ (o. d.) S. America
 Dracunculus Linn. ♀ (o. d.) S. Europe
 italicum Mill. ♀ (o. d.) Italy
 maculatum Linn. ♀ (o. d.) Europe
 orixense Roxb. ♀ (o. d.) Australia
 trilobatum Linn. ♀ (o. d.) Ceylon

Sauromatum SCHOTT.

- guttatum Schott. ♀ (st.) E. India

Amorphophallus BLUME.

- amabilis Hort. ♀ (st.)
 aspera Hort. ♀ (st.)
 bulbiferus R. Br. ♀ (st.)
 campanulatus Blume. ♀ (st.) Tropical Asia, Africa, N.
 Granada, N. Australia
 cupreus Hort. ♀ (st.)
 Kingii Hort. ♀ (st.)
 nivosus Hort. ♀ (st.)
 Rivierii Durieu. ♀ (st.)

***Curmeria* LIND.**

picturata Lind. ♀ (st.) S. America
Wallisii Lind. ♀ (st.) S. America

***Goodwinia* SEEM.**

gigas Seem. ♀ (st.) S. America

***Steudnera* C. KOCH.**

colocasioides C. Koch. ♀ (st.) S. America

***Asterostigma* FISCH. & MEYER.**

zebrina Fisch & Meyer. ♀ (st.) Rio Negro

***Arisaema* MART.**

atro-rubens Blume. ♀ (o. d.) N. America

filiforme Blume. ♀ (st.) Java

praecox Schott. ♀ (st.) Japan.

ringens Schott. ♀ (st.) Japan

“ var. *serotinum*

“ “ *Sieboldii*

speciosum Mart. var. *Hookerianum*. ♀ (st.) Nepal

Ordo. OPHIOPOGONEAE.

***Ophiopogon* AIRT.**

Jaburan Lodd. ♀ (st.) Japan

“ var. *fol.*

“ var. *striatum*

Ordo. LILIACEAE. De Candolle.

Tribus. Tulipeae.

***Erythronium* LINN. Dog's Tooth.**

Dens canis Linn. ♀ blb. (g. h.) Europe
grandiflorum Pursh. ♀ blb. (g. h.) N. America

***Tulipa* LINN. Tulip.**

Gesneriana Linn. ♀ blb. (o. d.) Asia

Oculus-solis Dec. ♀ blb. (o. d.) Italy

suaveolens Roth. ♀ blb. (o. d.) Europe

sylvestris Linn. ♀ blb. (o. d.) Europe

Calochartus PURSH.

- elegans Pursh. ♀ blb. (o. d.) Louisiana
 luteus Dougl. ♀ blb. (o. d.) California
 oculatus Benth. ♀ blb. (o. d.) California
 splendens Benth. ♀ blb. (o. d.) California
 venustus Benth. ♀ blb. (o. d.) California

Cyclobothra SWEET.


- alba Benth. ♀ blb. (o. d.) California
 coerulea Benth. ♀ blb. (o. d.) California
 lutea Lindl. ♀ blb. (o. d.) California
 pulchella Benth. ♀ blb. (o. b.) California

Fritillaria LINN.

- graeca Bois. ♀ blb. (o. d.) Greece
 imperialis Linn. ♀ blb. (o. d.) S. Europe
 persica Linn. ♀ blb. (o. d.) Persia
 praecox Sweet. ♀ blb. (o. d.) S. Europe

Lilium LINN.*Lily.*

- atrosanguineum Sieb. & Zucc. blb. (o. d.) Japan
 " var. sanguinolentum
 " " grandiflorum
 " " incomparabile
 auratum Lindl. ♀ blb. (g. h.) Japan
 bulbiferum Linn. ♀ blb. (g. h.) *Orange Lily.* S. Europe
 calanthinum. ♀ blb. (g. h.)
 candidum Linn. ♀ blb. (o. d.) *White Lily.* S. Europe
 " var. fl. pl.
 " " punctatum
 corymbiflorum aurantiacum Chaix. ♂ blb.
 croceum fulgidum Chaix. ♀ blb. Italy
 excelsum Hort. ♀ blb. (g. h.)
 eximium Court. ♀ blb. (g. h.) Japan
 fulgens atrosanguineum Hort. ♀ blb. (g. h.)
 giganteum Wall. ♀ blb. (g. h.) Nepal
 japonicum Thunb. ♀ blb. (g. h.) Japan
 lancifolium Thunb. ♀ blb. (g. h.) Japan
 " var. album
 " " corymbiflorum
 " " rubrum
 " " roseum
 Letchlini Hook. ♀ blb. (g. h.) California
 longiflorum Thunb. ♀ blb. (g. h.) China
 Martagon Linn. ♀ blb. (g. h.) Europe
 Maximowiczi Regl. ♀ blb. (g. h.)
 pyrenaicum Guan. ♀ blb. (g. h.) Pyrenees
 speciosum Thunb. ♀ blb. (g. h.)
 " var. punctatum



PARTERRE NEAR THE ENTRANCE GATE.

Lilium—continued.

- Thomsonianum* Lindl. ♀ blb. (g. h.) Asia
Thunbergianum Roem. & Schult. ♀ blb. (g. h.) Japan
tigrinum Gawl. ♂ blb. (g. h.) *Tiger Lily*. China
 " var. *pleno*
umbellatum Pursh. ♀ blb. (g. h.) S. America
Washingtonianum Kellog. ♀ blb. (g. h.) California
Wilsoni. ♀ blb. (g. h.) California

*Tribus. Hemerocalleae.***Hemerocallis** LINN. *Day Lily.*

- flava* Ait. ♀ (o. d.) Siberia
fulva Linn. ♀ (o. d.) Levant
Kivanso fol. var. Hort. ♀ (g. h.) Japan
picta Hort. ♀

Funkia SPRENG.

- coerulea* Andr. ♀ (g. h.) Japan
 " var. fol. *aurea*
spathulata var. fol. aur. varieg. ♀ (g. h.) Japan
undulata Otto & Dietr. ♀ (g. h.) Japan
 " var. fol. varieg.
uni-vittata Hort. ♀ (g. h.) Japan

Agapanthus L'HERIT.

- umbellatus* L'Herit. ♀ (o. d.) C. G. Hope
 " var. fl. *alba*
 " " fol. varieg.

Polianthes LINN. *Tuberose.*

- tuberosa* Linn. ♀ tubr. E. India

Blandfordia SMITH.

- Cunninghamii* Lindl. ♀ (g. h.) E. Australia
flammea Hook. ♀ (g. h.) E. Australia
marginata Hook. ♀ (o. d.) E. Australia
nobilis Sm. ♀ (o. d.) Australia

Veltheimia GLEDIT.

- glaucia* Jacq. ♀ blb. (o. d.) C. G. Hope
viridifolia Jacq. ♀ blb. (o. d.) C. G. Hope

Tritoma KER.

- Burchellii* Sweet. ♀ (o. d.) C. G. Hope
Macowani Hort.
media Ker. ♀ (o. d.) C. G. Hope
Uvaria Ker. ♀ (o. d.) C. G. Hope
 " var. *glaucia*
Rooperi Moore. ♀ (o. d.) C. G. Hope

Phormium LINN. *New Zealand Flax.*

- tenax Forst. ♀ (o. d.) N. Zealand
 " var. Colensoi
 " " fol. varieg.

Sansevieria THUNB.

- capensis Thunb. ♀ (o. d.) C. G. Hope
 cylindrica Boj. ♀ (o. d.) W. Africa
 fasciata ♀ (o. d.)
 guineensis Willd. ♀ (o. d.) Guinea
 javanica Blum. ♀ (o. d.) Java
 " var. fol. varieg.
 zeylanica Willd. ♀ (o. d.) Ceylon

*Tribus. Aloineae.***Aloe LINN.**

- angulata Willd. ♂ und. shr. evgr. C. G. Hope
 angusta Roem. & Schult. ♂ und. shr. evgr. C. G. Hope
 atrovirens Dec. ♀ (o. d.) C. G. Hope
 attenuata Haw. ♀ (o. d.) C. G. Hope
 brachyphylla Salm. ♀ (o. d.) C. G. Hope
 carinata Mill. ♀ (o. d.) C. G. Hope
 Commelynii Willd. ♂ und. shr. evgr. C. G. Hope
 conspurcata Salm. ♀ (o. d.) C. G. Hope
 cuspidata Schult. ♀ (o. d.) C. G. Hope
 dichotoma Linn. ♂ und. shr. evgr. C. G. Hope
 distans Haw. ♂ und. shr. evgr. (o. d.) C. G. Hope
 echinata Willd. ♀ (o. d.) C. G. Hope
 formosa Schult. ♀ (o. d.) C. G. Hope
 frutescens Salm. ♂ und. shr. evgr. (o. d.) C. G. Hope
 glauca Mill. ♀ und. shr. evgr. (o. d.) C. G. Hope
 humilis Haw. ♀ (o. d.) C. G. Hope
 Lingua Steud. ♂ und. shr. evgr. (o. d.) C. G. Hope
 maculata Thunb. ♂ und. shr. evgr. (o. d.) C. G. Hope
 mitraeformis Willd. ♂ und. shr. evgr. (o. d.) C. G. Hope
 nigricans Haw. ♀ (o. d.) C. G. Hope
 nitida Salm. ♀ (o. d.) C. G. Hope
 patens Hort. ♂ und. shr. evgr. (o. d.) C. G. Hope
 plicatilis Mill. ♂ und. shr. evgr. (o. d.) C. G. Hope
 pseudoferox Salm. ♂ und. shr. evgr. (o. d.) C. G. Hope
 pulchra Haw. ♀ (o. d.) C. G. Hope
 Radula Jacq. ♀ (o. d.) C. G. Hope
 Reinwardti Salm. ♀ (o. d.) C. G. Hope
 Saponaria Haw. ♂ und. shr. evgr. (o. d.) C. G. Hope
 scaberrima Salm. ♀ (o. d.) C. G. Hope
 Serra Willd. ♀ (o. d.) C. G. Hope
 subcarinata Salm. ♀ (o. d.) C. G. Hope

Aloe—continued.

- sulcata Salm. ♀ (o. d.) C. G. Hope
 tessellata Schult. ♂ und. shr. evgr. (o. d.) C. G. Hope
 tortuosa Haw. ♂ und. shr. evgr. (o. d.) C. G. Hope
 verrucosa Ait. ♀ (o. d.) C. G. Hope
 viscosa Linn. ♀ und. shr. evgr. (o. d.) C. G. Hope
 Zeyheri Hort. ♀ (o. d.) C. G. Hope

Yucca LINN.*Adam's Needle.*

- aloifolia Linn. ♂ und. shr. (o. d.) S. America
 " var. tricolor
 " " quadricolor
 angustifolia Pursh. ♂ und. shr. evgr. (o. d.) Missouri
 baccata Lind. ♂ und. shr. evgr. (o. d.) S. America
 californica (?). und. shr. evgr. (o. d.) California
 conspicua Haw. ♂ und. shr. evgr. (o. d.) (?)
 crenulata Haw. ♂ und. shr. evgr. (o. d.) (?)
 Doria (?). ♂ und. shr. evgr. (o. d.) (?)
 filamentosa Linn. ♂ und. shr. evgr. (o. d.) Virginia
 gloriosa Linn. ♂ shr. evgr. (o. d.) S. America
 graminifolia Zucc. ♂ und. shr. evgr. (o. d.) S. America
 recurva Salisb. ♂ und. shr. evgr. (o. d.) Georgia
 picta Sims. ♂ und. shr. evgr. (o. d.) Carolina
 Treculana Seem. ♂ und. shr. evgr. (o. d.) Mexico
 Whipplei Hort. ♂ und. shr. evgr. (o. d.) S. America

*Tribus. Scilleae.***Milla** CAV.

- uniflora Grah. ♀ blb. (o. d.) B. Ayres

Barnardia LINDL.

- campanuloides Lindl. ♀ blb. (o. d.) (?)

Camassia LINDL.

- esculenta Lindl. ♀ blb. (o. d.) N. America

Allium LINN.*Shallot.*

- album Spr. ♀ blb. (o. d.) Italy
 ascalonicum Linn. ♀ blb. (o. d.) Asia
 chinense Don. ♀ blb. (o. d.) China
 coeruleascens Don. ♀ blb. (o. d.) S. Europe
 descendens Linn. ♀ blb. (o. d.) Caucasus
 fragrans Vent. ♀ blb. (o. d.) S. America
 haemantha (?). ♀ blb. (o. d.) (?)
 junceum Sib. ♀ blb. (o. d.) Cyprus
 magicum Linn. ♀ blb. (o. d.) Europe
 Moly Linn. ♀ blb. (o. d.) S. Europe
 nutans Linn. ♀ blb. (o. d.) Siberia

Allium—continued.

- odorum Linn. ♀ blb. (o. d.) Siberia
 Ophioscorodon Don. ♀ blb. (o. d.) C. G. Hope
 roseum Linn. ♀ blb. (o. d.) Spain
 rubellum Bbrst. ♀ blb. (o. d.) Caucasus
 Schoenoprasum Linn. ♀ blb. (o. d.) Europe
 strictum Schrad. ♀ blb. (o. d.) Germany
 subhirsutum Linn. ♀ blb. (o. d.) S. Europe
 triquetrum Linn. ♀ blb. (o. d.) Europe
 vineale Linn. ♀ blb. (o. d.) Europe

Scilla LINN.*Squill.*

- bifolia Linn. ♀ blb. (o. d.) Europe
 campanulata Ait. ♀ blb. (o. d.) Spain
 Cupaniana Guss. ♀ blb. (o. d.) Sicily
 lusitanica Linn. ♀ blb. (o. d.) Portugal
 maritima Linn. ♀ blb. (o. d.) S. Europe
 natalense (?). ♀ blb. (o. d.) Natal
 nutans Sm. ♀ blb. (o. d.) *Blue Bell.* S. Europe
 patula Redout. ♀ blb. (o. d.) Italy
 peruviana Linn. ♀ blb. (o. d.) S. Africa
 sibirica Andr. ♀ blb. (o. d.) Siberia

Ornithogalum LINN. *Star of Bethlehem.*

- altissimum Linn. blb. (o. d.) S. Africa
 arabicum Linn. ♀ blb. (o. d.) Egypt
 aureum Curt. ♀ blb. (o. d.) C. G. Hope
 Bergii Schlechld. ♀ blb. (o. d.) C. G. Hope
 bicolor Haw. ♀ blb. (o. d.) C. G. Hope
 bulbiferum Linn. ♀ blb. (o. d.) Russia
 caudatum Ait. ♀ blb. (o. d.) C. G. Hope
 comosum Linn. ♀ blb. (o. d.) Europe
 fimbriatum Willd. ♀ blb. (o. d.) Russia
 junceum Poir. ♀ blb. (o. d.) C. G. Hope
 longebracteatum Jacq. ♀ blb. (o. d.) C. G. Hope
 luteum Roem. & Schult. ♀ blb. (o. d.) Europe
 narbonense Linn. ♀ blb. (o. d.) S. Europe
 nutans Linn. ♀ blb. (o. d.) Europe
 pyramidale Linn. ♀ blb. (o. d.) Europe
 Rudolphi Jacq. ♀ blb. (o. d.) C. G. Hope
 splendens Hort. ♀ blb. (o. d.)
 umbellatum Linn. ♀ blb. (o. d.) Europe
 unifolium Gawl. ♀ blb. (o. d.) C. G. Hope

Albuca LINN.

- filifolia Gawl. ♀ blb. (o. d.) C. G. Hope
 major Linn. ♀ blb. (o. d.) C. G. Hope
 minor Linn. ♀ blb. (o. d.) C. G. Hope
 viridiflora Jacq. ♀ blb. (o. d.) C. G. Hope

Muscari DESF. *Grape Hyacinth.*

- botryoides Mill. ♀ blb. (o. d.) Italy
 comosum Mill. ♀ blb. (o. d.) S. Europe
 " var. monstrosum
 moschatum Desf. ♀ blb. (o. d.) S. Europe
 racemosum Willd. ♀ blb. (o. d.) Europe

Hyacinthus LINN. *Hyacinth.*

- amethystinus Linn. ♀ blb. (o. d.) Orient
 orientalis Linn. ♀ blb. (o. d.) Orient

Puschkinia ADAMS.

- scilloides Sieb. ♀ blb. (o. d.) Caucasus

Leucocoryne LINDL.

- alliacea Lindl. ♀ blb. (o. d.) C. G. Hope

Brodiaea Sm.

- coccinea A. Gray. ♀ blb. (o. d.) California
 congesta Sm. ♀ blb. (o. d.) Solomon Isl.
 grandiflora Sm. ♀ (o. d.) C. G. Hope
 terestris (?) ♀ blb. (o. d.) California
 volubilis Ball. ♀ blb. (o. d.) California

Bellevalia LAPEYR.

- spathulata Lapeyr. ♀ blb. (o. d.) Italy

Lachenalia JACQ.

- erecta (?). ♀ blb. (o. d.) C. G. Hope
 fragrans Jacq. ♀ blb. (o. d.) C. G. Hope
 maculata Tratt. ♀ blb. (o. d.) C. G. Hope
 orchioides Ait. ♀ blb. (o. d.) C. G. Hope
 pallida Ait. ♀ blb. (o. d.) C. G. Hope
 pendula Ait. ♀ blb. (o. d.) C. G. Hope
 pustulata Jacq. ♀ blb. (o. d.) C. G. Hope
 quadricolor Jacq. ♀ blb. (o. d.) C. G. Hope
 rosea Andr. ♀ blb. (o. d.) C. G. Hope
 rubida Jacq. ♀ blb. (o. d.) C. G. Hope
 serotina Willd. ♀ blb. (o. d.) C. G. Hope
 superba Hort. ♀ blb. (o. d.) C. G. Hope
 tigrina Jacq. ♀ blb. (o. d.) C. G. Hope
 tricolor var. aurea Thunb. ♀ blb. (o. d.) C. G. Hope
 versicolor Hörst. ♀ blb. (o. d.) C. G. Hope
 viridis Willd. ♀ blb. (o. d.) C. G. Hope

Drimia JACQ.

- altissima Gawl. ♀ blb. (o. d.) C. G. Hope

Massonia LINN.

- corymbosa Sims. ♀ blb. (o. d.) C. G. Hope

Eucomis L'HERIT.

- nana Ait. ♀ blb. (o. d.) C. G. Hope
 regia L'Herit. ♀ (o. d.) C. G. Hope
 undulata Ait. ♀ blb. (o. d.) C. G. Hope .

Cummingia D. DON.

- trimaculata D. Don. ♀ blb. (o. d.) C. G. Hope

*Tribus. Anthericeae.****Asphodelus*** LINN. *Asphodel.*

- creticus Lam. ♀ (o. d.) Crete
 luteus Linn. ♀ (o. d.) Europe
 microcarpus Viv. ♀ (o. d.) Dalmatia
 ramosus Linn. ♀ (o. d.) S. Europe
 viridiflorus Hort. ♀ (o. d.) C. G. Hope

Chrysobactron COLENSO.

- Hookerii Colenso. ♀ (o. d.) N. Zealand

Cyanella LINN.

- capensis Linn. ♀ blb. (o. d.) S. Africa
 lutea Linn. ♀ blb. (o. d.) S. Africa

Thysanotus R. BR.

- proliferus Lindl. ♀ (o. d.) E. Australia

Anthericum LINN.

- graminifolium Willd. ♀ (o. d.) C. G. Hope
 Liliago Linn. ♀ (o. d.) Europe
 Liliastrum Linn. ♀ (o. d.) Europe
 " var. fol. varieg.

Arthropodium R. BR.

- cirrhatum R. Br. ♀ (o. d.) N. Zealand

Tulbachia LINN.

- alliacea Linn. ♀ (o. d.) S. Africa
 Ludwigiana Harv. ♀ (o. d.) S. Africa
 violacea Harv. ♀ (o. d.) S. Africa

Ordo. MELANTHACEAE. R. Brown.

*Tribus. Veratreeae.****Melanthium*** LINN.

- juncinum Jacq. ♀ blb. (o. d.) C. G. Hope
 marginatum Schlecht. ♀ blb. (o. d.) C. G. Hope

Veratrum LINN.

album Linn. ♀ (o. d.) Europe

Tricyrtis WALL.

hirta Thunb. ♀ (g. h.)

*Tribus. Colchiceae.***Colchicum LINN.***Meadow Saffron.*

autumnale Linn. ♀ blb. (o. d.) Europe

tesselatum Link. ♀ blb. (o. d.) S. Europe

*Tribus. Methoniceae.***Methonica JUSS.**

gloriosa Salisb. ♀ blb. (g. h.) Mosambique

superba Lam. ♀ blb. (g. h.) Mosambique

Sandersonia HOOK.

aurantiaca Hook. ♀ blb. (o. d.) C. G. Hope

Littonia HOOK.

modesta Hook. ♀ blb. (o. d.) Natal

Ordo. SMILACEAE. R. Brown.

*Tribus. Convallarieae.***Convallaria LINN.** *Lily of the Valley.*

majalis Linn. ♀ (o. d.) Europe

" var. fol. varieg.

Ruscus LINN.

aculeatus Linn. ♂ und. shr. evgr. (o. d.) England

androgynus Linn. ♂ und. shr. evgr. (o. d.) Canary Islands

Smilax WILLD.*Sarsaparilla.*

latifolia R. Br. ♂ — evgr. (o. d.)

maculata Roxb. ♂ — evgr. (o. d.) Nepal

mauritanica Poir. ♂ — (g. h.) Mauritius

Sarsaparilla Linn. ♂ — (o. d.) S. America

Lapageria RUIZ & PAV.

rosea Ruiz & Pav. ♂ — evgr. (g. h.) Chili

Polygonatum ADANS. *Solomon's Seal.*

multiflorum All. ♀ (o. d.) S. Europe
vulgare Red. ♀ (o. d.) S. Europe

*Tribus. Parideae.***Trillium** LINN.

grandiflorum Salisb. ♀ (o. d.) N. America

Medeola WILLD.

asparagoides Linn. ♀ (o. d.) C. G. Hope
caroliniana Willd. ♀ (o. d.) N. America

Ordo. ASTELIEAE. Brongniart.

Astelia BANKS & SOLAND.

Banksii A. Cunn. ♀ (o. d.) N. Zealand
trinervia (?) ♀ (o. d.) N. Zealand

Ordo. ASPARAGEAE. De Candolle.

Dianella LAM.

coerulea R. Br. ♀ (o. d.) S. Australia
tasmanica Hook. ♀ (o. d.) Tasmania

Cordyline COMMERS.

australis Endl. ♂ evgr. (o. d.) Norfolk Island
Banksii Regl. ♂ evgr. (o. d.) N. Zealand
cannaefolia R. Br. ♂ evgr. (o. d.) E. Australia
Forsterii (?) ♂ evgr. (o. d.) N. Zealand
indivisa Knth. ♂ evgr. (o. d.) N. Zealand
nutans (?) ♂ evgr. (o. d.) N. Zealand
stricta Endl. ♂ evgr. (o. d.) N. Zealand

Asparagus LINN. *Asparagus.*

officinalis Linn. ♀ (o. d.) Europe

Asparagopsis KNTH.

javanica Knth. ♀ (o. d.) Java

Beaucarnea LEHM.

glauca Lehm. ♂ und. shr. (o. d.) Mexico
recurvata Lehm. ♂ und. shr. (o. d.) Mexico

Eustrephus R. Br.

angustifolius R. Br. ♂ und. shr. (o. d.) E. Australia

Dracaena LINN. *Dragon Tree.*

arborea Link. ♂ evgr. (o. d.) S. Africa

Baptistii Hort. ♂ evgr. (st.) S. S. Islands

brasiliensis Parm. ♂ evgr. (st.) S. America

Cooperii Hort. ♂ evgr. (st.) S. S. Islands

crispata Hort. evgr. (o. d.) Canary Island, E. India

Draco Linn. ♂ evgr. (o. d.) *Dragon's Blood.* E. India, Canaries

ensifolia Wall. ♂ (st.) E. India

ferrea Linn. ♂ evgr. (st.) E. India

ferruginea Hort. ♂ evgr. (st.) E. India

fragrans Gawl. ♂ evgr. (st.) Africa

Gayii Hort. ♂ evgr. (st.) S. S. Islands

gloriosa Hort. ♂ evgr. (st.) S. S. Islands

Goldiena Bull. ♂ evgr. (st.) W. Tropical Africa

gracilis Wall. ♂ evgr. (st.) E. India

Hendersonii Hort. ♂ evgr. (st.) S. S. Islands

Hibbertii Hort. ♂ evgr. (st.)

hybrida Hort. ♂ evgr. (st.)

jaspida Hort. ♂ evgr. (st.)

limbata Hort. ♂ evgr. (st.)

lutescens Hort. ♂ evgr. (st.)

maculata Knth. ♂ evgr. (st.) E. India

magnifica Hort. ♂ evgr. (st.)

metallica Hort. ♂ evgr. (st.)

nigricans Hort. ♂ evgr. (st.)

nutans Cunn. ♂ evgr. (o. d.) E. Australia

Queen Victoria Hort. ♂ evgr. (st.)

robusta Hort. ♂ evgr. (st.)

Regina Veitch. ♂ evgr. (st.)

rosea picta Hort. ♂ evgr. (st.)

rubra Hort. ♂ evgr. (st.)

Rumphii Hook. ♂ evgr. (st.)

salicifolia Goepp. ♂ evgr. (st.)

siamense Hort. ♂ evgr. (st.) Siam

speciosa Hort. ♂ evgr. (st.)

striatifolia Hort. ♂ evgr. (st.)

terminalis Linn. ♂ evgr. (st.)

Veitchii Hort. ♂ evgr. (st.)

Verschaffeltii Hort. ♂ evgr. (st.)

Youngii Hort. ♂ evgr. (st.) S. S. Islands

Wrightii Hort. ♂ evgr. (st.)

Ordo. XEROTIDEAE. Endlicher.

Xanthorrhoea Sm. *Grass Tree.*

quadrangularis F. Muell. ♂ evgr. (o. d.) S. Australia
semiplena F. Muell. ♂ evgr. (o. d.) S. Australia

Ordo. COMMELYNEAE. R. Brown.

Commelynna LINN.

coelestis Willd. ♀ tubr. (o. d.) Mexico

Tradescantia LINN.

discolor L'Herit. ♂ (o. d.) S. America

" var. fol. var.

gianensis Miq. ♀ (st.) S. America

virginica Linn. ♀ (o. d.) N. America

zebrina Hort. ♀ (st.) S. America

Dichorisandra MIKAN.

argentea marginata Hort. ♀ (st.) Brazil

musaica Lindl. ♀ (st.) S. America

thyrsiflora Mikan. ♀ (st.) Brazil

undata Lindl. ♀ (st.) Amazon

vittata discolor Hort. ♀ (st.) S. America

Ordo. CYPERACEAE. De Candolle.

*Tribus. Cypereae.***Papyrus** WILLD.

antiquorum Willd. ♀ (o. d.) *Paper Plant.* Egypt

Cyperus LINN.

alternifolius Linn. ♀ (o. d.) Madagascar

" fol. varieg.

compactus Lam. ♀ (o. d.) Madagascar

cylindrostachys (?) ♀ (o. d.)

vegetus Willd. ♀ (o. d.) S. America

virens Michx. ♀ (o. d.) N. America

*Tribus. Scirpeae.***Scirpus** BEAUV.

radicans Schkr. ♀ (o. d.) Europe

*Tribus. Caricineae.***Carex** LINN.aquatilis Whlbrg. ♀ (o. d.) Europe
vesicaria Linn. ♀ (o. d.) Europe

Ordo. GRAMINEAE. Jussieu.

*Tribus. Andropogoneae.***Andropogon** WILLD.Allionii Dec. ♀ (o. d.) S. Europe
bombacinus R. Br. ♀ (o. d.) Australia
campanos (?).
Ischaemum Linn. ♀ (o. d.) Europe, Africa
muricatus Retz. ♀ (o. d.)
Schimperi (?).
Schoenanthus Linn. ♀ (o. d.) Europe, Africa**Erianthus** MICHX.

Ravennae Beauv. ♀ (o. d.) W. Indies

Saccharum LINN. Sugar Cane.cylindricum Lam. ♀ (o. d.) Europe, Asia, Africa, S.
America
officinarum Linn. ♀ (o. d.) E. India**Tricholaena** SCHRAD.

Teneriffa R. Br. ♀ (o. d.) Isl. Canary

Sorghum LINN.cernuum Willd. ♀ (o. d.) E. India
saccharatum Moench. ♂ (o. d.) E. India
vulgare Pers. ♂ (o. d.) India Millet. Africa**Eulalia** KNTH.

japonica (?) ♀ Japan

*Tribus. Paniceae.***Panicum LINN.***Panic Grass.*

- capillaceum Lam. ♀ (o. d.) N. America
 ciliare Retz. ♂ (o. d.) Europe, Asia, America, Australia
 maximum Jacq. ♀ (o. d.) *Guinea Grass.* Guinea
 miliaceum Linn. ♂ (o. d.) E. India
 plicatum fol. niv. vittatis Mack. ♀ (o. d.) Antilles
 spectabile Nees. ♀ (o. d.) S. America
 tomentosum Roxb. ♀ (o. d.) E. India

Stenotaphrum TRIN.

- complanatum Schrank. ♀ (o. d.) *Buffalo Grass.* Isl.
 Bourbon, E. India, America

Anthephora SCHREB.

- elegans Schreb. ♀ (o. d.) S. America

Pennisetum RICH.

- fimbriatum (?).
 italicum R. Br. ♂ (o. d.) Europe, Asia, Australia
 longistylum. Hochst. ♀ (o. d.) Abyssinia
 villosum R. Br. ♀ (o. d.) Abyssinia

Paspalum WILLD. *Bastard Millet Grass.*

- elegans Flueg. ♀ (o. d.) Brazil

Setaria BEAUV.

- glauca Beauv. ♂ (o. d.) Europe
 italica Beauv. ♂ (o. d.) Europe
 viridis Beauv. ♂ (o. d.) Europe, Asia, America, Africa

Gymnothrix BEAUV.

- japonica Knth. ♀ (o. d.) Japan

*Tribus. Phalarideae.***Tricholaena SCHRAD.**

- rosea Nees. ♂ (o. d.) Italy, Arabia

Anthoxanthum LINN.

- gracile Knth. ♂ (o. d.) Italy
 odoratum Linn. ♂ (o. d.) Europe

Hierochloa BEAUV.

- borealis Roem. & Schult. ♀ (o. d.) Europe

Phalaris LINN. *Canary Grass.*

- arundinacea Linn. ♀ (o. d.) Europe
 americana Ell. ♂ (o. d.) S. America
 " var. variegata

Lygeum LINN.

- Spartium Linn. ♀ (o. d.) *Esparto Grass.* Spain

Zea WILLD. *Maize.*

- Mais Linn. ♂ (o. d.) S. America
 " var. fol. var.

Coix LINN. *Job's Tears.*

- exaltata Jacq. ♀ (o. d.) China
 Lacryma Linn. ♂ (o. d.) E. India

*Tribus. Phleineae.***Phleum LINN.** *Catstail Grass.*

- pratense Linn. ♀ (o. d.) Europe
 " var. varieg.

Alopecurus LINN. *Foxtail Grass.*

- pratensis Linn. ♀ (o. d.) Europe

*Tribus. Agrostideae.***Sporobolus R. Br.**

- indicus R. Br. ♂ (o. d.) India, Australia

Agrostis LINN. *Bent Grass.*

- argentea Schleich. ♀ (o. d.) Europe
 capillaris Lam. ♂ (o. d.) Caucasus
 laxiflora Rich. ♀ (o. d.) N. America
 Stevenii (?). ♀ (o. d.)
 stolonifera Linn. ♀ (o. d.) *Fiorin.* Europe
 verticillata Vill. ♀ (o. d.) Europe

*Tribus. Stipeae.***Milium LINN.**

- effusum Linn. ♂ (o. d.) *Millet Grass.* Italy
 germanicum Linn. ♂ (o. d.) Europe
 multiflorum Cav. ♀ (o. d.) S. Europe

Piptatherum BEAUV. *Falling Aw Grass.*

- multiflorum Beauv. ♀ (o. d.) S. Europe
 Thomasii Knth. ♀ (o. d.) Corsica

- Stipa** LINN. *Feather Grass.*
 capitata Linn. ♀ (o. d.) S. Europe
 gigantea Legasc. ♀ (o. d.) Spain
 tenacissima Linn. ♀ (o. d.) *Esparto Grass.* Spain

Tribus. Arundineae.

Calamagrostis ADANS.

- Halleriana Dec. ♀ (o. d.) Europe
 phragmitoides Hort. ♀ (o. d.) Europe

Arundo LINN. *Reed Grass.*

- benghalensis Retz. ♀ (o. d.) Bengal
 conspicua Forst. ♀ (o. d.) N. Zealand
 Donax Linn. ♀ (o. d.) *Spanish Reed.* S. Europe
 festucoides Desf. ♀ (o. d.) Africa

Gynerium WILLD. *Pampas Grass.*

- argenteum Nees. ♀ (o. d.) S. America
 " var. fl. rosea

Tribus. Chlorideae.

Cynodon LINN. *Doub or Couch Grass.*

- Dactylon Pers. ♀ (o. d.) Europe, India, America, Africa,
 Australia

Chloris SWARTZ.

- distichiophylla Lagos. ♀ (o. d.) South America
 Diplachne Palis. ♀
 fascicularis Beauv. ♀ (o. d.) N. America

Eleusine GAERTN.

- indica Gaertn. ⊖ (o. d.) E. India
 oligostachya Link. ⊖ (o. d.) Brazil

Tribus. Aveneae.

Danthonia DEC.

- caespitosa Link. ♀ (o. d.) Europe, Asia, America

Lagurus LINN.

- ovatus Linn. ⊖ (o. d.) Europe

Avena LINN. *Oat Grass.*

- elatior Linn. ♀ (o. d.) Europe

Holcus LINN.

- lanatus Linn. ♀ (o. d.) *Sugar Grass.* Europe

*Tribus. Festuceae.***Poa** LINN.*Meadow Grass.*

- nemoralis Linn. ♀ (o. d.) Europe
 plumosa Retz. ♀ (o. d.) E. India
 pratensis Linn. ♀ (o. d.) Europe
 sempervirens (?) ♀ (o. d.)
 trivialis Linn. ♀ (o. d.) Europe
 " var. fol. varieg.

Eragrostis BEAUV.*Love Grass.*

- Brownii Nees. ♀ (o. d.) Australia
 cylindrica Steud. ♂ (o. d.) China
 elegans Nees. ♂ (o. d.) Brazil
 megastachya Link. ♂ (o. d.) Europe

Briza LINN.*Quaking Grass.*

- maxima Linn. ♂ (o. d.) Europe, Africa, Australia
 media Linn. ♂ (o. d.) Europe, America
 minor Linn. ♂ (o. d.) Europe, Australia, Africa, America

Melica LINN.*Melic Grass.*

- altissima Linn. ♀ (o. d.) Europe
 coerulea Linn. ♀ (o. d.) Europe

Dactylis LINN.*Cocksfoot Grass.*

- glomerata Linn. ♀ (o. d.) Europe

Cynosurus LINN.*Dogstail Grass.*

- cristatus Linn. ♀ (o. d.) Europe

Festuca LINN.*Fescue Grass.*

- altissima Boiss. ♀ (o. d.) Spain
 Bilbardieri (?) ♀ (o. d.)
 duriuscula Linn. ♀ (o. d.) Europe
 elatior Linn. ♀ (o. d.) Europe
 ovina Linn. ♀ (o. d.) Europe
 pratensis Huds. ♀ (o. d.) Europe
 rigida Knth. ♀ (o. d.) Europe
 rubra Linn. ♀ (o. d.) Europe

Bromus LINN.*Brome Grass.*

- brizaeformis Fisch. ♂ (o. d.) Caucasus
 giganteus Linn. ♂ (o. d.) Europe
 inermis Linn. ♀ (o. d.) Europe, Asia
 longiflorus Willd. ♀ (o. d.) Europe
 macrostachyus Desf. ♂ (o. d.) Spain, Africa
 mollis Linn. ♂ (o. d.) Europe, Asia, America
 Schraderi Knth. ♀ (o. d.) Carolina
 unioloides Humb. & Bonpl. ♀ (o. d.) *Prairie Grass.* S. America

Bambusa SCHREB. *Bamboo Cane.*

- argentea stricta Regel. ♂ Japan
 arundinacea Retz. ♂ (o. d.) E. India
 Fortunii Hook. ♀ (o. d.) Japan
 humilis Reichb. ♀ (o. d.) E. India
 nigra Lodd. ♂ (o. d.) E. India
 pubescens Lodd. ♂ (o. d.) E. India
 stricta Roxb. ♂ (o. d.) E. India

*Tribus. Triticeae.***Lolium** LINN.*Darnel.*

- Boucheanum Knth. ♀ (o. d.) Italy
 perenne Linn. ♀ (o. d.) *Rye Grass*

Triticum LINN.*Wheat.*

- ciliatum Dec. ♂ (o. d.) Europe
 repens Linn. ♀ (o. d.) Europe

Elymus LINN.*Lyme Grass.*


- arenarius Linn. ♀ (o. d.) Europe
 condensatus Prest. ♀ (o. d.) *Bunch Grass.* Columbia
 giganteus Vahl. ♀ Siberia

Hordeum LINN.*Barley.*

- jubatum Linn. ♂ (o. d.) N. America



VIEW FROM THE NIOBE HILL.



ACODYLETONS.

Ordo. FILICES. Linn.

Sub Ordo. GLEICHENIACEAE.

Gleichenia Sm.

- circinata* Sw. ♂ (g. h.) Australia, Tasmania
- Cunninghamii* Hew. ♀ (g. h.) N. Zealand, N. Caledonia
- dicarpa* R. Br. ♀ (g. h.) N. Zealand, Australia, N. Caledonia, Tasmania
- dichotoma* Willd. ♀ (g. h.) Tropical and sub-tropical regions, N. Zealand
- microphylla* R. Br. ♀ (g. h.) Australia, N. Zealand, Tasmania, and N. Caledonia

Sub Ordo. POLYPODIACEAE.

Cyathea Sm.

- dealbata* Sw. ♂ (g. h.) N. Zealand
- Dregei* Knz ♂ (g. h.) S. Africa
- excelsa* Sw. ♂ (g. h.) Mauritius
- funebris* Lind. ♂ (g. h.) N. Caledonia
- medullaris* Sw. ♂ (g. h.) N. Zealand
- princeps* Sm. ♂ (st.) Jamaica, Cuba, Mexico

Hemitelia R. Br.

- Smithii* Hook. ♂ (g. h.) N. Zealand

Dicksonia L'HERIT.

- antarctica* Labill. ♂ E. Australia, Tasmania
- arborescens* L'Herit. ♀ (g. h.) St. Helena
- Culcita* L'Herit. ♀ (g. h.) Madeira, Azores
- davallioides* R. Br. ♀ (g. h.) E. Australia
- dubia* R. Br. ♀ (g. h.) E. Australia
- lanata* Colenso. ♀ (g. h.) N. Zealand
- regalis* Baker. ♀ (g. h.) Mexico
- Schiedei* Baker. ♂ (g. h.) Mexico
- Smithii* Hook. ♂ (g. h.) Philippine Islands
- squarrosa* Sw. ♂ (g. h.) N. Zealand
- Youngii* C. Moore. ♂ (g. h.) E Australia

Alsophila R. Br.

- australis R. Br. E. Australia, Tasmania
 " var. Williamsii Hort.
 Cooperi Hook. ♂ (g. h.) E. Australia
 excelsa R. Br. ♂ (g. h.) Norfolk Island
 Leichardtiana F. Muell. ♂ (g. h.) E. Australia
 Rebecca F. Muell. ♂ (st.) E. Australia

Dennstaedtia BERNH.

- davallioides Moore (g. h.) Australia

Hymenophyllum LINN. *Filmy Leaf Fern.*

- polyanthos Sw. ♀ (st.) S. America, Asia, Ceylon, Malayan Peninsula, Java, N. Zealand, W. Africa, Mauritius

Deparia Hook & GREV.

- Moorei Hook. ♀ (st.) N. Caledonia

Trichomanes Sm.

- radicans Sw. ♀ (g. h.) Europe, Africa, Asia, America, W. Indies
 reniforme Forst. ♀ (g. h.) N. Zealand
 tenerum Knze. ♀ (st.) Tropical America

Davallia Sm. *Haresfoot Fern.*

- alpina Blume. ♀ (st.) Java, Borneo, Polynesian Islands
 canariensis Sm. ♀ (g. h.) Spain, Portugal, N. Africa, Madeira
 divaricata Bl. ♀ (st.) N. India, Java, Malayan Peninsula, China
 elegans Sw. ♀ (st.) Ceylon, Malayan Peninsula, China, Polynesian Islands
 Moorei Hook. ♀ (st.) N. Caledonia
 Novae-Zelandiae Colenso. ♀ (g. h.) N. Zealand
 pentaphylla Bl. ♀ (st.) Polynesian Islands, Java
 pyxidata Cav. ♀ (g. h.) E. Australia
 strigosa Sw. ♀ (st.) N. India, Ceylon, Japan, Malayan Peninsula, China, Sandwich and Fiji Islands
 tenuifolia Sw. ♀ (st.) Tropical Asia, Polynesia, Japan, Madagascar, Bourbon
 Tyermannii Bak. ♀ (st.) W. Tropical Africa

Lindsaya DRYAND.

- linearis Sw. ♀ (g. h.) E. Australia, Tasmania, N. Caledonia, N. Zealand
 elongata Lab. ♀ (st.) N. Caledonia, N. Hebrides
 microphylla Sw. ♀ (g. h.) N. Zealand, E. Australia
 retusa Metten. ♀ (st.) Philippine Islands, Solomon Islands, N. Caledonia
 trichomanoides Dryand. ♀ (g. h.) N. Zealand, Tasmania, E. Australia

Isoloma J. Sm.mollis (?) γ **Adiantum LINN.** *Maidenhair Fern.*aethiopicum Linn. γ (o. d.) Europe, America, Australia,
Africa, Madagascaraffine Willd. γ (g. h.) N. ZealandCatherinae Hort. γ (st.) S. Americacaudatum Linn. γ (st.) Ceylon, China, Java, Arabia Felix,
S. Africa, MauritiusCapillus-Veneris Linn. γ (g. h.) Europe, Africa, E. India,
S. Americacolpodes Moore. γ (st.) Ecuador, Peruconcinnum Humb. & Bonpl. γ (st.) Tropical America
“ var. laetumcuneatum Lang. & Fisch. γ (st.) Brazilcurvatum Kaulf. γ (st.) Brazildecorum Moore. γ (st.) Andes, Perudiaphanum Bl. γ (st.) China, E. Australia, Java, Fiji, N.
Caledonia, N. Zealanddigitatum Presl. γ (st.) Brazil, Peru, EcuadorEdgeworthii Hook. γ (st.) Nileexcisum Knz. γ (st.) Chili
“ var. multifidumFarleyense Moore. γ (st.) Tropical Americaflabellatum Linn. γ (st.) Ceylon, Himalayas, Japan,
Chinaformosum R. Br. γ (g. h.) Australia, N. ZealandFunkii Lind. γ (st.) Brazilfulvum Raoul. γ (g. h.) N. Zealand, Fiji, Norfolk Island,
E. AustraliaGhiesbrechtii Backh. γ (st.) Tropical Americaglaucophyllum Hook. γ (st.) Mexico, Guatemalagracillimum Moore. γ (st.) BrazilHenslovianum Hook. γ (st.) Peru, ColumbiaHendersoni Lind. γ (st.) Tropical America, W. Indies,
W. Tropical Africahispidulum Sw. γ (st.) Asia, Ceylon, Fiji, Africa, W.
Indies, MauritiusLuddemannianum Hort. γ (st.)lunulatum Burm. γ (st.) Hongkong, China, Himalayas,
Tropical Australia, Madagascar, N. Guinea, Cape Verde
Islands, Tropical Americamacrophyllum Sw. γ (st.) Andes, Peru, BrazilMoorei Baker. γ (st.) Andes, Peru, Brazilpalmatum Moore. γ (st.) S. Americapedatum Linn. γ (st.) Japan, N. Hindostan, Canada,
California

Adiantum—continued.

- peruvianum* Klotzsch. γ (st.) Peru
polyphyllum Willd. γ (st.) Peru, Columbia
princeps Moore. γ (st.) S. America
reniforme Linn. γ (g. h.) Madeira, Teneriffe, Mauritius
rubellum Moore. γ (g. h.) Andes, Bolivia
scutum Hort. γ (st.)
Seemannii Hook. γ (st.) Brazil
tenerum Sw. γ (st.) Mexico, Peru, W. Indies
tetraphyllum Willd. γ (st.) S. America
tinctum Moore. γ (st.) Andes of Peru
trapeziforme Linn. γ (st.) Tropical America
 " var. *culturatum* J. Sm.
 " " *pentadactylon* L. & F.
Veitchianum Moore. γ (st.) Andes of Peru
velutinum Moore. γ (st.) Columbia
venustum Don. γ (st.) Himalayas
villosum Linn. γ (st.) Brazil, W. Indies
Wagneri Mett. γ (g. h.) Andes of Peru
Wilesianum Hook. γ (st.) Mexico, W. Indies

Adiantopsis FEE.

- radiata* Fée. γ (st.) Tropical America

Hypolepsis BERNH.

- Bergiana* Hook. γ (g. h.) C. G. Hope
distans Hook. γ (g. h.) N. Zealand
millefolium Hook. γ (g. h.) N. Zealand
tenuifolia Bernh. γ (st.) Java, Polynesian Islands, N. Zealand, Australia, Norfolk Island

Ochropterus J. SM.

- pallens* J. Sm. γ (st.) Mauritius

Pellaea LINK.

- cordata* Sm. γ (st.) Mexico, Peru, Andes
falcata Fée. γ (g. h.) Australia, N. Zealand, Tasmania, E. India
geraniæfolia Fée. γ (st.) Tropical America, N. Caledonia, China, N. Australia
ornithopus Hook. γ (g. h.) California
microphylla Fée. γ (st.) Brazil
paradoxa Hook. γ (g. h.) E. Australia
rotundifolia Hook. γ (g. h.) N. Zealand
ternifolia Fée. γ Tropical America, Norfolk Island

Onychium KAULF.

- japonicum* Knze. γ (st.) Japan, China, Java, N. India

Cheilanthes Sw.

- Borsigiana Reichb. γ Peru
 hirta Sw. γ (st.) C. G. Hope, Java
 lendigera Sw. γ (st.) Mexico, N. Grenada, Escuadura
 microphylla Sw. γ (st.) Tropical America
 pulveracea Presl. γ Mexico
 radiata R. Br. γ (st.) Tropical America, W. Indies
 Sieberi Knze. γ (g. h.) Australia, N. Zealand
 tenuifolia Sw. γ (o. d.) Australia, Ceylon, N. Zealand,
 Asia

Pteris LINN.*Brake Fern.*

- aquilina Linn. (g. h.) All round the world
 biaurita Linn. γ (st.) W. Tropical Africa, Mauritius, Hindostan, Ceylon, Java, China, Tropical America
 comans Forst. γ (g. h.) Norfolk Island, N. Zealand, Tasmania
 elegans Vell. γ (st.) S. Brazil
 ensiformis Burm. γ (st.) Tropical Australia, Fiji, Himalayas, Ceylon
 incisa Thunb. γ (st.) Tropical America, N. Zealand, W. Africa, Ceylon
 longifolia Linn. γ (st.) Tropical and warm, temperate regions all round the world
 Melleri Bak. γ Madagascar
 palmata Willd. γ (st.) Tropical America, W. Indies, Columbia
 pellucida Presl. γ (st.) India, Guinea Coast
 quadriaurita Retz. γ (g. h.) All round the world
 " var. argyrea Moore
 " " tricolor Lind.
 sagittifolia Raddi. γ (st.) Venezuela
 serrulata Richard. γ (st.) China, Japan, Natal
 " var cristata
 " " " variegata
 " " Leyi
 scaberula Richard. γ (g. h.) N. Zealand
 semipinnata Linn. γ (st.) India, China, Borneo, Japan, Philippines
 straminea Mett. γ (st.) Chili
 tremula R. Br. γ (g. h.) Australia, Tasmania, N. Zealand
 umbrosa R. Br. γ (g. h.) Australia

Litobrochia PRESL.

- undulata Moore. γ (st.) Howe's Island

Ceratopteris BRONG.

- thalictroides Brong. γ (st.) Tropical America, W. Indies, Tropical Australia, Madagascar, Tropical W. Africa

Lomaria WILLD.

- alpina Spreng. γ (g. h.) Brazil, N. Zealand, Tasmania,
Australia
attenuata Willd. γ (g. h.) S. America, C. G. Hope, Norfolk
Island, Mauritius
Banksii Hook. γ N. Zealand
capensis Willd. γ (g. h.) Africa
ciliata Moore. γ (st.) N. Caledonia
discolor Willd. γ (g. h.) Australia, Tasmania, N. Zealand
Fraseri Cunn. γ (g. h.) N. Zealand
filiformis Cunn. γ (g. h.) N. Zealand, Fiji
fluviatilis Spreng. γ (g. h.) N. Zealand, S. Australia,
Tasmania
gibba Labill. γ (g. h.) N. Caledonia
“ var crispa
lanceolata Spreng. γ (g. h.) Australia
membranacea Col. γ (g. h.) N. Zealand
nigra Col. γ (g. h.) N. Zealand
Patersonii Spreng. γ (g. h.) Australia, Tasmania, Philip-
pines, Fiji, Ceylon, N. Zealand
procera Spreng. γ (st.) Mexico, Chili, Polynesian Islands,
N. Zealand, S. Australia, Tasmania, S. Africa
vulcanica Blume. γ (st.) Java, Polynesian Islands, N.
Zealand Tasmania

Blechnum LINN.

- brasiliense Desv. γ (st.) Brazil
cartilagineum Swartz. γ (g. h.) Temperate Australia
laevigatum Cav. γ (g. h.) E. Australia
nitidum Presl. γ (st.) Brazil, Philippines, N. Hindostan
occidentale Linn. γ (st.) Tropical America
orientale Linn. γ (g. h.) Australia, Polynesian Islands,
China, Himalayas
Spicant Sw. γ (g. h.) Europe, Madeira, N. America

Woodwardia SMITH.

- orientalis Sw. γ (st.) Japan
radicans Smith. γ Madeira, Spain, Italy, W. Indies, Java,
California, Mexico

Doodia R. BR.

- aspera R. Br. γ (g. h.) Temperate Australia
media R. Br. γ (o. d.) Australia, N. Zealand, Polynesian
Islands

Actiniopteris LINK.

- radiata Link. γ (st.) India, Angola, Ceylon, Arabia,
Abvssinia

Asplenium LINN. Spleenwort Fern.

- Arnottii Baker. γ (st.) Sandwich Islands
attenuatum R. Br. γ (g. h.) Tropical Australia
bulbiferum Forst. γ (g. h.) N. Zealand, Australia, N.
Caledonia, India, Mexico, Natal
" var. laxum R. Br.
cicutarium Swartz. γ (st.) Tropical America, Guinea Coast
decussatum Swartz. γ (st.) Polynesian Islands, Malayan Island
diversifolium Cunn. γ (st.) Norfolk Island
ebeneum Ait. γ (g. h.) C. G. Hope, W. Indies, Canada, Escuador
falcatum Lam. γ (g. h.) Polynesian Islands, Australia, N. Zealand, Ceylon, Indian Peninsula
ferulaceum Moore. γ (g. h.) Andes, N. Granada
Filiixfoemina Berh. γ (g. h.) Europe, Madeira, Canaries, Algiers, Himalayas, Japan, Kamtschatka, Africa, America, W. Islands
flabellifolium Cav. γ (g. h.) Australia, Tasmania, N. Zealand
flaccidum Forst. γ (g. h.) N. Zealand, Australia, Tasmania, Natal, Sandwich Islands
formosum Willd. γ (st.) Tropical America, Cuba
laserpitifolium Lam. γ (g. h.) N. Australia, Chusan, Assam, Polynesian Islands
longissimum Blume. γ (st.) Java, Borneo, Malucca, Mauritius
Nidus Linn. γ (g. h.) Mauritius, Himalayas, Japan, N. Caledonia, Chusan, E. Australia, Howe's Island
nigripes Blume. γ (st.) Himalayas, Ceylon, Java, Japan
nobile Hort. γ (g. h.)
obtusatum Forst. γ (g. h.) N. Zealand, Peru, Chili, Polynesian Islands, Australia
obtusifolium Linn. γ (st.) Tropical America, W. Indies
paleaceum R. Br. γ (g. h.) Tropical Australia
polypodioides Mett. γ (st.) Himalayas, Ceylon, Malayan Peninsula
repens Hook. γ (g. h.) Andes of Escuador
umbrosum J. Sm. (g. h.) Canaries, N. Zealand, Tasmania, Australia, Java, Ceylon, Himalayas
Vieillardii Baker. γ (st.) N. Caledonia
viviparum Presl. γ (st.) Mauritius, Bourbon
zeylanicum Hook. γ (st.) Ceylon

Scolopendrium SM. Hart's Tongue Fern.

- vulgare Sm. γ (g. h.) Europe, Madeira, Azores, Caucasus, Persia, Japan, N. and Central America

Scolopendrium—continued.

- vulgare var. corymbiferum
- “ “ crispum
- “ “ fimbriatum
- “ “ flabellatum
- “ “ Morgani
- “ “ ramosum

Aspidium SWARTZ. *Shield Fern.*

- acrostichoides Swartz. γ (g. h.) Canada, Florida
- aculeatum Swartz. γ (g. h.) Throughout the world
- capense Willd. γ (g. h.) America, C. G. Hope, Polynesian Islands, N. Zealand, Australia, Natal, Mascaren Islands
- falcatum Swartz. γ (st.) Japan, China, Himalayas, Natal, Madagascar, Sandwich Islands
- “ var. caryotideum Wall.
- foeniculaceum Moore. γ (st.) N. Granada
- juglandifolium Knze. γ (st.) Mexico, Venezuela
- lepidocaulon Hook. γ (st.) Japan
- proliferum R. Br. γ (g. h.) Australia
- triangulum Swartz. γ (st.) W. Indies
- varium Swartz. γ (st.) Japan, Hong Kong
- violascens Link. γ (st.) S. America

Nephrodium RICH.

- cuspidatum Baker. γ (st.) India, Ceylon
- decompositum R. Br. γ (g. h.) Australia, Tasmania, N. Zealand, Fiji, Tahiti
- “ var. flabellum
- elongatum Hook. γ (g. h.) Throughout Europe, Asia, Japan, Himalayas, Cape, America
- floridanum Hook. γ (g. h.) Louisiana, Florida
- hispidum Hook. γ (g. h.) N. Zealand
- molle Desv. γ (st.) S. America, Himalayas, China, N. Zealand, E. Australia, Cape, N. Guinea, Madeira
- setosum Baker. γ (st.) Java
- sparsum Don. γ (st.) N. India, Ceylon, Malay Isles, Mauritius
- truncatum Presl. γ (st.) Ceylon, India, Moluccas, Australia, Polynesian Islands

Nephrolepis SCHOTT.

- acuta Presl. γ (st.) S. America, China, Australia, Natal, Guinea
- exaltata Schott. γ (st.) S. America, India, Polynesia, E. Australia, Mauritius, Ceylon, Guinea Coast
- ramosa Moore. γ (st.) Ceylon, Australia, W. Tropical Africa, Philippines, Moluccas, Fiji

Pleocnemia PRESL.

Leuzeana Presl. ♀ (st.) Philippines, India, China, Fiji Islands

Polypodium LINN.

acrostichoides Forst. ♀ (st.) N. Australia, Philippines, Moluccas, Ceylon

angustifolium Sw. ♀ (st.) Mexico, Peru, Brazil, Cuba

appendiculatum Wall. ♀ (st.) E. Himalayas, Penang

attenuatum Humb. & Bonpl. ♀ (st.) W. Indies, Brazil, Escudor

australe Fée. ♀ (g. h.) N. Zealand, N. Caledonia, Australia

Billardieri R. Br. ♀ (g. h.) N. Zealand, S. Australia, Tasmania

Cameroonianum Hook. ♀ (g. h.) Cameroon Mountains

crassifolium Linn. ♀ (st.) W. Indies, Mexico, Brazil

Cunninghami Hook. ♀ (g. h.) N. Zealand, New Hebrides

Dianae Hook. ♀ (g. h.) St. Helena

diversifolium Swartz. ♀ (st.) Brazil

glaucophyllum Knze. ♀ (st.) W. Indies, Columbia, N. Guinea Coast

grammitidis, R. Br. ♀ (g. h.) Tasmania, N. Zealand

iricoides Lam. ♀ (g. h.) N. India, Chusan, Fiji, E. Australia, Natal, N. Guinea Coast

leiorhizon Wall. ♀ (st.) W. India

Lingua Swartz. ♀ (st.) N. India, Japan, Ceylon, Malay Islands

parasiticum Mett. ♀ (st.) Neilgherries, Ceylon

pennigerum Forst. ♀ (g. h.) N. Zealand

plebeium Schlecht. ♀ (st.) Mexico, Peru

poecilophlebium Hook. ♀ (g. h.) N.E. Australia, Queensland

punctatum Thunb. ♀ (st.) Ceylon, Australia, Columbia, Chili, N. Zealand, Japan, Sandwich Isles, N. Caledonia

quercifolium Linn. ♀ (g. h.) N. Australia, India, China

serpens Forst. ♀ (g. h.) Australia

squamatum Linn. ♀ (st.) W. Indies, Peru, Mexico

subauriculatum Blume. ♀ (st.) E. Himalayas, Malaccas,

Philippines, Fiji, Samoa, N. Caledonia, N. Australia

urophyllum Wall. ♀ (st.) India, N. Australia

Niphobolus KAULF.

Heteractis Kaulf. ♀ (g. h.) Himalayas

Stenochlaena J. Sm.

heteromorpha J. Sm. ♀ (g. h.) N. Zealand

Callipteris BORY.

malabarica Sm. ♀ (st.) Malabar

Nothochlaena R. Br.

distans R. Br. γ (g. h.) Australia, N. Zealand, N. Caledonia
hirsuta Desv. γ (st.) Hong Kong, Polynesian Islands

Gymnogramme DESV. *Golden Fern.*

argentea Mett. γ (st.) Natal, Mascaren Isles
calomelanos Kaulf. γ (st.) W. Indies, S. America, W.
 African Islands
 " var. *chrysophylla* Kaulf.
 " " *Massoni* Link.
decomposita Baker. γ (st.) Andine
Hamiltoniana Hook. γ (st.) Himalayas
japonica Desv. γ (st.) Japan, Formosa
Laucheana Hort. γ
macrophylla Hook. γ (st.) Malay, Philippine Isles, N.
 Guinea
Martensi, var. *Dobroydensis*. Hybr.
pulchella Lind. γ (st.) Venezuela
tartarea Desv. γ (st.) Tropical America
trifoliata Desv. γ (st.) Brazil, Cuba

Cincinalis DESV.

flavens Desv. γ (st.) Tropical America
nivea Desv. γ (st.) Tropical America

Meniscium SCHREB.

serratum Cav. γ (st.) Brazil, Peru, Mexico

Tainitis SWARTZ.

lanceolata R. Br. γ (st.) W. Indies, Guatemala

Hemionitis LINN.

cordifolia Roxb. γ E. India, Ceylon

Dictyogramme PRESL.

japonica Presl. γ (st.) Japan, Formosa

Acrostichum LINN.

aureum Linn. γ (st.) Florida, Bengal, Hong Kong, Bermuda,
 Peru, S. Brazil, E. Australia, Natal, N. Guinea Coast
Herminieri Bory. γ (st.) Cuba, Brazil
heteromorphum Klotsch. (st.) Columbia, Ecuador
melanopus Knze. γ (st.) Venezuela

Platycerium DESV. *Elkshorn Fern.*

alcicorne Desv. γ (g. h.) Temperate Australia, M ascaren
 Isl., Seychelles
grande J. Sm. γ (g. h.) E. and N. Australia, Singapore,
 Philippines

Osmunda LINN.

cinnamomea Linn. ♀ (st.) W. Indies, S. America
regalis Linn. ♀ (g. h.) Europe, Japan, Azores, Himalayas,
 Natal, Cape, S. America

Todea WILLD.

barbara Moor. ♀ (g. h.) N. Zealand, Australia, Tasmania,
 C. G. Hope, Natal
Fraseri Hook. ♀ (g. h.) Australia
 " var. *Wilkesiana* Brack. Australia, N. Caledonia
hymenophylloides Rich. & Less. ♀ (g. h.) N. Zealand
superba Col. ♀ (g. h.) N. Zealand

*Sub Ordo. SCHIZAECEAE.***Schizæa J. SM.**

dichotoma Swartz ♀ S. America, N. Australia, Tasmania,
 N. Zealand, Philippines

Anemia SWARTZ.

dichotoma Swartz. ♀ (st.) Hong Kong, Philippines,
 Ceylon, Malay Peninsula
mexicana Presl. ♀ (st.) Mexico

Lygodium Sw.

articulatum Rich. ♀ (o. d.) N. Zealand
palmatum Swartz. ♀ (st.) Florida
scandens Swartz. ♀ (st.) China, Himalayas, N. Australia,
 Malay Islands, Ceylon, Guinea Coast

*Sub Ordo. MARATTIACEAE.***Angiopteris HOFFM.**

evecta Hoffm. ♀ (st.) Himalayas, Society Islands, Japan,
 Ceylon, Madagascar, N. Caledonia, N. Australia

Marattia J. SM.

Cooperi Hort. ♀ (st.) N. Caledonia
fraxinea J. Sm. ♀ (st.) Guinea Coast, Angola, Natal, Cape,
 Ceylon, Philippines, N. Zealand, N. Australia

*Sub Ordo. OPHIOGLOSSIACEAE.***Ophioglossum LINN. *Adder's Tongue.***

pendulum Linn. ♀ (g. h.) Australia, Ceylon, Philippines

Botrychium SWARTZ. *Moon Wort Fern.*

ternatum Swartz. ♀ (g. h.) Australia, Tasmania, N. Zealand,
 Japan, Pyrenees

Ordo. LYCOPODIACEAE.

- Lycopodium LINN.** *Club Moss.*
- africanum
 - alba spica
 - atroviride Wall. ♀ (st.) E. India
 - Billiardieri
 - caesium Linn. ♀
 - “ var. arboreum
 - circinatum Swartz. ♀ E. India, Nepal
 - densum Labill. ♀ Australia
 - denticulatum Liun. ♀ (g. h.) C. Europe
 - flabellatum Linn. ♀ (st.) Columbia, Peru
 - formosum
 - Griffithii
 - inaequalifolium Hook. & Grev. ♀ (st.) E. India, Java
 - lepidophyllum Hook. & Grev. ♀
 - metallicum
 - rubella
 - stoloniferum Swartz. ♀ W. Indies
 - triangularis
 - umbrosum Bory. ♀ E. India
 - Warczewiczzii
 - Willdenowii Desv. ♀ E. India
-

Ordo. MARSILEACEAE. Brong.

- Marsilea** Hook. *Nardoo.*
- macropus Hook. ♀ Australia
-

APPENDIX.

Ordo. ROSACEAE. Jussieu.

Tribus. Amygdaleae.

Amygdalus LINN.

- communis Linn. ♂ decd. (o. d.) *Almond.* Africa
persica Linn. ♂ decd. (o. d.) *Peach.* Persia
“ var. alba fl. pl.
“ “ camelliae flora
“ “ carnation
“ “ rubra fl. pl.
pumila R. Br. ♂ decd. (o. d.) Japan
“ var. fl. pl.
sinensis Hort. ♂ decd. (o. d.) China

Tribus. Pomeae.

Cydonia TOURNEF. *Quince.*

- japonica Pers. ♂ decd. (o. d.) China
vulgaris Pers. ♂ decd. (o. d.) *Common Quince.* Europe

Eriobotrya LINDL. *Loquat*

- japonica Lindl. ♂ evgr. (o. d.) Japan

Ordo. DIOSCOREAE.

Testudinaria SALISB. *Elephant's Foot.*

- Elephantipes Lindl. ♀ — decd. (o. d.) C. G. Hope

FLORISTS' FLOWERS AND HYBRIDS.

ABUTILONS.

Alphonse Karr	Johannis.
Ambroise Verschaffelt	Luteum erectum
Auguste Paswald	Petuniaeflorum
Boule de Nieve	Souvenir d'Arago
Comtesse Medici Spada	Souvenir d'Maxmillian
Duc de Malakoff	Vexillario venosum.
Hybridum	

ACHIMENES.

Admiration	Longiflora
Ambroise Verschaffelt	Loveliness
Aurora	Mad. Rendalter
Celestial	Major
Cherub	Masterpiece
Chiriata	Mauve Queen
Coccinea	Mauve perfection
Dazzle	Montfordii
Diadem	Multiflora
Dr. Hopper	Patens major
Estella	Pink perfection
Excelsior	Prince Demidoff
Georgiana	Purpurea magnifica
Grandiflora	Rollissonii
Grandis	Sir F. Thomas
Harry Williams	Unique
Hirsuta Baumannii	Venusta
Lady Littleton	Vivicans
Lapmanni	Violacea semiplena.
Leopard	

ANEMONES.

Adonia	Eldorado
Amabilis	Emperor Alexander
Anna Paulowna	Emperor Ferdinand
Belle Panachée	Gloriosa purpurea
Bon Blue	Habis Royal
Buonaparte	Henderica
Duchess de Lothaminque.	Henrietta Sontag

ANEMONES—continued.

Imperatrice des Françaises	Mirandoline
Josephine	Niederlande
La Magnifique	Parfaite
Lord Clarendon	Prince de Joinville
Lord Nelson	Prince of Wales
Lord Palmerston	Rose Supérieur
Lord Raglan	Rose surpassante
Mad. Royale	Rose triomphante
Ma Favourite	Rose unique
Mars	Sans rival.

AZALEAS.

Alba	Microphilla
Alba magna	Model
Alexander II.	Mortii
Amœna	Obtusifolia
Ardens	Occidentalis
Attrorubens	Optima
Beauty of Reigate	Ovata
Carl Enke	Refulgens
Carminata	Reine des Pays Bas
Chelsonii	Roi Leopold
Coccinea	Rubra plena
Coloris Nova	Semi-duplex maculata
Crispiflora	Sir Charles Napier
Duc de Nassau	Smithii
Dunbarii	Smithii coccinea
Empress Eugénie	Splendens
Eulalia van Gurt	Splendidissima
Exquisite	Souvenir de l'Exposition
Formosa	Standard of Flanders
Fuerstin von Waldek	Stella
Gloire de Ledeborg	Striata formosissima
Glory of Sunning Hill	Triumphans
Juliana	Vittata punctata
Magnifica	Woodsii.
Mars	

BEGONIAS.

Baronne de Oustinoff	Dr. Ch. Davies
Bellii	Dr. Regel
Comte Alfred de Limminghe	Dr. Wyatt
Countess of Belmore	Duc de Brabant
Countess of Dudley	Duchesse de Brabant
Deadalia	Elenor Uhder
Diadem	Gem

BEGONIAS—continued.

Gem of Adelaide	Mrs. Musgrave
Griffithsii	Mr. W. C. Cox
Hon. Wm. Everard	Pearcei Superba
J. J. Beucker	President van Hecke
Joseph Sontag	Prinz Bismarck
L'Honour d' Adelaide	Queen Victoria
Lothair	Rex Magnifica
Lucinda	Sambo
Magenter Queen	Sir H. Ayers
Mars	Snowflake
Marshalli	Surpassee Duchesse de Brabant
Marvel de Silva Brushy	Tam O'Shanter
Monsieur Andre	Triomphe d' Adelaide
Monsieur de la Franche Court	Victor Lemoine.
Mr. S. Davenport	

CALADIUMS.

Alfred Bleu	Marmoratum
Alphouse Karr	Max Kolb
Baraquini	Metallicum
Belleyme	Mirabile
Bicolor magnificum	Newmanii
Bicolor major	Perrierii
Bicolor Picturatum	Pictum
Bicolor Splendens	Picturatum
Cannaertii	Prince Albert Edward
Chantinii	Prince of Wales
Chelsoni	Princess Alexandra
De Candolle	Princess Royal
Dr. Lindley	Princess of Wales
Duc de Morny	Quadricolor
E. G. Henderson	Regale
Emperor Napoleon	Reine Victoria
Etoile d' Argent	Rubrum maculatum
Fenzlianum	Schmidtzi
Golden Queen	Sieboldii
Hastatum	Splendens
Henri Doucet	Testoni
Houletii	Thibautii
Jules Putzeys	Tricolor
Kewense	Verschaffeltii
Lindenii	Wightii.

CAMELLIAS.

Alba-plena	Archduchess Marie
Archduchess Augusta	Auguste Delfosse

CAMELLIAS—continued.

Aspasia	Lady Bowen
Azurea	Lady Young
Bealli Rosea	Lavinia Maggi
Bianca Geraldini	Lavinia Maggi Rosea
Blanda	Leda
Brenda	Lefevreana
Calliope	Lombarda
Candidissima	Lowii
Caryophylla	Magnificent
Chandler's elegans	Marchioness of Exeter
Charles Albert	Mathotiana alba
Cinea Rosea	Mariana
Coletti	Mrs. Abbey Wilder
Colvillii	Napoleon III.
Comtesse Archrude	Ne plus ultra
Comtesse Callini	Nitida
Countess of Orkney	Optima
Donckelarii	Pressii
Dryada	Prince Albert
Duchess de Perri	Princess Bacciochi
Duchesse d'Orleans	Princess Mary
Emma	Purity
Euterpe	Queen of Denmark
Fimbriata alba	Reine des Beauties
Florida	Reine des Fleurs
General Drouot	Rosa Mundi
Great Western	Rubra plena
Grunelli	Speciosa
Gutheriana	Spectabilis
Hampstead	Storyii
Henri Favre	Taglioni
Ianthe	Tricolor
Imbricata alba	Tricolor Nova
Incarnation	Variegata plena
Iride Nova	Valtevaredo
Iris	Verschaffelti
Isabella	Vesta
Jenny Lind	Victor imbricata plena
Jubilee	Wardii
La Constitution	Wellbankii.

CHRYSANTHEMUMS.

CHINESE.

Acquisition	Albert Helyer
Aglaia	Alfonso
Aimée Ferrière	Alfred Salter

CHRYSANTHEMUMS—continued.

CHINESE—continued.

Amy	Miss C Myles
Antigone	Miss Eyre
Barra	M. Nardy Aine
Bronze	Monarch
Captivation	Mr. George Glenny
Cassian	Mr. Murray
Compactum	Mrs. G. Rundle
Conrad	Mrs. Moggridge
Coy Hang	Mrs. Turner
Crimson Velvet	Mrs. Wreford Major
Dr. Masters	Ne plus ultra
Empress of India	Oracle
Ensign	Othello
Forfida	Pablo
Garnet	Pink perfection
Gazelle	Pink Pearl
Gloria Mundi	Prince of Anemones
Golden Aurora	Quilled Beauty
Golden John Salter	Rajah
Guernsey Nugget	Rifleman
Hecla	Rival Little Harry
Hermine	Rosina
Imogene	St. Michael
Jane Salter	St. Patrick
King of Denmark	Splendens
Laciniatum	Sulphureum
La Sybelle	Sunflower
Little Beauty	Timour
Little Harry	Triomphe de Nord
Lord Derby	Uranie
Louise Honnoraty	Van Houttii
Luna	William Edward
Madame Valy	Yellow Perfection.

JAPANESE.

Alliance	Hero of Magdala
Aurantium	James Salter
Bronze Dragon	Japonicum
Chang	J. Ulrich
Chlorinde	La Coquette
Chromatella	Leopard
Dr. Rozas	Prince Satsuma
Emperor of China	Purpureum album
Grandiflorum	Red Dragon
Gustave Rey	Robert Fortune
Helen McGregor	Roseum punctatum

CHRYSANTHEMUMS—continued.

JAPANESE—continued.

Sol	The Tycoon
Tarantula	Viceroy of Egypt
The Mikado	Yeddo Lilac
The Sultan	

CLEMATIS.

Albert Victor	John Gould Veitch
Alexandra	Lady Bovill
Countess of Lovelace	Magnifica
Duchess of Edinburgh	Miss Bateman
Duchess of Teck	Mrs. James Batems
Gloire de St. Julien	Viticella rubro grandiflora.
Jeaune d'Arc	

COLEUS.

Acquisition	Lady Edith Fergusson
Annie Bullen	Masterpiece
Atropurpureus	Matchless
Barkleya	Metz
Beautiful for ever	Mrs. Kirton
Beauty of Adelaide	Paris
Bewitching	Pictus
Blumei	President Thiers
Crown Prince of Prussia	Prince Bismarck
Diadem	Prince Leopold
Display	Prince of Wales
Duchess of Edinburgh	Quadricolor
Duke of Edinburgh	Refulgens
Emperor William I.	Remarkable
Empress	Saarbruck
Empress of India	Satisfaction
Fascination	Sedan
Field-Marshal Moltke	Sir James Fergusson
General Trochu	Spangle
General Werther	Strasburg
Golden Gem	Sultana
Gravelotte	Sunbeam
Grotesque	Syren
Guilfoylei	The Shah
Hercules	Verschaffeltii
Honble. Miss Mabel Manners-Sutton	Wrightii
Honble. Mrs. DuCane	Woolfii.
Honble. Wm. Milne	Zanzibar

CROTONS.

Alberti	Lord Cairns
Bismarck	Macaffeeana
Disraeli	Royal Prince
Earl of Derbi	Traveller
Evansiona	Warrenii
Hookeri	Washingtoniana
Interruptum	

FUCHSIAS.

Those with double corollas are distinguish by a (*).

Achilles	Coronal
Adele Odier	Corsair
Ajax	Curiosity
Alexandrina	Delight
*Alliance	Desidiratum
*Angeline Braemt	*Diadem
Anna Boleyn	Dictator
Annie	Dimorpha
Antagonist	Dr. Chanfton
Arabella	Duchesse de Gerolstein
Arabella Improved	Duchess of Lancaster
*Avalanche	Duke of Wellington
Bacchus	Edith
Bank's Glory	Elegance
Black Prince	*Emperor
Blanchette	*Empereur des Fuchsias
Blanda floribunda	Enchantress
Blue Beauty	England's Glory
Brennus	Enoch Arden
Bridal Bouquet	Epsii
Cannell's Gem	Evening Star
Cassandra	Exhibitor
Champion	*Extraordinary
Charles Gailly	Fairest of the Fair
Cherub	Fascination
Clapton Hero	Father Ignatius
Cleopatra	*Favourite of Fortune
Clio	Flower of France
Colleen Bawn	Freund J. Dühr
Commander	Gazelle
Comte de Lennoy	Gem of the Season
Conqueror	General Grant
Conquest	Generous
Conspicua	George Felton
Constellation	Giant
Corallina	Gipsy Girl

FUCHSIAS—continued.

Golden Plover	Madame Bruant
Goliath	*Madame Cornellissen
Governor General	Madame Deprost
Grandiflora magna	Madame Sontag
Grenadier	Magnificent
Guiding Star	Maid of Honor
Harvest Home	*Marie Cornellissen
Havin	Marmion
Heather Bell	Marshal McMahon
Henderson	Marvelous
Herald	Masterpiece
Hercules	May Queen
Her Majesty	Meteor
Hugh Miller	Miniature
Il Trovatore	Minnie Banks
Imbricata plena	Miss Nightingale
Imperatrice Charlotte	Monarch
Imperial White	Monsieur Clapton
Inimitable	Monsieur Fillion
Innocence	Mrs. Bruant
Instance	Mrs. Gladstone
Isa Gray	Mrs. Hamley
Jeanne Verschaffelt	Mr. H. Cannel
Joly	Mrs. Shirley Hibberd
Jules Jamin	Norfolk Giant
Keteleeri	Oberon
*King of the Doubles	Oracle
King of the Purples	Orient
Lady Franklin	Orion
Lady Heytesbury	Othello
Lady Sale	Papillon blanc
La Elisir d'Amour	Priam
La Favorite	Prima Donna
La Esperance	Primer
La Sidmais	Prince Arthur
Laurance Dabrant	Princess Alexandrina
Leah	Puritani
Lina von Mayenne	Queen of Hanover
Lizzie Hexham	*Queen of Whites
Lord Derby	*Regalia
Lord Warden	Reine Marie Henriette
Louis Dermet	Rhoderick Dhu
Lucrezia Borgia	Rose of Castile
Lucy Mills	Rose of Denmark
Lucy Willoughby	Roy Blas
Lurida	Schiller
Lustre	Senator

FUCHSIAS—continued.

Silver Swan	Tricolor
*Sir Colin Campbell	Triomphe
Social	*Troubadour
Souvenir de Chiswick	Una
Splendidissima	*Universal
Starlight	*Vainqueur de Puebla
Striata perfecta	Venus de Medici
Striped Unique	Venus Victrix
Sunray	Verticillata
Sunshine	Victor
Supreme	Victor Emanuel
*Surpasse Vainqueur de Puebla	War Eagle
Surprise	*Warrior
Symbol	Warrior Queen
Taglioni	Wave of Life
*Talma	Weeping Beauty
*The Perfect Cure	White Lady
*Tower of London	White Unique
Treasure	Wiltshire Lass.

GESNERIAS.

Annette	Mazepa
Ätro-sanguinea	Nivalis
Citrina Coronata	Octavie
Clifton	Reine Marie Henriette
Display	Refulgent
Droom	Rose d'Amour
Festoon	Sceptre Corail
Interesting	Suavitas
Leichtlinii	Van Houtte
Leopard	Velutina.
Madame von Houtte	Zucht.

GLADIOLUS.

Adele Souchet	Ceres
Adonis	Charles Dickens
Aglae	Citrinus
Amabilis	Clara
Archimede	Clemence
Aristotle	Cordelia
Belle Gabrielle	Comtesse de Bresson
Berthe Rabourdin	Couranti fulgens
Bowiensis	Duc de Malakoff
Brenchleyensis	Duc de Montebello
Calandulaceus	Earl Russell
Calypso	Edith

GLADIOLUS—continued.

Egerie	Marie Stuart
Eldorado	Matilde de Landevoisin
Eleanor Norman	Midas
Etandard	Moliere
Eugene Scribe	Monsieur Blouet
Eveline Briere	Mozart
Fanny Rouget	Mrs. Curling
Faunus	Ne plus ultra
Galatea	Norma
Gil Blas	Ophir
Goethe	Oscar
Goliath	Osiris
Hebe	Penelope
Henrietta	Picciola
Hirsutus	Prince de Montrouge
Imperatrice	Prince Imperial
Imperatrice Eugénie	Princess Alice
Isoline	Princess Frederick William
James Carter	Princess of Wales
Jenny Lind	Racine
John Bull	Raphael
Keteler	Rex rubrorum
Lady Alice Hill	Romulus
Laelia	Rossini
La Favourite	Schiller
Legouve	Solfaterre
Le Poussin	Sulphureus
Linné	Surprise
Lord Granville	Tanire
L'Ornament des Parterres	Thalie
Louis van Houtte	The Ensign
Lucifer	The Favorite
Madame Broit	The Queen
Madame Desportes	Vesta
Madame Eugene Verdier	Victor
Madame Leseble	Victor Verdier
Madame Meneret	Vicomte de Belleval
Madame Paillet	

GLOXINIAS.

Advancer	Decisive
Antonio	Egresia
Baronne d'Itajuba	Emperor de Brazil
Charme de Lutcoë	Gabriele Brochsroff
Comte de Gomer	Isabelle
Comtesse de Brral	Lady Agneta Yorke
Crown Prince	Lady Amelia Villers

GLOXINIAS—continued.

Lady Edith Fergusson	Phoebus
Lady Theodore Wellesley	Peyrose
Lamartin	Prinzessin von Preussen
Laque	Professor Brelsimer
Liberty	Purpre de Tyr.
Lisere d'Argant	Roi Ferdinand
Madame Allart	Seline Gaum
Madame Cochin	Striata maculata
Madame Gustav Roy	Theodor Nietner
Margareta Punicea	Titian
Marguerite d'Eshingen	Topaze
Mrs. Wyatt	Trojan
Mrs. Wylde	Victor Lemoine
Myriostigma	Vlaanderen

HYACINTHS.

Adriana	Kaiser Ferdinand
A la Mode	Kenan Hasselan
Albion	Koenig von Holland
Amy	La Balcine
Anna Maria	La Candeur
Argus	La Deesse
Baron Soclen	L'Ami du Couer
Belle Quirine	Laurens Koster
Bernardine	La Virginita
Blackbird	Leonendas
Blobksberg	L'Esperance
Boquet Royal	Lord Raglan
Bucentaurus	Lord Wellington
Cavour	L'Unique
Charislaus	Mars
Cleopatra	Mimosa
Coeur Blanc	Nanetta
Czar Nicolaus	Neerland's Glory
Elsride	Ne plus ultra
Faberlevin	Newton
Flygan Carlan	Norma
Fleur d'Or	Oscar
General Bentinck	Panorama
Goldsmith	Poet Heine
Graud Blanc Imperial	Procelaine Sceptre
Grandeur a Merveille	Prince Henry
Grave Form	Prince of Wales
Hercules	Princess Royal
Herstelde Vrede	Princess of Saxe Weimar
Johanna	Prinz von Waterloo
June Constant	Pronk Juwel

HYACINTHS—continued.

Regulus	Sultan's Favourite
Robert Steiger	Triomphe Blandina
Bobinson	Virgo
Rousseau	Waterloo
Sir Thomas Gray	William I.
Sphaera Mundi	

IRIS GERMANICA.

Alonzo	Jacquesiana
Ahasuerus	Lady Franklin
Arlequin Malinois	Lord Palmerston
Atro-violacea	Magnet
Azorea	Pallida
Cerito	Penelope
Coerulea	Prince of Wales
Coquette	Purpurea
Delecta	Queen Victoria
Duchesse de Nemours	Smithii
Formosa	Spectabilis.
Fulgerie	

IRIS PUMILA.

Alba	Biflora
Alba-reticulata	Cinera
Altro-violacea	Coerulea
Azorea	Gracilis
Bergu	Neglecta.

IRIS XIPHIUM.

Chinense	La Reconnaissance
Cooperi	La Surprise
Cornelia	Laura
Gygas	Lord Palmerston
Hantean	Lucida
Hortense	Lurida
Jeannette	Lusitanica
Juncea	Madame Debura
La Bergere	Shorbacke.
Le Cherie	

IXIAS.

Bucephalus	Pallas
Cupid	Pavonia
Elvira	Plantus
Faunus	Praestans
Golden Drop	Rosea Multiflora
Ida	Smiling Mary
Joan of Arc	Titus
Laura	Wonder.

NARCISSUS.

Ajax tabularis	Grand primo citroniere
Ajax Major	Grand Sceptre
Amphion	Isabella
Apollo	Juno
Bathurst	L'Incomparable
Bazelman Major	Lord Canning
Bifrons	Lord Mayor
Bouquet Charmant	Marie de Medici
Bouquet Triomphant	Moschatus
Cernuus	Nana Minor
Compressus	Newton
Diadem	Orange Phoenix
Dubius	Pratus Cantus
Frederica	Silver Phoenix
Gloriosa Superba	Soleil d'Or
Glorieuse	Van Sion.
Grand Monarque	

PAEONIA CHINENSIS.

Albiflora	Rosa delicatissima
Albiflora carnea pl.	Rosa lutea
Bryiki	Rosa pallida
'Duchesse de Nemours	Rosea pl.
Edulus	Rosea alba pl.
Elegans	Rosea specioso
Fragrans pl.	Rubra tincta
Fulgida	Speciosa-striata
Humei pl.	Sulphurea rosea
Lilacina superba	Sultan
Nidus avis	Superbissima
Nivales	Tricolor Triumphant
Prolifera tricolor pl.	Triumphans
Queen Perfection	Tenuifolia
Revesii nana superba	Victoria
Roy Guillaume	Virginie
Rose de Cambridge	Whitleji pl.

PAEONIA MOUTAN.

Andreas Dumont	Lambertiana
Bride of Hongkong	Leondine
Carnea picta	Lord Macartney
Desiderata centifolia	Louise Thiers
Duc de Brace	Madame Auguste
Dr. Bowering	Madame Cornelia Raikem
Fragrans maxima plena	Madame Stuart
Germanica	Papaveracea

PAEONIA MOUTAN—continued.

Purpurea	Rosa Gallica
Regia	Wilhelm
Rienze	

PAEONIA OFFICINALIS.

Carnescens	Purpurea pl.
------------	--------------

PELARGONIUM.

ZONALE.

Adelaide	Crystal Palace Gem
Adeline Patti	Culford Rose
Adonis	Cynthia
Aladdin	Cybister
Ambassador	Dandy
Ameline Grisau	Defiance
Ample	Device
Amy Hogg	Dictator
Attraction	Distinction
Auber Henderson	Donald Beaton
Auricula	Dr. Hogg
Beauty of Calderdale	Dr. Lindley
Black Dwarf	Dr. Muret
Blue Bell	Edwin
Blue Germ	Emily Lawton
Bridal Bouquet	Emmeline
Bridesmaid	Ethel
Brighton Beauty	Etna
Burning Bush	Evening Star
Butterfly	Excellent
Carrie Cochran	Fagus
Centurion	Fausta
Charley Casbon	Fire of Lissa
Champion	Flora
Charlotte	Floretta
Chelsea	Floribundum
Cherry Lips	Forrester
Chief Justice	Francis Drake
Claudius	Galanthiflorum
Clipper	General Grant
Coleshill	Girolda
Columbine	Gladiator
Comet	Glory of Waltham
Countess of Rosslyn	Glowworm
Countess of Strathmore	Golden Pheasant
Crimson Queen	Grand Duke
Crusader	Harry Hieover

PELARGONIUM—continued.

ZONALE—continued.

Harry King	Mrs. J. George
Heartease	Mr. Wm. Paul
Hon. G. Hardy	Murillo
Huber's hybrid	Napoleon Baumann
Iago	Navarino
Imperatrice Eugene	Orange Nosegay
Indian Yellow	Ornament des Massifo
International	Pallas
Jeanne de Rohan	Pantaloons
Jean Sisley	Perilla
Juno	Penelope
Kate Nicholson	Pillar of Beauty
La Jeune Parfaite	Pink Perfection
La Vestale	Prime Minister
Lady Daly	Prince Bismarck
Lady Darling	Princess Lichtenstein
Lady Edith Fergusson	Princess of Wales
Lady Manners Sutton	Prince of Wales
Lady Plymouth	Purity
Lavinia	Purple Queen
Le Grand	Rainbow
Lilaceum	'Rebecca
Lord Derby	Red Riding Hood
Lord Stanley	Remus
Louis Friebel	Rev. F. Atkinson
Lucretia	Rienzi
Lucius	Robert Bowley
Lurline	Roi de Italia
Madame Day	Roi des Nosegay
Madame Martha Vincent	Romulus
Madame Mezard	Rose Perfection
Madame Phitier	Rose Rendatler
Madame Werle	Rose Stella
Mademoiselle Nilsson	Rose Queen
Magenta Queen	Rosetta
Magnum Bonum	Rosy Morn
Marie Twardy	Royalty
Memnon	Salamander
Miss Edith	Salmon Queen
Model	Sambo
Mons. Barre	Santley
Monsieur Rendatler	Scarlet Gem
Mrs. George Smith	Seraph
Mrs. J. C. Mapping	Sir James Fergusson
Mrs. Ingleby	Sir Percyval Dyke

PELARGONIUM—continued.

ZONALE—continued.

Snowball	Viceroy
Splendour	Violette Hill
Sultan	Vulcano
Surpasse Beaute de Seresnes	Voucher
The General	Waltham Nosegay
Theocritis	Waltham Seedling
The Sultan	White Clipper
Titan	White Princess
Tom Thumb	White Tom Thumb
Troubadour	Wiltshire Lass
Velocipede	
Vesuvius	Wyaka

Double Flowering.

Alice Crousse	Mary Elizabeth
Aline Sisley	M. C. Glijm
Andrew Henderson	M. de St. Jean
Asa Gray	M. de St. Paul
Ascendancy	Monsieur Crousse
Basilisk	Octavie
Capitaine L'Hermite	Plenissimum
Compte de Lamberty	Ranunculiflorum
Crown Prince	Sapeur Pompier
Dupete Varroy	Septie Lorraine
Emile Lemoine	Sparkhill Beauty
Gebhart	Splendour
Gloire de Nancy	Surpasse Glorie de Nancy
Guiding Star	Terre Promise
Guillion Mangilli	Tom-Pouce Cerise
Jewel	Tom Pouce Rose
King of Doubles	Tricolor
Le Duc de Suez	Triomphe
Madame H. Delesalle	Triomphe de Lorraine
Madame Lemoine	Triomphe de Thumesnil
Madame Michael Buchner	Victor
Madame Rudolf Abel	Victorie de Lyon
Madame Rose Charmeux	Victor Lemoine
Madame Thibaut	Ville de Nancy
Marie Crousse	Wilhelm Pfitzer
Marie Lemoine	Wonderful.
Marveille de Lorraine	

Tricolor.

Caroline Longfield	Mrs. Benyon
Countess of Warwick	Mrs. Pollock
Lady Cullum	Lousia Smith

PELARGONIUM—continued.

Tricolor—continued.

Princess Beatrice	Sophia Dumaresque
Queen Victoria	Sophia Lonsdale
Red Admiral	Sunset

Variegated.

Beauty of Oulton	Flower of the Day
Blace Prince	Golden Chain
Cleopatra	Mangles's variegata
Cloth of Gold	Marechal McMahon
Daybreak	Mountain of Light
Golden Fleece	Mrs. Milford
Goldenfolia	Queen of Queens
Golden Grove	Silver Queen
Golden Nugget	St. Claire
Jason	The Shah
Josephine	Waltham Bride.
Fairy Nymph	

Ivy-Leaved.

Angelo	Grand Duchess Maria
Aureum variegatum	König Albert
Corinth	L'Elegante
Duke of Edinburgh	Princess Thyra
Facination	Peltatum
Felicity	Silver Gem
Florinda	Willsii
Gem of the Season	Willsii Rosea.

SHOW AND FANCY VARIETIES.

Admiration	Azalea
Agrrippa	Beauty of Oxton
Alabama	Belline
Aladdin	Berthe
Alba Regina	Blue Boy
Albina	Bonnie Charlie
Ann Page	Brigand
Apollyon	Brigantine
Applause	Brilliant
Archduke	British Sailor
Arlequin	Cameron
Arthur	Cardinal
Assembly	Captain Raikes
Asteroide	Celecia
As you like it	Celestial
Attraction	Champion

PELARGONIUM—continued.

SHOW AND FANCY VARIETIES—continued.

Charlemagne	Galatea
Chieftain	General Garibaldi
Claude	Giles's Gem
Clara	Gold Button
Claribel	Golden Hue
Clarinda	Grace
Clytie	Grenadier
Conductor	Great Eastern
Confident	Guidon
Conqueror	Hanibal Ponjilly
Coquette	Heirloom
Conspicua	Imperator
Countess	Illuminator
Crown Prince	Hercules
Cynthia	Iron Duke
Czar	Isabella
Diadematum	James Ordier
Dick Turpin	Jerome
Dr. Dresser	Jewess
Dr. Schomburgk	John Hoyle
Dr. Wheeler	Judicial
Duchess	King Arthur
Duchess of Marlborough	King Charles
Duke of Cambridge	King of Blotches
Duke of Devon	King of the Garter
Duke of Edinburgh	Lady Charlotte
Edgar	Lady Daly
Edith	Lady Dorothy Neville
Edward Miellez	Lady of the Lake
Elaine	Lady Plymouth
Eldorado	Leviathan
Eligible	Lindleyana
Ellen Beck	Lord Clyde
Elsie	Lord Meldourne
Emily	Lord Raglan
Empress	Madame Dresser
Envoy	Madame Heine
Evening Star	Madame Lamoriciere
Fair Ellen	Madame Moses
Fairest of the Fair	Madame Sainton Dolby
Fairy Queen	Magnata
Firefly	Magnificent
Fanny Fisher	Maid of Honor
Fanny Gair	Mardell
Favourite	Marguerite
Florence	Mario

PELARGONIUM—continued.

SHOW AND FANCY VARIETIES—continued.

Marion Wilkie	Princeps
Marquise de Chateauoff	Princess Alice
Marvelous	Princess Beatrice
Mary Anges	Princess Helena
Mary Hoyle	Princess Royal
May Day	Princess Teck
Menilek	Professor Dresser
Miss Baker	Purple Gem
Miss Foster	Queen Bess
Miss in her Teens	Queen of the South
Miss Tony Schomburgk	Queen Victoria
Mons. Lierval	Redan
M. Ph. Zeller	Red Rover
Mrs. Cullen	Riflemen
Mrs. Dorling	Robin Hood
Mrs. Ellis	Rosa Bonheur
Mrs. Ford	Rose Celestial
Mrs. Hawker	Rosicrucian
Mrs. Kent Hughes	Rosy Gem
Mrs. Lewis	Royal Bride
Mrs. Lindrum	Royal Visitor
Mrs. Mendell	Sable Monarch
Mrs. Schomburgk	Serene
Mrs. Souttar	Sidonia
Mrs. Turner	Sir H. Davy
Napoleon III.	Sir J. H. Fisher
Negro	Sir John Lawrence
Neptune	Striata Elegans
Nonpariel	Suavissimum
Oscar Leseble	Sultana
Othello	Sunshine
Pandora	The Prince
Parisina	The Rover
Pasha	Undine
Pericles	Unique
Pompey	Unique Diadem
Prime Minister	Volunteer
Prince Bismarck	Warrior
Prince Humbert	William Hoyle
Prince Imperial	Woman in White
Prince of Novelties	Zephyr.
Prince Leopold	

PENSTEMONS.

Alba	A. St. Clair
Antonie Muzy	Attraction

PENSTEMONS—continued.

Barbatum	Jupiter
Beauty	Kamm
Coccinea	Leonie Kien
Conqueror	Lola
Delicate	Madame Harvard
Dora	Madame Lebrun
Elegantissima	Perfection
George Sand	Polly King
Henri de Montesquieu	Purple Gem
Hector	Salamander
Hero	Surpasse Madame LeBrient
Jules Simon	Warrior

PLECTOPOMAS HANST.

GESNERIACEAE.

Aureo-liliacinum	Labyrinthicum
Bicolor	Scintillans
Candidum	Suave-roseum
Colibri	Triumphans
Corallinum	Viola
Great Eastern	

RANUNCULUS.

Alexis	Hector
Allan Cunningham	Juba
Baleline	La Dauphine
Baton Royale	La nuit
Belle Emilie	L'Or de Peru
Brightness	Lord Nelson
Cerialis	Magellan
Charon	Marie
Chevalier	Marquis of Hertford
Citron Apple	Minos
Columbine	Mozart
Comodore Napier	Mrs. Glenny
Comte de St. Priest	Patrie Partout
Coronation	Panachére
Darius	Penelope
Duke of Sussex	Plutarchus
Emmeline	Phaedor
Favourite	Popheus
Figaro	Poupre Fonce
Franklin	Priam
Glendower	Prince Albert
Goethe	Queen Mab
Grand Rose Royale	Robin

RANUNCULUS—continued.

Robinson	Tarquinius Superbus
Rockelico	Taune d'Or
Rose Picotee	Taune Royale
Rose Rival	Thomas Campbell
Satrap	Triton
Sir W. Hoste	Vanguard
Sir R. Sale	Victor Hugo
Sophia	Victoria
Sulphureus	Xantippe
Talisman	

TURBAN RANUNCULUS.

Black	Orange
Carmine	Scarlet
Crimson	Spotted
Golden	White
Grandiflora	Yellow.
Hercules	

RHODODENDRONS.

Andersoni	Princess Hortense
Grand Arab	Splendidum
Incomparable	Thomsoni
Lefevreanum	Victoria
Ornatum	Verschaffeltii
Pictum	Vervainianum
Pluto	

ROSES.

Roses of various Classes designated by letters attached to each variety.

B., Bourbon; H. B., Hybrid Bourbon; C., China; H. C., Hybrid China; D., Damask; G., Gallica; H. P., Hybrid Perpetual; M., Moss; M. P., Miniature Provence; N., Noisettes; T., Teas.

Abbe Brameral	H. P.	Altoniensis
Achille Gounod	H. P.	Andre Leroy d'Angers H. P.
Acidal	B.	Anna Alexieff H. P.
Acidulum	H. C.	Anna Beluze H. P.
Adam	T.	Anna de Diesbach H. P.
Adele de Senanges	C.	Annie Laxton H. P.
Admiral Rigny	H. P.	Archbishop of Paris H. P.
Aimée Vibert	N.	Archduke Charles H. P.
Alba Girandier	H. P.	Armosa
Alba Major		Astrolabe
Alba Rosea	T.	Auguste Mie H. P.
Alexandrine Bachmeteff	H. P.	Auguste Rigotard H. P.
Alfred Colomb	H. P.	Augustine Monchelet H. P.
Alphaide de Rotalier	H. P.	Austrian Copper
Alphonse Fontaine	H. P.	August Veacher T.

ROSES—continued.

Ayrshire Lass	Comet H. P.
Baronne de Heckeren H. P.	Comte Boubert H. P.
Baronne de Noirmont B.	Comte de Montalivet H. P.
Baronne Hallez H. P.	Comte de Nanteuil H. P.
Baronne Louise Uxhull H. P.	Comte de Paris H. P.
Baronne Prévost H. P.	Comtesse de Chabrilland H. P.
Bath Moss M.	Comtesse de Murinalis M.
Beauty of Billiard H. P.	Comtesse de Palikao
Beauty of Waltham H. P.	Comtesse Lacepede C.
Belle de Bordeaux H. P.	Coupe d'Hebe H. B.
Belle Emilie T.	Cramoisie Superieure H. C.
Belle Lyonnaise H. P.	Darius
Belle Violet H. P.	De Meaux M. P.
Bernard de Pallissy B.	Deuil de Paul Fontaine H. P.
Berthe Baron H. P.	Deuil de Prince Albert H. P.
Black Prince H. P.	Devoniensis T.
Blairii C.	Diana H. P.
Boula de Nanteuil G.	Domicille Beccar B.
Bouquet de Flora B.	Dr. Marx H. P.
Boulogne	Dr. Spitzer H. P.
Boursault Bengal Florida	Duc d'Anjou H. P.,
Boursault Gracilis	Duc de Bassano H. P.
Brunoni	Duc de Magenta T.
Camellia Rouge N.	Duchesse de Cambaceres H. P.
Camelliflora H. P.	Duchesse de Caylus H. P.
Capreolata alba pl.	Duchesse de Thuringie B.
Capreolata Dundee Rambler	Duchesse d'Orleans H. P.
Capreolata Ruga	Duchesse of Edinburgh H. P.
Captain Christy H. P.	Duchess of Norfolk H. P.
Captain Ingram M.	Duchess of Sutherland H. P.
Cardinal Patrizzi H. P.	Duke of Edinburgh H. P.
Caroline T.	Dupetit Thouars B.
Caroline de Sansal H. P.	Du Roi H. P.
Céline Forestier N.	Earl Talbot H. P.
Centifolia rosea H. P.	Eclair de Jupiter H. P.
Charles Foquier H. P.	Eclipse H. P.
Charles Lawson H. C.	Edouard Defosse B.
Charles Lefebvre H. P.	Edward Morren H. P.
Charles Turner H. P.	Edwardsii H. P.
Charles Souchet H. P.	Elizabeth Vignenan H. P.
Chénédolé H. P.	Eliza Maron H. P.
Christian Puettner H. P.	Eliza Werry M.
Christine Nilsson H. P.	Empress Eugenie H. P.
Claude Million H. P.	Empereur de Maroc H. P.
Cloth of Gold N.	Etienne Dupuy H. P.
Colonel de Rougenmont H. P.	Eugène Appert H. P.

ROSES—continued.

Eugène Beauharnais	H. C.	Jean Guillot	H. P.
Eugène Bourcier	H. P.	Jean Rosenkrantz	H. P.
Euphrosine	N.	John Hopper	H. P.
Eveque de Nismes	H. P.	Josephine de Beauharnais	
Fellenberg	N.	Jules Margotin	H. P.
Fisher Holmes	H. P.	Juno	H. C.
Fleur de Cypres	T.	Kate Hausberg	H. P.
Fortuniana		La Brillante	H. P.
François Arago	H. P.	Lady Sefton	H. P.
François I.	H. P.	Lady Stuart	H. P.
François Lacharme	H. P.	Lady Suffield	H. P.
François Michelon	H. P.	Laelia	H. P.
Frédéric II.	H. P.	Lamarque	N.
Frédéric the Great	H. P.	La Meloise	H. P.
Fulgens	H. C.	La Moskowa	H. P.
Garibaldi	H. P.	La Reine	H. P.
Géant des Batailles	H. P.	La Sylphide	T.
Général Allard	H. P.	La Tourterelle	
General Barnard	H. P.	Laura d'Avoust	H. C.
General de Lamartiniere	H. P.	Laurenciana minima	
Général Jacqueminot	H. P.	Laurette	T.
General Simpson	H. P.	La Ville de St. Louis	N.
General Washington	H. P.	L'enfant de Mont Carmel	H. P.
George Prince	H. P.	Leopold I.	H. P.
Glazenwood Beauty	T.	Leopold Premier	H. P.
Gloire de Dijon	T.	L'Esmeralda	H. P.
Gloire de France	H. P.	Leveson Gower	T.
Gloire de Rosomene	B.	Linnaeus	
Gloire de Santenay	H. P.	Lion des Combats	H. P.
Gloire des Mousseuses	M.	Lord Clyde	H. P.
Gloire de Vitry	H. P.	Lord Herbert	H. P.
Goubault	T.	Lord Macaulay	H. P.
Grandissima		Lord Napier	
Great Eastern	H. P.	Lord Raglan	H. P.
Great Western	H. P.	Louis XIV.	H. P.
Green Rose	C.	Louise Darzens	H. P.
Hannequin	B.	Louis Napoleon	H. P.
Hippolyte Flandrin	H. P.	Louise Phillippe	H. C.
Hypolyte Jamain	H. P.	Louis van Houtte	H. P.
Imperatrice Charlotte	H. P.	Madame Alfred de Rougemont	H. P.
Isabella Gray	T.	Madame Alice Dureau	H. P.
Jacques Lafitte	H. P.	Madame Andry	H. P.
Jaunatre	T.	Madame Boll	H. P.
Jaune Desprez	N.	Madame Bosanquet	H. P.
Jaune d'Or	T. R.	Madame Bravy	T.
Jean Cherpin	H. P.	Madame Breon	H. P.
Jean Goujon	H. P.	Madame Brerard	H. P.

ROSES—continued.

Madame Charles Wood	H. P.	Marie Sisley	H. P.
Madame de Cambacères	H. P.	Marjolin	B.
Madame Decour	H. P.	Marquise Boccella	H. P.
Madame Derreux Domville	H. P.	Marquise de Castellane	H. P.
Madame de Stella	B.	Mathurid Regnier	H. P.
Madame de Vatry	T. R.	Miss Clegg	N.
Madame Emilie Royan	H. P.	Miss Margarit Dombrain	H. P.
Madame Eugéne Appert	H. P.	Model of Perfection	B.
Madame Feburier	H. P.	Monsieur Montigne	H. P.
Madame Fillion	H. P.	Monsieur Woolfield	H. P.
Madame Freeman	H. P.	Mount Vesuvius	H. P.
Madame Furtado	H. P.	Mrs. Beecher Stow	H. P.
Madame Guillot	H. P.	Mrs. Bosanquet	B.
Madame Hippolyte Jamin	H. P.	Mrs. Elliott	H. P.
Madame Jacquier	H. P.	Napoleon	G.
Madame Joigneaux	H. P.	Narcisse	N.
Madame Julie Daran	H. P.	Nina	T. R.
Madame Marius Cote	H. P.	Nivea	M.
Madame Martel	H. P.	Noisette grandiflora	N.
Madame Masson	H. P.	Oderic Vital	H. P.
Madame Maurin	T.	Odorata Perdita	T.
Madame Moreau	P. M.	Ogla Marix	H. P.
Madame Ory	M. P.	Ophirie	N.
Madame Plantier	H. C.	Oriflamme de St. Louis	H. P.
Madame Rivers	H. P.	Ornament des Jardins	H. P.
Madame Soipion Cochet		Palais de Cristal	H. P.
Madame Bousset	H. P.	Pania	
Madame Triffle	H. P.	Paul de la Meilleray	H. P.
Madame Trudeau	H. P.	Paul Desgrand	H. P.
Madame Valen		Paul Dupuy	H. P.
Madame Valemburgh		Paul Emilie	
Madame Victor Verdier	H. P.	Paul Joseph	B.
Madame Vidot	H. P.	Paul's Goubolt	H. P.
Madame Villermoz	T.	Paul Neron	H. P.
Madame Zoutman	D.	Paul Ricaut	H. P.
Mademoiselle Annie Wood	H. P.	Paul Verdier	H. C.
Mademoiselle Eugenie Verdier	H. P.	Pavillon de Pregny	H. P.
Mademoiselle Marie Rady	T.	Perfection de Lyon	H. P.
Mademoiselle Rose Bonheur	C.	Perle des Blanches	H. P.
Madille. Bonnaire	H. P.	Persian Yellow	B.
Madille. Juliette Halphoin	H. P.	Pierre de St Cyr	B.
Magna Rosea	H. P.	Pierre Notting	H. P.
Manettii		Pius the Ninth	H. P.
Maréchal Forey	H. P.	Pourpre de Tyre	H. P.
Maréchal Neil	N.	President Lincoln	H. P.
Maréchal Souchet	H. P.	Prince Alfred	H. P.
		Prince of Wales	H. P.

ROSES—continued.

Prince de Chipetouzikoff	H. P.	Soeur des Anges	H. P.
Prince de Hazel	H. P.	Solfaterre	N.
Prince Leon	H. P.	Sombreuil	T.
Princess Adelaide	B.	Souvenir d'Angleterre	H. T.
Princess Alice	H. P.	Souvenir de Beranger	H. P.
Princess Beatrice	B. B.	Souvenir du Duc d'Angers	H. P.
Princess Christian	H. P.	Souvenir d'Elsie Varden	T.
Princess de Hazel	H. P.	Souvenir de la Malmaison	B.
Princess Lichtenstein	H. P.	Souvenir de Madame Hennecart	
Princess Louise	H. P.		H. P.
Princess Marie	H. P.	Souvenir de Mons. Poiteau	H. P.
Princess Mathilde	H. P.	Souvenir de Mons. Rousseau	H. P.
Princess de Nassau	H. P.	Souvenir de Leveson Gower	H. P.
Princess of Wales	H. P.	Souvenir de Romain Desprez	H. P.
Princess Royal		Souvenir d'un Ami	T.
Professor Koch	H. P.	Souvenir de Dr. Jamain	H. P.
Purpurea	N.	Southern Cross	H. P.
Queen of the Bourbons		Spong	M. P.
Queen of the Prairies		Stadtholder	H. P.
Queen of Waltham	H. P.	Star of Waltham	H. P.
Queen Victoria	H. P.	Striped Moss	M.
Reine de la cite		Thomas Methven	H. P.
Reine des Beauties	H. P.	Tourterelle	
Reine Victoria		Tricolor	C.
Rev. H. Dombrain	H. P.	Taiomphe d'Alencon	H. P.
Reynold Hole	H. P.	Triomphe de Jaussens	
Richard Smith	H. P.	Triomphe de la Ducherre	B.
Rivers Laffay	H. P.	Triomphe de l'Exposition	H. P.
Rose de Lisle	C.	Triomphe de Lyons	H. A.
Royal Epoux	H. P.	Triomphe de Paris	H. P.
Rubella		Turenne	H. P.
Rubens	T.	Uuique	C.
Rubifolia Beauty of the Prairies		Vainqueur de Goliath	H. P.
Rubifolia Belle Baltimors		Vicomtesse de Cazes	T.
Rushton Radcliffe	H. P.	Vicomtesse Douglas	H. P.
Safrano	T.	Victor Emmanuel	B.
Sanguinea	C.	Victor Verdier	H. P.
Semiramis	D.	Violet Picotee	C.
Sénateur Reveil	H. P.	White Fairy	C.
Sénateur Vaisse	H. P.	William IV.	H. P.
Sir Garnet Wolseley	H. P.	William Griffiths	H. P.
Sir J. H. S. Manners Sutton	H. P.	William Jesse	H. P.
Sir Joseph Paxton	B.	William Paul	H. P.
Sir William Lenison	H. P.	William Pfitzer	H. P.
Sir W. Wallace		York and Lancaster	
Smith's Yellow	N.		

TYDAEAS.

Alba Kermesina	Nero
Avondster	Picta
Elliplica multiflora	Polymnie
Euterpe	Refulgens
Heine	Thalie
Hillü	Tricolor
Hoephen	Venosa
Hoop	Wilhelmine Lefebvre
Liefken	Wonder
Madame Lavalle	Zierken.
Melpomene	

VERBENAS.

Admiration	Foxhunter
Agnes	Fred Wm. Dunn
Alice	Galatea
Amy Robsart.	Gilbert Handaside
Annie	Gipsy Queen
Aristo	Hercules
Auricula	Ida
Aurora Australis	Jessie
Battlefield	Joan of Arc
Bessy	Jona
Black Prince	King of the Purples
Brilliant	Lady Darling
Champion Improved	Lady of the Lake
Charles Darling	Lightning
Chieftain	Linda
Climax	Lion Hunter
Conqueror	Louis
Countess	Louis Gizzard
Crimson King	Magnet
Daylight	Mouve Queen
Defiance	Miss Antonia Schomburgk
Delicate	Miss Arande Lewis
Dr. Kenworthy	Miss Cole
Drummondi	Miss Hawker
Duchesse de Angouleme	Miss Mary Law
Eclipse	Miss Schomburgk
Edith	Mont Blanc
Emily	Mrs. Clendinning
Ensign	Mrs. F. Wright
Ernest	Mrs. Glen
Excellent	Mrs. Greig
Fairy	Mrs. Macafee
Favourite	Mrs. Malleson
Flora	Mrs. Seddon

VERBENAS—continued.

Mr. Wm. Ferguson	Sir Charles Hotham
Nellie	Sir Redman Barry
O. D. Burk	Smith's Seedling
Orleans	Snowy Mountain
Painted Lady	Spangle
Parole	Standard
Pearl	Star
Perfection	Stuart
Pink perfection	Sultana
Pioneer	Sunset
Premier	Superb
Prince of Wales	Symmetry
Princess Alexandra	Tadpole
Punch	Taglioni
Purity	The Duke
Purple perfection	Unique
Puzzle	Venus
Queen Victoria	Victor
Quicksilver	Volunteer
Ransome	Warrior
Recruit	Warrior Improved
Ringleader	William Appleby.
Sayer's Suprise	Wills

INDEX OF ENGLISH NAMES.

	Page.		Page.
Abrupt-pointed Yew	166	Beautiful Pine	162
Adam's Needle	211	Bed Straw	94
Adder's Tongue	235	Beech	159
Adventure Bay Pine	166	Benthams Cypress	165
African Cypress	163	Bermuda Pencil Cypress	165
Agrimony	55	Beetroot	144
Alder	153	Bell Flower	105
Aleppo Pine	161	Bengal Fig	150
Ailspice	65	Bent Grass	221
Alpine Rose	55	Berberry	5
American Arbor Vitæ	164	Bergamot	28
Amaranth	144	Birch Tree	153
American Aloe	194	Bird Cherry	52
American Cowslip	109	Birdsfoot Trefoil	41
Aniseed	85	Birthwort	158
Anotta	11	Bishop's Pine	162
Apple Tree	56	Blackberry	54
Arbor Vitæ	164	Black Spruce Fir	162
Argan Tree	110	Bladder Ketmia	20
Arrow root	170	Bladder Pot	9
Artichoke	102	Blessed Thistle	102
Ash	112	Blood Flower	192
Asparagus	216	Blood Gum	64
Aspen Tree	154	Blue Bottle	102
Asphodel	214	Blue Gum	64
Austrian Pine	161	Blue Gum	65
Australian Pine	164	Bohtan Cypress	165
Awned-cone Pine	161	Bottlebrush	63
Bald Money	86	Box Thorn	123
Balm	139	Box Tree	157
Balm Pine	161	Brake Fern	229
Balsam of Peru	47	Bramble	54
Bamboo Cane	224	Brassiletto	47
Banana	172	Bread Fruit Tree	150
Banksian Rose	55	Broom	40
Baobab	20	Brome Grass	223
Barley	224	Buckwheat	143
Bastard Box	64	Buckthorn	32
Bastard Indigo	42	Buffalo Grass	220
Bastard Mahogany	64	Bugloss	120
Bastard Millet Grass	220	Bullrush	202
Bathurst Burr	97	Bunya Bunya	160
Bead Tree	30	Burgundy Rose	55
Bearbind	122	Burnet	85
Bear's Breech	133	Burnet Rose	55
Bear's Ear	101	Butter and Eggs	193

		Page.			Page.
Cabbage Palm	197	Common Cypress	165
Cabbage Rose	55	Common Fig	151
Calabash Tree	132	Common Juniper	165
Calabar Bean	46	Common Pink	14
Calabrian Pine	161	Common Primrose	109
Calamint	139	Common Savin	166
Californian Redwood	163	Common Silver Fir	161
Campanel	193	Common Yew	166
Campion	15	Contrajervia	151
Canary Grass	221	Coral Tree	45
Canary Island Pine	161	Cork Elm	153
Candle-berry Tree	154	Cork Oak	169
Candle-nut Tree	155	Corn Flag	187
Candytuft	9	Conrey's Cypress	165
Canterbury Bells	105	Corsican Pine	162
Cape Ash	30	Cotton	20
Caper	10	Cotton Thistle	102
Capsicum	123	Cow Itch	46
Carrión Flower	117	Cow Parsnip	86
Carnation	14	Crane's Bill	24
Carob Tree	48	Crest-seeded Pine	162
Caroline Thistle	102	Crowfoot	2
Carrot	86	Cucumber	70
Castor Oil	156	Currant	59
Catchfly	15	Custard Apple	5
Cat Mint	140	Cypress	165
Catstail Grass	221	Cypresline Dacridium	166
Cedar of Goa	165	Dacridium-like Podocarpus	167
Cedar of Lebanon	161	Dahurian Larch	161
Celandine	8	Daisy	95
Celery	85	Damask Rose	55
Chaste Tree	137	Dandelion	103
Chestnut	159	Darnel	224
Chilian Arbor Vitæ	164	Date Palm	200
China Rose	20	Daurian Juniper	165
Chinese Arbor Vitæ	164	Day Lily	209
Chinese Cunninghamia	163	Deadly Nightshade	124
Chinese Grass Cloth	150	Deciduous Cypress	163
Chinese Juniper	165	Decurrent-leaved Arbor Vitæ	164
Chinese Lantern	18	Dill	86
Chinese Pink	14	Dock	143
Chocolate Tree	21	Dog Rose	55
Christ's Thorn	32	Dog's Tail Grass	223
Cinnamon	145	Dog's Tooth Violet	207
Cinquefoil	54	Dogwood	88
Citron Tree	28	Don's New Zealand Arbor Vitæ	164
Clover	41	Doub Grass	222
Clover, common red	41	Dragon	203
Clover, Dutch	41	Dragon's Blood	270
Club Moss	236	Dragon's Head	139
Cluster Pine	162	Dragon Tree	217
Cochineal Fig	82	Drooping Gum	64
Cockscomb	143	Drooping Juniper	166
Cocksfoot Grass	223	Earth Nut	44
Cocoanut	201	Eastern Spruce	162
Coffee	93	Edible Fig	151
Columbine	2	Egg Plant	123
Comfrey	120			

	Page.		Page.
Elder .. .	88	Hatchet-leaved Arbor Vitæ .. .	105
Elk's Horn Fern .. .	234	Hawthorn .. .	56
Elm .. .	152	Heartsease .. .	34
English Iris .. .	186	Heath .. .	106
Evening Primrose .. .	68	Heavy Wooded Pine .. .	162
Evergreen Rose .. .	55	Hedgehog Cactus .. .	76
Evergreen Thorn .. .	56	Hedge Nettle .. .	140
Everlasting .. .	96	Hellebore .. .	2
Everlasting Pea .. .	44	Hemlock .. .	85
Falling Awn Grass .. .	221	Hemp .. .	152
Feather Grass .. .	222	Hickory Nut Tree .. .	157
Fennel .. .	86	Hog Plum .. .	37
Fenugreek .. .	41	Holly .. .	31
Fescue Grass .. .	223	Hollyhock .. .	18
Field Rose .. .	55	Honesty .. .	9
Fig Tree .. .	850	Honey Locust Tree .. .	47
Figwort .. .	127	Honeysuckle .. .	89
Filbert Nut .. .	160	Honey Tree .. .	36
Filmy-leaf Fern .. .	226	Honeywort .. .	121
Flame Tree .. .	20	Hoop Petticoat .. .	193
Flax .. .	23	Hop .. .	152
Fleur de Lis .. .	186	Hop Hornbeam .. .	160
Flower Fence .. .	48	Horehound .. .	140
Foxglove .. .	128	Hornbeam .. .	160
Foxtail Grass .. .	221	Horn Poppy .. .	8
Franklin's Dacridium .. .	166	Horse Chestnut .. .	35
French Daffodil .. .	193	Horse Thistle .. .	102
French Honeysuckle .. .	44	Hottentot Cherry .. .	32
French Poppy .. .	37	Hottentot Gooseberry .. .	123
French Rose .. .	55	Hound's Tongue .. .	120
Funeral Cypress .. .	165	House Leek.. .	61
Furze .. .	40	Humble Plant .. .	50
Garland Flower .. .	171	Hyacinth .. .	213
Giant Fennel .. .	86	Hyssop .. .	139
Gians Tree .. .	64	Incense-bearing Cypress .. .	165
Gigantic Arbor Vitæ .. .	164	Indian Fig Cactus .. .	82
Ginger .. .	171	Indian Cedar .. .	161
Globular-Fruited Juniper .. .	166	Indian Millet .. .	219
Globe Amaranth .. .	144	Indian Rubber .. .	151
Glory Pea .. .	43	Indian Shot.. .	169
Glory Tree .. .	137	Indian Spruce .. .	163
Goat's Beard .. .	103	Indigo .. .	42
Goat's Rue .. .	42	Ironbark Gum .. .	65
Golden Sundflower .. .	97	Italian Stone Pine .. .	162
Golden Rod.. .	95	Ivy .. .	87
Golden Fern .. .	234	Jacob's Ladder .. .	119
Goosefoot .. .	145	Japan Allspice .. .	3
Grape Hyacinth .. .	213	Japan Cedar .. .	163
Grass Tree .. .	218	Japan Podocarpus .. .	167
Great Californian Silver Fir .. .	161	Japanese Pink .. .	14
Groundsel .. .	101	Jasmine .. .	111
Ground Pine Thistle .. .	102	Jeffrey's Pine .. .	162
Guava .. .	65	Jersey Pine.. .	162
Guelder Rose .. .	89	Jerusalem Sage .. .	140
Guernsey Lily .. .	191	Job's Tears .. .	221
Gum Tree .. .	64	Jointed Arbor Vitæ .. .	164
Gunn's Fremela .. .	164	Juniper .. .	165
Hart's Tong .. .	231	Kau Apple .. .	111
Haresfoot Fern .. .	226	Kauri Pine .. .	162

	Page.		Page.
Kentucky Coffee Tree	47	Mignonette	10
Kidney Bean	46	Milk Parsley	86
Kirk's Dacridium	166	Milk Thistle	102
Laburnum	40	Milk Vetch	43
Lady's Slipper	184	Milkwort	13
Lambert's Pine	162	Millet Grass	221
Large Purple-fruited Juniper	165	Mint	138
Larkspur	3	Monkey Flower	128
Laserwort	86	Monkey Puzzle	161
Laurel	52	Mouthly Rose	55
Laurustinus	89	Moon Wort Fern	235
Lavender	134	Mountain Pine	162
Llavis Pine	162	Moreton Bay Chestnut	47
Lawson's Cypress	164	Moreton Bay Fig	151
Leadwort	109	Moreton Bay Pine	161
Lemon	28	Mulberry	151
Lily	208	Murray Lily	192
Lily of the Valley	215	Musk Plant	128
Lime Tree	22	Musk Rose	55
Lion's Ear	140	Mustard Tree of Scripture	113
Liquorice	43	Myrtle	65
Locust Tree	49	Nardoo	236
Lofty Podocarpus	167	Nasturtium	25
Lofty Bohtan Pine	161	Native Myrtle	136
Loosestriff	109	Native Cherry Tree	159
Love Grass	223	Nettle	150
Love in a Mist	2	Nettle Tree	152
Love Lies Bleeding	144	New Jersey Pine	162
Lucerne	41	Nerium-leaved Podocarpus	167
Lupin	39	New Zealand Flax	210
Lyme Grass	224	Nightshade	122
Macley's Frenela	164	Nipple Cactus	72
Macartney Rose	55	Norfolk Island Pine	161
Madder	93	Norway Spruce	162
Madworth	9	Nootka Sound Arbor Vitæ	164
Mahogany Tree	30	Nootka Sound Cypress	164
Maiden Hair	227	Nut Pine	162
Maiden Hair Tree	167	Nut-bearing Torreya	166
Maidenhair-like Phylloclodus	166	Oak	158
Maize	221	Oat Grass	222
Mallow	18	Obtuse-leaved Japan Cypress	164
Mammoth Tree	163	Oleander	115
Manchenul Tree	150	Oleaster	147
Mandarin	28	Olive	113
Maple	35	Olive Wood	32
Marigold	99	Opium Poppy	7
Majoram	138	Orach	145
Marsh Mallow	18	Orange Lily	208
Marsh Pennywort	85	Orange Tree	23
Marvel of Peru	142	Ordeal Tree of Madagascar	114
Meadow Grass	223	Orient Grape Vine	33
Meadow Rue	1	Osage Orange	151
Meadow Saffron	215	Osier Willow	154
Meadow Saxifraga	86	Pampas Grass	222
Medick	41	Panic Grass	220
Melic Grass	223	Papaw Tree	70
Melilot	41	Paper Mulberry	152
Melon Thistle	72	Paper Plant	218
Menzie's Spruce Fir	162	Parsley	85

	Page.		Page.
Passion Flower ..	69	Rest-harrow ..	41
Patagonian Fitz Ruga ..	165	Rhubarb ..	143
Patchouly Plant ..	138	Rocket ..	9
Farasol Pine ..	263	Rock Rose ..	10
Pear Tree ..	56	Rose ..	55
Pea-fruited Chamacyparis ..	164	Rose Apple ..	66
Pennyroyal ..	138	Rose Bay Tree ..	107
Peony ..	3	Rosemary ..	139
Pepper ..	160	Rue ..	27
Peppermint ..	138	Rusty-coloured Podocarpus ..	167
Pepperwort ..	9	Rumphius Podocarpus ..	167
Peppermint Gum ..	64	Sage ..	139
Persicaria ..	143	Saffron ..	190
Phoenician Juniper ..	166	Sandalwood ..	159
Pepper Tree ..	37	Sandbox Tree ..	156
Periwinkle ..	114	Sarsaparilla ..	215
Pheasant's Eye ..	2	Saxifrage ..	57
Physic Nut ..	156	Savory ..	138
Pigeon Pea ..	46	Scorpion Grass ..	120
Pigface ..	84	Scotch Fir ..	163
Pimpernel ..	110	Scotch Rose ..	55
Pine Apple ..	173	Screw or Musquit Bean ..	49
Pine or Fir Tree ..	161	Screw Pine ..	202
Pink ..	14	Sea Lavender ..	108
Pinsapo Fir ..	162	Seaside Grape ..	142
Pitcher Plant ..	158	Sensitive Plant ..	50
Plane Tree ..	154	Seville Orange ..	28
Plantain ..	142	Shaddock ..	28
Plantian Tree ..	172	Shallot ..	211
Plum Tree ..	52	Shea Oak ..	153
Plum-fruited Juniper ..	165	Shield Fern ..	232
Poison Nut ..	118	Shea Ironbark Gum ..	64
Pomegranate ..	67	Sheep Bush ..	100
Polyanthus ..	109	Silver Fir ..	161
Poplar Tree..	154	Silver Tree ..	147
Poppy ..	7	Skullcap ..	140
Portugal Laurel ..	52	Slender-leaved Pine ..	163
Prairie Grass ..	223	Slipperwort ..	126
Prickly Cedar ..	165	Snake Gourd ..	70
Pride of India ..	67	Snake Wood ..	150
Primrose ..	109	Snap Dragon ..	126
Prince Albert's Yew ..	167	Snowflake ..	190
Prince's Feather ..	144	Soapberry ..	35
Privet ..	113	Soapwort ..	15
Prostrate-branch Juniper ..	166	Solomon's Seed ..	216
Pumpkin ..	70	Sow Bread ..	109
Purslane ..	16	Sow Thistle ..	103
Pyramidal Swan River Cypress ..	163	Spanish Broom ..	40
Pyramidal Cypress ..	164	Spanish Iris ..	186
Pyrenean Pine ..	162	Spanish Reed ..	222
Quaking Grass ..	223	Spindle Tree ..	31
Quinine Tree ..	90	Spleenwort Fere ..	231
Radiated Pine ..	162	Spot Flower ..	118
Raspberry ..	54	Spotted Gum ..	64
Red Spruce Fir ..	162	Spring-leaved Podocarpus ..	167
Red Gum ..	64	Spurge ..	156
Red American Pine ..	162	Spurry ..	15
Reed Grass ..	222	Squill ..	212

	Page.		Page.
Square-leaved Chamaecyparis ..	164	Touch-me-not ..	27
Star Pine	162	Treasure Flower ..	102
Starwort	95	Trumpet Flower ..	130
Star of Bethlehem ..	212	Tuberose ..	209
Staff Tree	32	Tulip ..	207
Stiff-leaved Pine ..	162	Tulip Tree ..	4
Stiff-leaved Juniper ..	166	Turnsole ..	120
St. John's Wort	16	Twisted Branched Pine ..	161
Stringybark Gum	64	Umbrella Tree ..	87
Stylewort	104	Upas Tree ..	150
Strawberry	54	Upright Indian Silver Fir ..	162
Strawberry Tree	106	Upright Cypress ..	165
Strawberry Spinach	145	Valerian ..	94
Stock	8	Vanille ..	184
Stone Crop	60	Vegetable Marrow ..	76
Stone Pine	161	Vervain ..	136
Stork's Bill	24	Vetch Tare ..	44
Turt's Pea	43	Vine ..	33
Sugar Cane	219	• Virginian Cedar ..	166
Sugar Grass	222	Violet ..	11
Sugar Maple	36	Viper' Bugloss ..	120
Sulphur Wort	86	Virgin Bower ..	1
Sumach	37	Wall Cress ..	9
Sunflower	98	Wallflower ..	8
Sunrose	11	Walnut ..	157
Swallow Wort	116	Water Lily ..	7
Swamp Mahogany Gum	64	Wattle ..	51
Sweet Basil	138	Water Plantain ..	196
Sweet Briar	55	Webb's Indian Fir ..	163
Sweet Gum Tree	61	Weaver Teasel ..	94
Sweet Melon	70	Weeping Gum ..	65
Sweet Pea	44	Weeping Funeral Cypress ..	165
Sweet Sultan	103	Weeping Willow ..	154
Sweet William	14	Weymouth Pine ..	162, 163
Sycamore	36	White Broom ..	40
Sydney Cedar	30	White Cedar ..	30
Syringa	58	White Lily ..	208
Tobacco	124	White or Belgic Rose ..	55
Table Mountain Pine	162	White Gum ..	64
Tallow Tree	156	White Spruce ..	161
Tall Crimson Juniper	105	Wild Cotton ..	116
Tamarind	49	Wild Liquorice ..	45
Tamarisk	16	Willow ..	154
Taurian Pine	163	Willow Herb ..	68
Tea	17	Wind Flower ..	2
Tea Tree	63	Winter Cress ..	8
Thorn Apple	124	Woodbine ..	80
Thrift	108	Woodruff ..	94
Throatwort	105	Wood sorrel ..	26
Thyme	138	Wormwood ..	100
Tiger Lily	209	Yam ..	196
Tiger Flower	186	Yarra Gum ..	64
Toad Flax	126	Yarrow ..	99
Tomato	122	Yeit Gum ..	64
Tansy	100	Yew ..	166
Torch Pine	163	Yellow Gum ..	65
Tuberculated Toned Pine	163	Yellow Pine ..	162
Totura Pine	167	Yew-leaved Podocarpus ..	167
Traveller's Tree	172		

INDEX ORDINUM ET GENERUM.

	Page.		Page.
<i>Abelia</i> R. Br.	89	<i>Agrostis</i> Linn	221
<i>Aberia</i> Hochst.	12	<i>Agyranthemum</i> Webb	100
<i>Abronia</i> Juss.	142	<i>Ailanthes</i> Desf.	29
<i>Abrus</i> Linn.	45	<i>Ajuga</i> Linn.	141
<i>Abutilon</i> , Gaertn.	18	<i>Akania</i> Hook	35
<i>Acacia</i> Neck.	50	<i>Akebia</i> Decaisn.	5
<i>Acaena</i> Linn.	65	<i>Albizzia</i> Duraz	52
<i>Acalypha</i> Linn.	155	<i>Albuca</i> Linn.	212
<i>Acampa</i> Lindl.	183	<i>Alectryon</i> Gaertn.	36
<i>Acantastachyis</i> Kl.	174	<i>Aleurites</i> Forst.	155
<i>Acanthaceae</i>	132	<i>Allamanda</i> Linn.	113
<i>Acanthophippium</i> Blume	182	<i>Allium</i> Linn.	211
<i>Acanthus</i> Linn.	133	<i>Alisma</i> Linn.	196
<i>Acer</i> Linn.	35	<i>Alismaceae</i>	196
<i>Achillea</i> Linn.	99	<i>Alnus</i> Tournef.	153
<i>Achimenes</i> P. Br.	129	<i>Alphitonia</i> Reiss.	33
<i>Achras</i> Linn.	110	<i>Alpina</i> Linn.	171
<i>Achyranthes</i> Linn.	144	<i>Atocasia</i> Schott	205
<i>Acineta</i> Lindl.	184	<i>Aloe</i> Linn.	210
<i>Acodyletons</i>	225	<i>Alonsoa</i> Ruiz & Pav.	126
<i>Acroclinium</i> A. Gray	96	<i>Alopecurus</i> Linn.	221
<i>Acronychia</i> Forst.	28	<i>Aloysia</i> Linn.	136
<i>Acropora</i> Lindl.	181	<i>Alsophila</i> R. Br.	226
<i>Acrostichum</i> Linn.	234	<i>Alstonia</i> R. Br.	114
<i>Actiniopteris</i> Link.	230	<i>Alstroemeria</i> Linn.	194
<i>Actinostrobus</i> Miq.	163	<i>Althaea</i> Linn.	18
<i>Adansonia</i> Linn.	26	<i>Althermanthera</i> Forsk.	144
<i>Adenandra</i> Willd.	27	<i>Alyssum</i> Linn.	9
<i>Adenanthera</i> Linn.	40	<i>Alyxia</i> R. Br.	114
<i>Adenanthes</i> Labill.	147	<i>Amarantaceae</i>	143
<i>Adenocalymna</i> Mart.	181	<i>Amarantus</i> Linn.	144
<i>Adenocarpus</i> Dec.	40	<i>Amaryllideae</i>	190
<i>Adhatoda</i> Nees	135	<i>Amaryllis</i> Linn.	190
<i>Adiantopsis</i> Fée	228	<i>Amelanchier</i> Lindl.	57
<i>Adiantum</i> Linn.	227	<i>Amicia</i> Dec.	44
<i>Adonis</i> Linn.	2	<i>Amirola</i> Pers.	35
<i>Aechmea</i> Ruiz & Pav.	173	<i>Amobium</i> R. Br.	97
<i>Aerides</i> Lour.	181	<i>Amomum</i> Linn.	171
<i>Aeroa</i> Forsk.	143	<i>Amorpha</i> Linn.	42
<i>Aeschynanthus</i> Jak.	130	<i>Amorphophallus</i> Bl.	206
<i>Aesculus</i> Linn.	35	<i>Ampelidae</i>	33
<i>Agalostachys</i> Beer	173	<i>Ampelopsis</i> Michx.	34
<i>Agave</i> Linn.	194	<i>Amyris</i> Linn.	30
<i>Ageratum</i> Linn.	94	<i>Anacardiaceae</i>	37
<i>Aglaonema</i> Schott	204	<i>Anoectochilus</i> Lindl.	184
<i>Agonis</i> Dec.	63	<i>Anagallis</i> Linn.	110
<i>Agrimonia</i> Linn	55	<i>Anagyris</i> Linn.	38

	Page.		Page.
<i>Ananas</i> Mill.	173	<i>Artanema</i> Don.	128
<i>Auchusa</i> Linn.	120	<i>Artanthe</i> Miq.	160
<i>Androlepis</i> Brong.	176	<i>Artemisia</i> Linn.	100
<i>Andromeda</i> Linn.	106	<i>Arthrobium</i> Desf.	44
<i>Andropogon</i> Willd.	219	<i>Arthropodium</i> R. Br.	214
<i>Anemia</i> Swartz	235	<i>Artocarpus</i> Linn.	150
<i>Anemone</i> Linn.	2	<i>Arundo</i> Linn.	222
<i>Anethum</i> Linn.	86	<i>Asclepiadæ</i>	116
<i>Angelonia</i> Humb. & Bonpl.	126	<i>Asclepias</i> Linn.	116
<i>Angiopteris</i> Hoffm.	235	<i>Aspalanthus</i> Linn.	40
<i>Angophora</i> Cav.	63	<i>Asparagus</i> Linn.	216
<i>Angraecum</i> P. Thou.	183	<i>Aparageæ</i>	216
<i>Anigozanthos</i> Labill.	195	<i>Asparagopsis</i> Knth.	216
<i>Anisomeles</i> R. Br.	140	<i>Asperula</i> Linn.	94
<i>Anomatheca</i> Ker.	187	<i>Aphodelus</i> Linn.	214
<i>Anona</i> Linn.	5	<i>Aspidium</i> Swartz.	232
<i>Anonaceæ</i>	4	<i>Asplenium</i> Linn.	231
<i>Anthemis</i> Linn.	100	<i>Astartea</i> Dec.	62
<i>Anthephora</i> Schreb.	220	<i>Astelia</i> B. & Sol.	216
<i>Anthericum</i> Linn.	214	<i>Astelieæ</i>	216
<i>Anthocercis</i> Labill.	125	<i>Aster</i> Linn.	95
<i>Antholyza</i> Linn.	188	<i>Asterostigma</i> Fisch.	207
<i>Anthurium</i> Schott.	203	<i>Astragalus</i> Linn.	43
<i>Anthoxanthum</i> Linn.	220	<i>Astrapaea</i> Lindl.	21
<i>Anthyllis</i> Linn.	41	<i>Astrocarpum</i> Mey.	200
<i>Antiaris</i> Lesch.	150	<i>Atalantia</i> Corr.	29
<i>Antigonon</i> Endl.	143	<i>Atriplex</i> Linn.	145
<i>Antirrhinum</i> Linn.	126	<i>Atropa</i> Linn.	124
<i>Aphanopetalum</i> Endl.	59	<i>Aucuba</i> Thunb.	88
<i>Aphelandra</i> R. Br.	134	<i>Aubrietia</i> Adans.	9
<i>Apium</i> Linn.	85	<i>Avena</i> Linn.	222
<i>Apocinaceæ</i>	113	<i>Azalea</i> Linn.	106
<i>Apodutes</i> E. Mey.	31	<i>Azara</i> Ruiz & Pav.	12
<i>Aquilegia</i> Linn.	2	<i>Babiana</i> Ker.	187
<i>Arabis</i> Linn.	9	<i>Baccharis</i> Linn.	96
<i>Arachis</i> Linn.	44	<i>Backhousia</i> Hook.	65
<i>Aralia</i> Linn.	86	<i>Bactris</i> Willd.	201
<i>Araliaceæ</i>	86	<i>Baeckea</i> Linn.	62
<i>Araucaria</i> Henk. & Hochst.	160	<i>Baloghia</i> Endl.	155
<i>Araujia</i> Brot.	116	<i>Balsamita</i> Desf.	100
<i>Arbutus</i> Linn.	106	<i>Bambusa</i> Schreb.	224
<i>Arctostaphylos</i> Adans.	106	<i>Banisteria</i> Linn.	23
<i>Arctotis</i> Linn.	101	<i>Banksia</i> Linn. fil.	149
<i>Ardisia</i> Sw.	110	<i>Barbarea</i> R. Br.	8
<i>Arduina</i> Linn.	114	<i>Barkleya</i> F. Muell.	47
<i>Areca</i> Linn.	197	<i>Barleria</i> Linn.	134
<i>Arenga</i> Labill.	197	<i>Barnadesia</i> Linn.	103
<i>Argania</i> R. & Sch.	110	<i>Barnardia</i> Lindl.	211
<i>Argemone</i> Linn.	7	<i>Baselleæ</i>	145
<i>Argyreia</i> Lour.	121	<i>Batatas</i> Chois.	121
<i>Arisaema</i> Mart.	207	<i>Bauera</i> Banks.	59
<i>Arisarum</i> Tourf.	206	<i>Bauhinia</i> Linn.	48
<i>Aristolochia</i> Linn.	168	<i>Beaucarnea</i> Lehm.	216
<i>Aristolochieæ</i>	158	<i>Beaufortia</i> R. Br.	63
<i>Aristotelia</i> L'Her.	22	<i>Beaumontia</i> Wall.	115
<i>Armeria</i> Willd.	108	<i>Begoniææ</i>	71
<i>Aroidæ</i>	203	<i>Begonia</i> Linn.	71
<i>Artobotrys</i>	4	<i>Bellevalia</i> Lap.	213

	Page.		Page.
<i>Bellis</i> Linn...	95	<i>Brownia</i> Jacq...	49
<i>Beloperone</i> ...	134	<i>Bryonia</i> Linn...	70
<i>Benthamia</i> Lindl...	88	<i>Bryophyllum</i> Salisb...	60
<i>Berberideas</i> ...	5	<i>Buckinghamia</i> F. Muell...	149
<i>Berberis</i> Linn...	5	<i>Buddleia</i> Linn...	118
<i>Berchemia</i> Neck...	32	<i>Buphanes</i> Herb...	191
<i>Beta</i> Linn...	144	<i>Bupthalmum</i> Linn...	97
<i>Betula</i> Linn...	153	<i>Bupleurum</i> Linn...	85
<i>Betulaceae</i> ...	153	<i>Bumelia</i> Sw...	110
<i>Bidens</i> Linn...	98	<i>Burchellia</i> R. Br...	91
<i>Bignonia</i> Linn...	130	<i>Bursaria</i> Cav...	13
<i>Bignoniacae</i> ...	130	<i>Burseraceae</i> ...	30
<i>Billardiera</i> Sm...	13	<i>Butea</i> Roxb...	46
<i>Billbergia</i> Thunb...	173	<i>Buxineae</i> ...	157
<i>Biota</i> Endl...	164	<i>Buxus</i> Linn...	157
<i>Bixa</i> Linn...	11	<i>Cacteae</i> ...	72
<i>Bixineae</i> ...	11	<i>Cadia</i> Forsk...	47
<i>Blechnum</i> Linn...	230	<i>Codiaeum</i> Blum...	156
<i>Blennosperma</i> Less...	99	<i>Caesalpinia</i> Plum...	47
<i>Bletia</i> Ruiz & Pav...	180	<i>Caesalpiniae</i> ...	47
<i>Blitum</i> Linn...	145	<i>Cajanus</i> Dec...	46
<i>Bobartia</i> Linn...	188	<i>Caladium</i> Vent...	205
<i>Bocconia</i> Linn...	8	<i>Calamagrostis</i> Adans...	222
<i>Boehmeria</i> Jacq...	150	<i>Calamintha</i> Moench...	139
<i>Bolbophyllum</i> Thouars...	177	<i>Calamus</i> Linn...	198
<i>Bomarea</i> Herb...	194	<i>Calandrinia</i> Humb. & Bonpl...	16
<i>Bonaparteia</i> Ruiz & Pav...	177	<i>Calanthe</i> R. Br...	182
<i>Boragineae</i> ...	120	<i>Calceolaria</i> Linn...	126
<i>Borago</i> Linn...	120	<i>Calendula</i> Linn...	101
<i>Boronia</i> Sm...	27	<i>Calimeris</i> Nees...	96
<i>Bossiaeae</i> Vent...	39	<i>Calandra</i> Benth...	52
<i>Botrychium</i> Swartz...	235	<i>Calicarpa</i> Linn...	137
<i>Botryodendron</i> Endl...	87	<i>Calichroa</i> Fisch...	98
<i>Bougainvillea</i> Comm...	142	<i>Callicoma</i> Andr...	59
<i>Boussingaultia</i> Humb. & Bonpl...	145	<i>Calliopsis</i> Reichb...	98
<i>Bouvardia</i> Salisb...	90	<i>Callipteris</i> Bory...	233
<i>Bowenia</i> Hook...	167	<i>Callistemon</i> R. Br...	63
<i>Brachycome</i> Cass...	95	<i>Callithauma</i> Herb...	193
<i>Brachyglottis</i> Forst...	100	<i>Callitris</i> Vent...	164
<i>Brachysema</i> R. Br...	38	<i>Callytrix</i> Labill...	62
<i>Brahea</i> Mart...	199	<i>Calochartus</i> Pursh...	208
<i>Brassaa</i> Endl...	87	<i>Calodendron</i> Thunb...	27
<i>Brassia</i> R. Br...	183	<i>Calonyction</i> Chois...	122
<i>Bravos</i> Llav...	190	<i>Calophaca</i> Fisch...	43
<i>Breweria</i> R. Br...	122	<i>Calophyllum</i> Linn...	17
<i>Bridgesia</i> Bert...	34	<i>Calostema</i> R. Br...	192
<i>Briza</i> Linn...	223	<i>Calothamnus</i> Labill...	63
<i>Brodiaea</i> Sm...	213	<i>Calotropis</i> R. Br...	116
<i>Bromelia</i> Willd...	173	<i>Calpicarpum</i> G. Don...	114
<i>Bromeliaceae</i> ...	173	<i>Calycanthaceae</i> ...	3
<i>Bromheadia</i> Lindl...	181	<i>Calycanthus</i> Linn...	3
<i>Bromus</i> Linn...	223	<i>Calyptrrocalyx</i> Bl...	198
<i>Broughtonia</i> R. Br...	179	<i>Calystegia</i> R. Br...	122
<i>Broussonetia</i> Vent...	152	<i>Camassia</i> Lindl...	211
<i>Brugmansia</i> Pers...	124	<i>Camellia</i> Linn...	17
<i>Brunfelsia</i> Linn...	125	<i>Campanula</i> Linn...	105
<i>Brunonia</i> Sm...	104	<i>Campanulaceae</i> ...	104
<i>Brunswigia</i> Ker...	191		

	Page.		Page.
<i>Campsidium</i> Seem.	131	<i>Centropogon</i> Presl.	104
<i>Cananga</i> Rumph.	4	<i>Cephalanthus</i> Linn.	90
<i>Caparina</i> Linn.	105	<i>Cephalotaxus</i> Sieb. & Zucc.	167
<i>Canavalia</i> Dec.	46	<i>Cephalotus</i> Labill.	59
<i>Candollea</i> Labill.	3	<i>Ceratonia</i> Linn.	48
<i>Cannaceae</i>	169	<i>Ceratopetalum</i> Sm.	59
<i>Canna</i> Linn.	169	<i>Ceratopteris</i> Brong.	229
<i>Cannabineae</i>	152	<i>Cerbera</i> Linn.	114
<i>Cannabis</i> Linn.	152	<i>Cercis</i> Linn.	49
<i>Canthium</i> Lam.	92	<i>Cereus</i> Haw.	77
<i>Cantua</i> Juss.	119	<i>Cerinthe</i> Linn.	121
<i>Capparideae</i>	10	<i>Ceropegia</i> Linn.	117
<i>Capparis</i> Lind.	10	<i>Ceroxylon</i> Humb. & Bonpl.	197
<i>Caprifoliaceae</i>	88	<i>Cestrum</i> Linn.	124
<i>Capsicum</i> Linn.	123	<i>Chamaecyparis</i> Spach.	164
<i>Caragana</i> Lam.	43	<i>Chamaedorea</i> Willd.	197
<i>Caraguata</i> Plum.	174	<i>Chamaelaucieae</i>	62
<i>Carapa</i> Anbl.	30	<i>Chamaepeuce</i> Dec.	102
<i>Carlina</i> Linn.	102	<i>Chameranthemum</i> Nees.	134
<i>Cardiospermum</i> Linn.	34	<i>Chamaerops</i> Linn.	200
<i>Carduus</i> Linn.	102	<i>Cheilanthes</i> Sw.	229
<i>Carex</i> Linn.	219	<i>Chelidonium</i> Linn.	8
<i>Cargillia</i> R. Br.	111	<i>Cheiranthus</i> Linn.	8
<i>Carica</i> Linn.	70	<i>Chelone</i> Linn.	127
<i>Carludovica</i> Ruiz & Pav.	202	<i>Chenopodeae</i>	144
<i>Carmichaelia</i> R. Br.	43	<i>Chenopodium</i> Linn.	145
<i>Carpinus</i> Linn.	160	<i>Chilianthus</i> Burch.	118
<i>Carpodetus</i> Forst.	58	<i>Chimonanthus</i> Lindl.	3
<i>Carrise</i> Linn.	114	<i>Chionanthus</i> Lour.	112
<i>Carthamus</i> Linn.	103	<i>Chirertia</i> Hamilt.	130
<i>Carya</i> Nutt.	157	<i>Chironia</i> Linn.	118
<i>Caryophylleae</i>	14	<i>Chlidanthus</i> Lindl.	192
<i>Caryota</i> Linn.	198	<i>Chloris</i> Swartz	222
<i>Casparya</i> Dec.	72	<i>Chloropsis</i> Herb.	195
<i>Cassia</i>	48	<i>Chorizema</i> Labill.	38
<i>Cassina</i> R. Br.	97	<i>Choretis</i> Herb.	193
<i>Cassine</i> Linn.	32	<i>Chrysobactron</i> Col.	214
<i>Cassinopsis</i> Sond.	31	<i>Chysis</i> Lindl.	178
<i>Castanea</i> Mill.	169	<i>Cichorium</i> Linn.	103
<i>Castanospermum</i> A. Cunn.	47	<i>Cinchona</i> Linn.	90
<i>Casuarina</i> Linn.	153	<i>Cincinalis</i> Desv.	234
<i>Casuarineae</i>	153	<i>Cinnamomum</i> Burm.	145
<i>Catalpa</i> Juss.	131	<i>Cinneraria</i> Linn.	101
<i>Catananche</i> Linn.	103	<i>Cirraea</i> Lindl.	183
<i>Catasetum</i> Rich.	183	<i>Cirsium</i> Vaill.	102
<i>Cattleya</i> Lindl.	179	<i>Cissus</i> Linn.	34
<i>Ceanothus</i> Linn.	33	<i>Cistineae</i>	10
<i>Cecropia</i> Linn.	150	<i>Cistus</i> Linn.	11
<i>Cedrela</i> Linn.	30	<i>Citharexylum</i>	137
<i>Celastrineae</i>	31	<i>Citriobatus</i> A. Cunn.	13
<i>Celastrus</i> Linn.	32	<i>Citrus</i> Linn.	28
<i>Celmisia</i> Cass.	96	<i>Clarkia</i> Pursh.	68
<i>Celosia</i> Linn.	143	<i>Clematis</i> Linn.	1
<i>Celsia</i> Linn.	125	<i>Cleome</i> Linn.	10
<i>Celtidinae</i>	152	<i>Clerodendron</i> Linn.	137
<i>Celtis</i> Tournef.	152	<i>Chianthus</i> Soland.	43
<i>Centaurea</i> Linn.	102	<i>Clifforia</i> Linn.	55
<i>Centranthus</i> Dec.	94	<i>Clitoria</i> Linn.	45

	Page.		Page.
<i>Clivia</i> Lindl.	194	<i>Crocosma</i> Ker.	189
<i>Clusia</i> Linn.	17	<i>Crocus</i> Linn.	190
<i>Cluytia</i> Ait.	155	<i>Crosandra</i> Dinn.	134
<i>Cneorum</i> Linn.	29	<i>Crotalaria</i> Linn.	39
<i>Cnicus</i> Linn.	102	<i>Croton</i> Linn.	155
<i>Cobaca</i> Cav.	119	<i>Crucianella</i> Linn.	94
<i>Coccobola</i> Jacq.	142	<i>Cruciferae</i>	8
<i>Cocos</i> Linn.	201	<i>Cryptandra</i> Sm.	33
<i>Codiaeum</i> Blume.	156	<i>Cryptanthus</i> Kl.	176
<i>Coelia</i> Lindl.	183	<i>Cryptocarya</i> R. B.	146
<i>Coelogine</i> Lindl.	178	<i>Cryptomeria</i> Don.	163
<i>Coffea</i>	93	<i>Cryptostegia</i> R. Br.	116
<i>Coix</i> Linn.	221	<i>Crysanthemum</i> Linn.	100
<i>Colax</i> Lindl.	180	<i>Cuculabus</i> Linn.	15
<i>Colchicum</i> Linn.	215	<i>Cucumis</i> Linn.	70
<i>Colea</i> Boj.	132	<i>Cucurbita</i> Linn.	70
<i>Coleus</i> Lour.	138	<i>Cucurbitaceae</i>	70
<i>Colletia</i> Comm.	33	<i>Cudrania</i> Trécul	152
<i>Collinsia</i> Nutt.	127	<i>Cummingia</i> D. Don.	214
<i>Collomia</i> Nutt.	119	<i>Cunninghamia</i> R. Br.	163
<i>Colocasia</i> Schott.	205	<i>Cunonieae</i>	59
<i>Columnea</i> Linn.	130	<i>Cupania</i> Linn.	35
<i>Colutea</i> Linn.	43	<i>Cuphea</i> R. Br.	67
<i>Combretum</i> Linn.	62	<i>Cupressus</i> Tournef.	165
<i>Commelynæ</i>	218	<i>Oupuliferae</i>	158
<i>Commersonia</i> , Forst.	218	<i>Curculigo</i> Gaertn.	196
<i>Compositæ</i>	94	<i>Curcuma</i> Linn.	172
<i>Coniferae</i>	160	<i>Curmeria</i> Lind.	207
<i>Conium</i> Linn.	85	<i>Cussonia</i> Thumb.	87
<i>Convallaria</i> Linn.	215	<i>Cyanella</i> Linn.	214
<i>Convolvulaceæ</i>	121	<i>Cyanophyllum</i> Naud.	67
<i>Convolvulus</i> Linn.	122	<i>Cyathea</i> Sm.	225
<i>Conyzæ</i> Less.	96	<i>Cycadæ</i>	167
<i>Cookia</i> Son.	29	<i>Cycas</i> Linn.	167
<i>Coprosma</i> Forst.	93	<i>Cyclamen</i> Linn.	109
<i>Cordia</i> Linn.	120	<i>Cyclantheæ</i>	202
<i>Cordylina</i> Com.	216	<i>Cyclanthera</i> Schrad.	70
<i>Coreopsis</i> Linn.	98	<i>Cyclobohra</i> Sweet.	208
<i>Coriaria</i> Linn.	37	<i>Cymbidium</i> Swartz.	184
<i>Coriariæ</i>	37	<i>Cynara</i> Linn.	102
<i>Cornaceæ</i>	88	<i>Cynodon</i> Linn.	222
<i>Cornus</i> Linn.	88	<i>Cynoglossum</i> Linn.	120
<i>Correa</i> Sm.	28	<i>Cynosurus</i> Linn.	223
<i>Coryanthus</i> Hook.	183	<i>Cypella</i> Herb.	187
<i>Corylaceæ</i>	160	<i>Cyperaceæ</i>	218
<i>Corylus</i> Linn.	160	<i>Cyperus</i> Linn.	218
<i>Corypha</i> Linn.	199	<i>Cypripedium</i> Linn.	184
<i>Cosmos</i> Cav.	98	<i>Cyrtanthera</i> Nees.	135
<i>Costus</i> Linn.	172	<i>Cyrtanthus</i> Ait.	192
<i>Cotoneaster</i> Medik.	57	<i>Cyrtodeira</i> Hanst.	130
<i>Cotula</i> Linn.	100	<i>Cyrtosiphonia</i> Miq.	114
<i>Cotyledon</i> Linn.	60	<i>Cytisus</i> Linn.	40
<i>Crassula</i> Linn.	59	<i>Dacrydium</i> Soland.	166
<i>Crassulaceæ</i>	59	<i>Dactylis</i> Linn.	223
<i>Crataegus</i> Linn.	56	<i>Daemonorops</i> Bl.	198
<i>Crepis</i> Linn.	103	<i>Dahlia</i> Cav.	98
<i>Crescentia</i> Linn.	132	<i>Dalbergia</i> Linn.	46
<i>Crinum</i> Linn.	192	<i>Dalechampia</i> Plum.	156

	Page.		Page.
Dammara Rumph...	161	Drimyspermum Reinw.	146
Danthonia Dec...	222	Dryandra R. Br...	149
Daphne Linn...	146	Duranta Linn...	137
Daphniphyllum Blum...	157	Dyckia Schott...	176
Datura Linn...	124	Dysosxylum Blum...	30
Daubentonia Dec...	42	Ebenaceae ...	111
Daucus Linn...	86	Eccremocarpus Ruiz & Pav...	131
Davallia Sm...	226	Echeveria Dec...	60
Daviesia Sm...	38	Echinocactus Linn...	76
Deeringia R. Br...	143	Echinocereus Engelm...	79
Delphinium Linn...	3	Echinops Linn...	102
Dendrobium Sw...	177	Echinopsis Zucc...	80
Dennstaedtia Bernh...	226	Echinostachys Bur...	173
Dierparia Hook. & Grev...	226	Echites Linn...	115
Desmanthus Wildl...	60	Echium Linn...	120
Desmodium Desv...	44	Ekebergia Sparm...	30
Deutzia Thunb...	58	Elaeagnaceae ...	147
Dianella Lam...	216	Elaeagnus Linn...	147
Dianthus Linn...	14	Elaeis Jacq...	201
Dichorisandra Mik...	218	Elaeocarpus Linn...	22
Dicksonia L'Herit...	225	Elaeodendron Jacq...	32
Dicliptera Juss...	135	Eleusine Gaert...	222
Dictyogramme Presl...	234	Elymus Linn...	224
Dieffenbachia Schott...	204	Emilia Cass...	101
Dielytra Benth...	8	Encephalartos Lehm...	168
Dieteria Salsb...	186	Entada Adans...	49
Digitalis Linn...	128	Entelea R. Br...	22
Dilleniaceae...	3	Epacridaceae ...	107
Dillwynia Sm...	38	Epacris Cav...	108
Dioclea Humb. & Bonpl...	46	Epidendrum Linn...	179
Dioscorea Linn...	196	Epilobium Linn...	68
Dioscoreae ...	196	Epiphyllum Pfeiff...	81
Diosma Linn...	27	Eragrostis Beauv...	223
Diospyros Linn...	111	Eratthemum Linn...	134
Diplatenia A. Dec...	116	Eremophila R. Br...	136
Diploglottis Hook...	34	Eremostachys Bunge...	141
Diplopappus Cassin...	96	Eria Lindl...	178
Diplothemium Mart...	201	Erianthus Michx...	219
Dipsaceae ...	94	Erica Linn...	106
Dipsacus Tournef...	94	Ericaceae ...	106
Dipteracanthus Nees...	133	Eriostemon Sm...	27
Dipterix Schreb...	46	Erysimum Linn...	9
Dissiliaria F. Muell...	155	Erythraea Rich...	118
Disteganthus Lem...	174	Erythrina Linn...	46
Dodecatheon Linn...	109	Erythronium Linn...	207
Dodonaea Linn...	36	Escallonia Mutis...	58
Dolichos Linn...	46	Eschscholtzia Cham...	8
Dombeya Cav...	21	Eucalyptus L'Herit...	64
Doodia R. Br...	231	Eucharidium Fisch...	68
Doronicum Linn...	100	Eucharis Lindl...	191
Dorstenia Plum...	151	Eucomis L'Herit...	214
Doryanthes R. Br...	194	Eugenia Linn...	66
Doryphora Endl...	145	Eulalia Knth...	219
Dracaena Linn...	217	Eulophia R. Br...	180
Dracocephalum Linn...	139	Euonymus Linn...	31
Dracontium Linn...	203	Eupatorium Linn...	95
Drimia Jacq...	213	Euphorbia Linn...	156
Drimys Forst...	4	Euphorbiaceae ...	155

	Page.		Page.
Euphorbia Juss.	35	Gesneraceae ..	129
Eupomatiella R. Br.	5	Geum Linn..	54
Eurya Thunb.	17	Gilia Ruiz & Pav..	119
Eurycles Salisb.	192	Gladiolus Tournef..	187
Eustrephus R. Br.	217	Glaucium Juss.	8
Eutaxia R. Br.	38	Gleditschia Linn..	47
Euterpe Mart.	197	Gleichenia Sm..	225
Exocarpus Labill.	159	Gloneria Lind. & Andr.	91
Exostemma Dec.	91	Gloxinia L'Her.	129
Fabiana Ruiz & Pav.	124	Glycine Linn..	45
Fagelia Neck.	46	Glycosmis Corr..	28
Fagus Linn..	159	Glycyrrhiza Linn..	43
Farfugium Lindl	101	Gnaphalium Linn..	96
Ferdinanda Lagasc.	98	Godetia Tpach..	68
Ferraria Linn..	187	Gomphia Schreb..	29
Ferula Linn..	86	Gomphocarpus R. Br.	116
Festuca Linn..	223	Gomphrena Linn..	144
Ficoidaceae ..	84	Gongora Ruiz & Pav.	183
Ficus Linn..	150	Gonospermum Less..	99
Filices ..	225	Goodenoviae ..	104
Felicia Cass..	96	Goodenia Sm..	104
Fittonia E. Coem.	135	Goodia S.lisb..	39
Fitz-Roya Hook.	165	Goodwinia Seem..	207
Flacourtie Comm..	12	Gossypium Linn..	20
Flindersia R. Br.	31	Gramineae ..	219
Foeniculum Adans..	86	Granatae ..	67
Forsythia Vahl..	111	Graptophyllum Nees..	135
Fourcroya Vent..	195	Gratiola Linn..	128
Fragraea Thunb..	118	Grevillea R. Br..	148
Fragraria Linn..	54	Grewia Linn..	22
Franciscea Pohl..	125	Griffnia R. Br..	192
Fraxinus Linn..	112	Grindelia Willd..	95
Frenela Mirb.	164	Griselinia Forst..	88
Frittilaria Linn..	208	Guazuma Plum..	21
Fuchsia Linn..	68	Guichenotia J. Gay..	22
Fugosia Juss..	20	Gustavia Linn..	66
Fumaria Linn..	8	Guttiferae ..	17
Galactodendron Knth..	150	Guzmannia Ruiz & Pav..	174
Galaxia Willd..	187	Gymnochladus Lam..	47
Galega Linn..	42	Gymnogramma Desv..	234
Guillardia Fouger..	99	Gymnostachium Nees..	134
Gallium Linn..	94	Gymnothrix Beauv..	220
Garcinia Linn..	17	Gynerium Willd..	222
Gardenia Linn..	92	Gypsophila Linn..	14
Garrya Dougl..	88	Habranthus Herb..	191
Gastroneura Herb..	192	Habrothamnus Endl..	124
Gaura Linn..	69	Haemanthus Lin..	192
Gazania Gaertn..	102	Haemodoraceae ..	195
Geissosperma Gawl..	189	Hakea Schrad..	148
Gelasine Herb..	190	Halesia Linn..	111
Gelsemium Juss..	118	Halimodendron Fisch..	43
Genista Linn..	40	Halleria Linn..	127
Gentianaceae ..	118	Halorageae ..	62
Geodorum Jacks..	184	Haloragis Forst..	62
Geonoma Willd..	199	Hamamelidaceae ..	61
Geraniaceae ..	24	Hamamelis Linn..	61
Geranium Linn..	24	Hardenbergia Benth..	45
Gesneria Mart..	129	Harpulia Roxb..	35

	Page.		Page.
Hamelia Jacq.	91	Hymenophyllum Linn.	226
Hibbertia Andr.	3	Hymenosporum F. Muell.	12
Hibiscus Linn.	19	Hyóphorbe Gaert.	197
Hieraceum Linn.	103	Hyoscyamus Linn.	124
Hierochloa Beauv.	220	<i>Hypericinæae</i>	16
Higginsia Pers.	91	Hypericum Linn.	16
Hippeastrum Herb.	191	Hypocalyptus Thunb.	41
Hippomane Linn.	156	Hypoestes R. Br.	135
Hebeclinium Dec.	95	Hypolepsis Bernh.	228
Hechtia Kl.	174	<i>Hypoxideæae</i>	196
Hedera Linn.	87	Hypoxis Linn.	196
Hedychium Koenig	171	Hyssopus Linn.	139
Hedysarum Linn.	44	Iberis Linn.	9
Helenium Linn.	99	Ilex Linn.	31
Helianthemum Pers.	11	<i>Ilicineæae</i>	31
Helianthus Linn.	98	Ilicium Linn.	4
Helichrysum Gaert.	97	Imhofia Herb.	191
Heliconia Linn.	172	Indigofera Linn.	42
Helicteres Linn.	21	Inga Willd.	52
Heliotropium Linn.	120	Inula Linn.	97
Helipterum Dec.	96	Ipomoea Linn.	121
Helleborus Linn.	2	Iresine Willd.	144
Hemicyclia Wight & Arn.	155	<i>Iridæae</i>	185
Hemionitis Linn.	234	Iris Linn.	186
Hemitelia R. Br.	225	Isatis Linn.	9
Heracleum Linn.	86	Ismene Herb.	193
Hermannia Linn.	21	Isopogon R. Br.	147
Hernandia Linn.	147	Isoloma Benth.	129
<i>Hernandieæae</i>	147	Isoloma J. Sm.	227
Hesperantha Ker.	189	Isotoma Lindl.	104
Hesperis Linn.	9	Itea Linn.	58
Hessia Berg.	191	Ixia Linn.	189
Heteropteris Knth.	23	Ixodia R. Br.	97
Heterostemma Wight	117	Ixora Linn.	92
Hetrocentron Naud.	66	Jacaranda Juss.	131
Hexacentris Nees	133	Jagera Blum.	34
Hexaglottis Vent.	188	Jambosa Dec.	65
Hodgkinsonia F. Muell.	92	Jasminum Linn.	111
Holcus Linn.	222	Jatropha Linn.	156
Holmskioldia Retz.	137	Jochroma Benth.	123
Homalonema Schott	204	Jonesia Roxb.	49
Homeria Vent.	186	Jonopsisidium Reichb.	9
Hoplophytum Beer	174	Jonopsis Humb. & Bonpl.	182
Hordeum Linn.	224	Juanulloa Ruiz & Pav.	124
Houletia Brogn.	180	<i>Juglandæae</i>	157
Hovea R. Br.	39	Juglans Lin.	157
Hovenia Thunb.	32	Juniperus Linn.	165
Hoya R. Br.	117	Justicia Linn.	135
Humea Sm.	97	Kaempferia Linn.	171
Humulus Linn.	152	Kalanchoe Adans.	60
Hunnemannia Sweet.	8	Kennedya Vent.	45
Hura Linn.	156	Kentia Bl.	198
Hyacinthus Linn.	213	Kerria Dec.	53
Hydrangea Linn.	57	Kibara Endl.	145
<i>Hydrocharideæae</i>	169	Kigelia Dec.	132
Hydrocotyle Linn.	85	Kitaibelia Willd.	18
<i>Hydrophyllaceæae</i>	119	Kleinia Linn.	101
Hymenaea Linn.	49	Kochia Roth.	145

	Page.		Page.
Koelreuteria Laxm.	34	Litsaea Juss.	.. 146
Kunzea Reichb.	.. 63	Littaea Brig.	.. 195
<i>Labiateae</i>	.. 138	Littonia Hook	.. 215
Lachenalia Jacq.	.. 213	Livistona R. Br.	.. 200
Lactaria Rumph.	.. 114	Loasa Juss	.. 69
Laelia Lindl.	.. 178	<i>Loasaceae</i>	.. 69
Lagenophora Cassin.	.. 95	Lobelia Linn.	.. 104
Lagerstroemia Linn.	.. 67	Logania R. Br.	.. 118
Lagunaria G. Dou.	.. 20	<i>Loganiaceae</i>	.. 118
Lagurus Linn.	.. 222	Lolium Linn.	.. 224
Lamprococceus Beer.	.. 176	Lomaria Willd.	.. 230
Lantana Linn.	.. 136	Lomatia R. Br.	.. 149
Lapageria Ruiz & Pav.	.. 215	Lonicera Linn.	.. 89
Lapeyrousie Ker.	.. 188	Lophanthus Benth.	.. 140
Laportea Gaudich.	.. 150	Lotus Linn.	.. 41
Laserpitium Linn.	.. 86	Luffa Cav.	.. 70
Lasiandra Dec.	.. 66	Lunaria Linn.	.. 9
Lasiopteratum Sm.	.. 22	Lupinus Linn.	.. 39
Lasthenia Cass.	.. 98	Lycaste, Lindl.	.. 183
Lathyrus Linn.	.. 44	Lychnis Linn.	.. 15
Latania Comm.	.. 199	Lycium, Linn.	.. 123
<i>Laurineae</i>	.. 145	<i>Lycopodiaceae</i>	.. 122
Laurus Nees.	.. 146	Lycopodium Linn.	.. 236
Lavandula Linn.	.. 138	Lycoris Herb.	.. 191
Lavatera Linn.	.. 18	Lygeum Linn.	.. 221
Leea Linn.	.. 34	Lygodium Sw.	.. 235
<i>Leguminosae</i>	.. 38	Lysimachia Linn.	.. 109
Lepidium Linu.	.. 9	<i>Lythrariceae</i>	.. 67
Leptospermum Forst.	.. 163	Lythrum Linn.	.. 67
Leonotis R. Br.	.. 140	Macadamia F. Muell.	.. 148
Leontice Linn.	.. 6	Macaranga P. Thou.	.. 155
Leontodon Linn.	.. 103	Maclura Nutt.	.. 151
Leucadendron Linn.	.. 147	Macrochordion De Vr.	.. 174
Leucanthemum Tournef.	.. 100	Macrozamia Mig.	.. 167
Leucocoryne Lindl.	.. 213	Madia Motiu	.. 98
Leucojum Linn.	.. 190	Magnolia Linn.	.. 4
Leucopogon R. Br.	.. 108	<i>Magnoliaceae</i>	.. 4
Leycesteria Wall.	.. 90	Makaya Harv.	.. 134
Liatris Schreb.	.. 95	Malacocarpus Fisch. & Mey.	.. 75
Libertia Spr.	.. 186	Malope Linn.	.. 18
Libocedrus Endl.	.. 164	Malortica Wendl.	.. 198
Libonia C. Koch	.. 135	<i>Malpighiaceae</i>	.. 23
Licuala Rumph.	.. 199	Malpighia Linn.	.. 23
Ligularia Dec.	.. 101	Malva Linn.	.. 18
Ligustrum Linn.	.. 113	<i>Malvaceae</i>	.. 18
<i>Liliaceae</i>	.. 207	Mamillaria Haw.	.. 72
Lilium Linn.	.. 208	Mandevilla Lindl.	.. 116
Limnanthes R. Br.	.. 25	Manettia Mutis.	.. 91
Linaria Tournef.	.. 126	Mantisia Sinis.	.. 172
Lindenia Benth.	.. 91	Maranta Linn.	.. 170
Lindsay Dryand.	.. 226	Marattia J. Sm.	.. 255
<i>Linnaeae</i>	.. 23	Marcgravia Linn.	.. 17
Linum Linn.	.. 23	Marianthus Hueg.	.. 13
Liparis Rich.	.. 178	Marica Schreb.	.. 185
Liquidambar Linn.	.. 61	Marrubium Linn.	.. 140
Liriiodendron Linn.	.. 4	Marsdenia R. Br.	.. 117
Lithospermum Linn.	.. 120	Marsilea Hook.	.. 236
Litobrochia Presl.	.. 229		

	Page.		Page.
<i>Marsileaceae</i>	236	<i>Morinda</i> Linn.	93
<i>Martinezia</i> H. & B.	201	<i>Morus</i> Linn.	151
<i>Martynia</i> Linn.	132	<i>Mucuna</i> Adans.	46
<i>Masdevallia</i> Ruiz & Pav.	178	<i>Muehlenbeckia</i> Meisn.	143
<i>Massonia</i> Linn.	213	<i>Mundia</i> Kunth.	13
<i>Mathiola</i> R. Br.	8	<i>Muraltia</i> Neck.	13
<i>Matricaria</i> Linn.	99	<i>Murraya</i> Linn.	28
<i>Maurandia</i> Ort.	126	<i>Musaceae</i> ..	172
<i>Mauritia</i> Linn.	199	<i>Musa</i> Linn. ..	172
<i>Maxillaria</i> Ruiz & Pav.	181	<i>Muscaria</i> Desf.	213
<i>Maxmiliiana</i> Mart.	201	<i>Mussaenda</i> Linn.	91
<i>Medeola</i> Willd.	216	<i>Myaris</i> Presl.	29
<i>Medicago</i> Linn.	41	<i>Myoporinaceae</i> ..	136
<i>Medinilla</i> Gand.	67	<i>Myoporum</i> Banks	136
<i>Melaleuca</i> Linn.	63	<i>Myosotis</i> Linn.	120
<i>Melanthaceae</i>	214	<i>Myrica</i> Linn.	154
<i>Melanthium</i> Linn.	214	<i>Myricaceae</i> ..	154
<i>Melastomaceae</i>	66	<i>Myroxylon</i> Nutt.	47
<i>Melastoma</i> Linn.	66	<i>Myrsinace</i> ..	110
<i>Meliaceae</i> ..	30	<i>Myrsine</i> Linn.	110
<i>Melia</i> Linn.	30	<i>Myrtaceae</i> ..	62
<i>Melianthus</i> Linn.	36	<i>Myrtus</i> Linn.	65
<i>Melica</i> Linn.	223	<i>Nandina</i> Thunb.	6
<i>Melicocca</i> Linn.	35	<i>Napoleona</i> Beauv.	66
<i>Melicope</i> Forst.	28	<i>Narcissus</i> Linn.	193
<i>Melilotus</i> Adans.	44	<i>Nelitris</i> Gaertn.	65
<i>Melissa</i> Linn.	139	<i>Nematanthus</i> Mart.	180
<i>Melocactus</i> Linn.	72	<i>Nemesia</i> Vent.	126
<i>Melodinus</i> Linn.	113	<i>Nemophila</i> Nutt.	119
<i>Meniscium</i> Schreb.	234	<i>Nepenthace</i> ..	158
<i>Monispermaceae</i>	5	<i>Nepenthes</i> Linn.	158
<i>Mentha</i> Linn.	138	<i>Nepeta</i> Linn.	140
<i>Menzesia</i> Sm.	106	<i>Nephelium</i> Linn.	35
<i>Mesembrianthemum</i> Linn.	84	<i>Nephrodium</i> Rich.	232
<i>Meterosideros</i> Banks	65	<i>Nephrolepis</i> Schott.	232
<i>Methonica</i> Juss.	215	<i>Nerine</i> Herb.	191
<i>Meum</i> Linn.	86	<i>Nerium</i> Linn.	115
<i>Meyenia</i> Schlechtd.	133	<i>Nertera</i> Banks	93
<i>Mezoneurum</i> Desf.	47	<i>Neumannia</i> Brong.	174
<i>Michauxia</i> L' Herit.	105	<i>Nicandra</i> Adans.	123
<i>Micranthus</i> Pers.	188	<i>Nicotiana</i> Linn.	124
<i>Mikania</i> Willd.	95	<i>Nidularium</i> Linn.	175
<i>Milia</i> Cav.	211	<i>Nierembergia</i> Ruiz & Pav.	125
<i>Milium</i> Linn.	221	<i>Nigella</i> Linn.	2
<i>Miltonia</i> Lindl.	182	<i>Niphobolus</i> Kauff.	233
<i>Mimosa</i> Linn.	50	<i>Nolana</i> Linn.	122
<i>Mimoseae</i>	49	<i>Notelaea</i> Vent.	112
<i>Mimulus</i> Linn.	128	<i>Nothochlaena</i> R. Br.	234
<i>Mimusops</i> Linn.	110	<i>Nuphar</i> Sm.	6
<i>Mirabilis</i> Linn.	142	<i>Nuttallia</i> Bart.	18
<i>Mitrarea</i> Cav.	130	<i>Nuxia</i> Lam.	118
<i>Momordica</i> Linn.	70	<i>Nyctagineae</i> ..	142
<i>Monimiaceae</i>	145	<i>Nymphaeacae</i>	6
<i>Monochaetum</i> Naud.	66	<i>Nymphaea</i> Linn.	7
<i>Monocotyledons</i>	169	<i>Obeliscaria</i> Cass.	98
<i>Monolopia</i> Dee.	99	<i>Ochnaceae</i> ..	29
<i>Moraea</i> Linn.	185	<i>Ochna</i> Schreb.	29
<i>Moreac</i>	150	<i>Ochropteris</i> J. Sm.	228

	Page.		Page.
Ochrosia Juss.	114	Papyrus Willd.	218
Ocimum Linn.	138	Paratropia Dec.	87
Octomeria R. Br.	178	Pardanthus Ker.	188
Odontoglossum Humb. & Bonpl.	180	Parkia R. Br.	49
Oeceoclades Lind.	184	Parkinsonia Linn.	48
Oenocarpus Mart.	198	Parmentiera Dec.	132
Oenothera Linn.	68	Parthenium Linn.	97
Olavineae ..	31	Parsonia R. Br.	115
Oleaceae ..	111	Paspalum Willd.	220
Olea Linn.	113	Passiflora Linn.	69
Olearia Moench.	96	Passeiflorae ..	69
Omalanthus A. Juss.	155	Patersonia R. Br.	185
Onagrarieae ..	68	Paulinlia Linn.	34
Oncidium S. W.	182	Paulownia Sieb. & Zucc.	127
Oncoba Forsk.	12	Pavetta Linn.	93
Oncosperma Bl.	298	Pavonia Cav.	19
Ononis Linn.	41	Pedalineae ..	132
Onopordon Linn.	102	Pedilanthus Neck.	157
Onosma Linn.	120	Pelargonium Linn.	24
Onychium Kaulf.	228	Pellaea Link.	228
Ophioglossum Linn.	235	Pennisetum Rich.	220
Ophiopogon Ait.	207	Pentas Benth.	91
Ophiopogoneae ..	207	Pentstemon Mitch.	127
Opuntia Mill.	82	Pentzia Thunb.	100
Orbiginia Mart.	201	Peperomia Ruiz. & Pav.	160
Orchideae ..	177	Pereskia Plum.	84
Grochipeda Blum.	114	Pergularia Linn.	117
Oreodaphne Nees.	146	Perilla Linn.	138
Oreodoxa Willd.	198	Periploca Linn.	116
Origanum Linn.	138	Peristeria Hook.	183
Ormocarpum Beauf.	44	Peristrophe Nees.	135
Ornithogalum Linn.	212	Pernettya Gaud.	106
Orobus Linn.	45	Petalostyles R. Br.	48
Orthrosanthus Sweet	185	Petraea Linn.	137
Ortigiesia ..	176	Petunia Juss.	125
Osbeckia Linn.	66	Peucedanum Linn.	86
Osmanthus Lour.	112	Phaedranassa Herb.	193
Osmunda Linn.	235	Phagnalon Cass.	96
Osteospermum Linn.	101	Phajus Lindl.	179
Ostrya Scop.	160	Phalangium Juss.	188
Othona Linn.	101	Phalaenopsis Blum.	180
Owenia F. Muell.	30	Phalaris Linn.	221
Oxalis Linn.	26	Phallocallis Hook.	187
Oxera Labill.	137	Phellodendron Rupr.	28
Oxolobium Andr.	38	Philadelphus Linn.	58
Paeonia Linn.	3	Phillyrea Linn.	112
Palafoxia Lag.	99	Philodendron Schott	205
Palava Cav.	18	Phleum Linn.	221
Paliurus Juss.	32	Phlomis Linn.	141
Palmae ..	197	Phlox Linn.	119
Panax Linn.	87	Phoenix Linn.	200
Paneratium Spr.	193	Pholidia R. Br.	136
Pandanus Linn.	202	Pholidota Lindl.	178
Panicum Linn.	220	Phormium Linn.	210
Pantaneae ..	202	Photinia Lindl.	57
Papaveraceae ..	7	Phycella Lindl.	192
Papaver. Linn.	7	Phygelius E. Mey.	127
Papilionaceae ..	38	Phyllica Linn.	33

	Page.		Page.
<i>Phyllanthus</i> Linn.	155	<i>Polemonium</i> Linn.	119
<i>Phyllocactus</i> Link.	80	<i>Polygala</i> Linn.	13
<i>Phyllocalyx</i> Hochst.	39	<i>Polygaleae</i> ..	13
<i>Phyllocladus</i> Rich.	166	<i>Polygonatum</i> Linn.	216
<i>Phyllotainium</i> Andr.	204	<i>Polygoneae</i> ..	142
<i>Physalis</i> Linn.	123	<i>Polygonum</i> Linn.	143
<i>Physostigma</i> Balf.	46	<i>Polypodium</i> Linn.	233
<i>Physostegia</i> Benth.	140	<i>Pomaderris</i> Labill.	33
<i>Phytelephasieae</i>	201	<i>Populus</i> Linn.	154
<i>Phytelephas</i> Ruiz. & Pav.	201	<i>Portulaca</i> Linn.	16
<i>Phytolacceae</i>	141	<i>Portulaceae</i> ..	16
<i>Phytolacca</i>	141	<i>Potentilla</i> Linn.	54
<i>Pilocereus</i> Lem.	80	<i>Pothos</i> Linn.	203
<i>Pilumna</i> Lindl.	181	<i>Pourrettiae</i> Ruiz & Pav.	175
<i>Pimelea</i> Banks.	147	<i>Primulaceae</i> ..	109
<i>Pimenta</i> Lindl.	65	<i>Primula</i> Linn.	109
<i>Pimpinella</i> Linn.	85	<i>Pritchardia</i> Seem.	199
<i>Pinanga</i> Bl.	198	<i>Prosopis</i> Linn.	49
<i>Pinus</i> Linn.	161	<i>Prostranthera</i> Labill.	141
<i>Piperaceae</i>	160	<i>Proteaceae</i> ..	147
<i>Piper</i> Spr.	160	<i>Protea</i> R. Br.	147
<i>Piplatherum</i> Beauv.	221	<i>Prunus</i> Linn.	52
<i>Pironneava</i> Gaudich.	174	<i>Psidium</i> Willd.	65
<i>Pisonia</i> Linn.	142	<i>Psoralea</i> Linn.	42
<i>Pistacia</i> Linn.	37	<i>Psychotria</i> Linn.	93
<i>Pitcairnia</i> L'Herit.	175	<i>Ptaromica</i> Dec.	99
<i>Pithecolobium</i> Mart.	52	<i>Pterodiscus</i> Hook.	132
<i>Pittosporaceae</i>	12	<i>Pterospermum</i> Schreb.	21
<i>Pittosporum</i> Banks.	12	<i>Ptelea</i> Linn.	28
<i>Plagianthus</i> Forst.	18	<i>Pteris</i> Linn.	229
<i>Planera</i> Michx.	153	<i>Pterocarya</i> Knth.	157
<i>Plantagineae</i>	142	<i>Ptychosperma</i> Labill.	197
<i>Plantago</i> Linn.	142	<i>Pultenaea</i> Sm.	38
<i>Plataneae</i>	154	<i>Punica</i> Linn.	67
<i>Platanus</i> Linn.	154	<i>Puschkinia</i> Adans.	213
<i>Platycerium</i> Desv.	234	<i>Puya</i> Molin.	176
<i>Platytheca</i> Steetz.	13	<i>Pyrus</i> Linn.	56
<i>Platycodon</i> Dec.	105	<i>Quamoclit</i> Moench	121
<i>Platylobium</i> Sm.	39	<i>Quassia</i> Linn.	29
<i>Plectocombia</i> Mart.	199	<i>Quercus</i> Linn.	158
<i>Plectranthus</i> L'Herit.	138	<i>Quesnelia</i> Gaud.	176
<i>Pleocnemia</i> Presl.	233	<i>Quintinia</i> Dec.	58
<i>Pleroma</i> Don.	66	<i>Quisqualis</i> Linn.	62
<i>Pleurothallis</i> R. Br.	177	<i>Randia</i> Linn.	92
<i>Plocoglottis</i> Blume.	180	<i>Ranunculaceae</i> ..	1
<i>Plumbagineae</i>	108	<i>Ranunculus</i> Linn.	2
<i>Plumbago</i> Linn.	109	<i>Raphiolepis</i> Lindl.	57
<i>Plumeria</i> Linn.	114	<i>Raphistemma</i> Wall.	116
<i>Poa</i> Linn.	223	<i>Ravenala</i> Adans.	172
<i>Podalyria</i> Lam.	38	<i>Renanthera</i> Lour.	184
<i>Podocarpus</i> L'Herit.	167	<i>Renealmia</i> R. Br.	171
<i>Podolepis</i> Labill.	97	<i>Resedaceae</i> ..	10
<i>Podophyllum</i> Linn.	6	<i>Reseda</i> Linn.	10
<i>Pogonia</i> Juss.	184	<i>Rhagodia</i> R. Br.	144
<i>Pogostemon</i> Desf.	138	<i>Rhamneae</i> ..	32
<i>Poinciana</i> Linn.	48	<i>Rhamnus</i> Linn.	32
<i>Poinsettia</i> Grah.	157	<i>Rhipis</i> Linn.	200
<i>Polemoniaceae</i>	119	<i>Rheum</i> Linn.	143

	Page.		Page.
Rhipsalis Gaertn.	82	Sapindaceae	34
Rhadanthe Lindl.	96	Sapindus Linn.	35
Rhodochiton Zucc.	126	Saponaria Linn.	15
Rhododendron Linn.	107	Sapotaceae	110
Rhodoleia Hook.	61	Sarcanthus Lindl.	180
Rhopala R. Br.	149	Sarcocilus R. Br.	178
Rhus Linn.	37	Sarcopetalum F. Muell.	5
Rhynchosperma Schrad.	70	Sarraceniaceae	7
Rhynchosperma Lindl.	115	Sarracenia Linn.	7
Ribes Linn.	59	Satureia Linn.	138
Richardia Knth.	204	Sauvormatum Schott.	206
Ricinus Linn.	156	Saxe-Gothaea Lindl.	167
Rigidella Lindl.	188	Saxifraga Linn.	57
Rivea Chois.	121	Scabiosa Linn.	94
Rivina Linn.	141	Scævola Linn.	104
Robinia Linn.	42	Schinus Linn.	37
Rochea Dec.	60	Schismatoglottis Zucc.	206
Rodriguezia Ruiz & Pav.	183	Schizaea J. Sm.	235
Roella Linn.	105	Schizanthus Ruiz. & Pav.	125
Rondeletia Linn.	91	Schizostylis Backh.	186
Ronnbergia (?)	174	Schmidelia Linn.	34
Rosaceae	52	Schomburgkia Lindl.	179
Rosa Linn.	55	Schotia Jacq.	49
Rosmarinus Linn.	139	Sciadopitys Sieb. & Zucc.	163
Royena Linn.	111	Scilla Minn.	212
Rubiaceae	90	Scindapsus Schott.	204
Rubia Tournef.	93	Scirpus Beauv.	219
Rubus Linn.	54	Scopolendrium Sm.	231
Rudbeckia Linn.	98	Seolopia Schreb.	12
Rudgea Salisb.	93	Scrophularia Linn.	127
Ruellia Linn.	133	Scrophulariaceae	125
Rulingia R. Br.	21	Scutellaria Linn.	140
Rumex Linn.	143	Seaforthia R. Br.	197
Ruscus Linn.	215	Securigera Dec.	41
Russelia Jacq.	127	Sedum Linn.	60
Ruta Tournef.	27	Selenipedium Reichb.	185
Rutaceae	27	Selinum Linn.	86
Sabal Adams.	200	Sempervivum Linn.	61
Saccharum Linn.	219	Senecio Linn.	101
Saccolabium Blume.	182	Sequoia Endl.	163
Sarcocephalus Afz.	90	Sericobonia Lind & Arn.	135
Sacrostemma R. Br.	116	Serissa Commers.	93
Sagus Rumph.	198	Serratula Linn.	102
Salicinaeae	154	Sesamum Linn.	132
Salisburia Sm.	167	Seseli Linn.	86
Salix Linn.	154	Setaria Beauv.	220
Salpiglossis Ruiz & Pav.	125	Sida Linn.	18
Salvoraceae	113	Silene Linn.	15
Salvadora Linn.	113	Simaba Aubl.	29
Salvia Linn.	139	Simaruba Aubl.	29
Sambucus Linn.	88	Simarubaceae	29
Sanchezia Ruiz & Pav.	183	Sinningia Ness.	129
Sandersonia Hook.	215	Siphocampylus Pohl.	104
Sansevieria Thunb.	210	Sisyrinchium Linn.	185
Santalaceae	159	Skimmia Thunb.	28
Santalum Linn.	169	Smilaceae	215
Santolina Linn.	100	Smilax Willd.	215
Sanvitalia Lam.	97	Solandra Swartz.	124

	Page.		Page.
<i>Solanaceae</i> ..	122	<i>Suregada</i> Ball ..	155
<i>Solanum</i> Linn. ..	122	<i>Sutherlandia</i> R. Br. ..	43
<i>Solidago</i> Linn. ..	95	<i>Swainsonia</i> Salisb. ..	43
<i>Sollya</i> Lyndl. ..	13	<i>Swietenia</i> Linn. ..	30
<i>Sonchus</i> Linn. ..	103	<i>Syagurus</i> Mart. ..	201
<i>Sophora</i> Linn. ..	47	<i>Sympthicarpus</i> Hassk. ..	117
<i>Sophronitis</i> Linn. ..	178	<i>Symphytum</i> Linn. ..	120
<i>Sorghum</i> Linn. ..	219	<i>Syncarpia</i> Ten. ..	65
<i>Sparaxis</i> Ker. ..	189	<i>Syngonium</i> Schott. ..	206
<i>Sparmannia</i> Linn ..	22	<i>Syringa</i> Linn. ..	112
<i>Spartium</i> Linn. ..	40	<i>Tabernaemontana</i> Linn. ..	114
<i>Spathiphyllum</i> Schott ..	204	<i>Tacsonia</i> Juss. ..	69
<i>Spathodea</i> Beauv. ..	131	<i>Tagetes</i> , Linn. ..	99
<i>Spathoglottis</i> Bl. ..	179	<i>Tainitis</i> Swartz ..	234
<i>Spartothamnus</i> A. Cunn. ..	136	<i>Tamarindus</i> Linn. ..	49
<i>Spergula</i> Linn. ..	15	<i>Tamariscineae</i> ..	16
<i>Sphaeralcea</i> St. Hill. ..	19	<i>Tamarix</i> Linn. ..	16
<i>Sphaerogyne</i> Naud. ..	67	<i>Tanacetum</i> Linn. ..	100
<i>Sphenogyne</i> R. Br. ..	102	<i>Tanghinia</i> Thouars. ..	114
<i>Spigelia</i> Linn. ..	118	<i>Tapina</i> Gaertn. ..	129
<i>Spiraea</i> Linn. ..	53	<i>Tarrietia</i> Blum. ..	21
<i>Spondias</i> Linn. ..	37	<i>Taxodium</i> Rich. ..	163
<i>Sponia</i> Commers. ..	152	<i>Taxus</i> Linn. ..	166
<i>Sporobolus</i> R. Br. ..	221	<i>Tecoma</i> Juss. ..	131
<i>Sprekelia</i> Herb. ..	191	<i>Telekia</i> Baumg. ..	97
<i>Stachys</i> Linn. ..	140	<i>Telopea</i> R. Br. ..	149
<i>Stadmannia</i> Linn ..	35	<i>Templetonia</i> R. Br. ..	39
<i>Stanhopea</i> Lindl. ..	181	<i>Tephrosia</i> Pers. ..	42
<i>Stapelia</i> Linn. ..	117	<i>Terminalia</i> Linn. ..	62
<i>Staphyleae</i> ..	36	<i>Ternstroemiaceae</i> ..	17
<i>Staphylea</i> Linn. ..	36	<i>Tetranema</i> Benth. ..	127
<i>Statice</i> Linn. ..	108	<i>Tetranthera</i> Jacq. ..	146
<i>Stenocarpus</i> R. Br. ..	149	<i>Teucrium</i> Linn. ..	141
<i>Stenochlaena</i> J. Sm. ..	233	<i>Thalictrum</i> Linn. ..	1
<i>Stemomesson</i> Herb. ..	193	<i>Thea</i> Linn. ..	17
<i>Stenotaphrum</i> Trin. ..	220	<i>Theobroma</i> Linn. ..	21
<i>Stephania</i> , Lour. ..	5	<i>Theophrasta</i> Juss. ..	110
<i>Stephanotis</i> Thouars ..	117	<i>Thermopsis</i> R. Br. ..	38
<i>Sterculiaceae</i> ..	20	<i>Thibaudia</i> Ruiz & Pav. ..	106
<i>Sterculia</i> Linn. ..	20	<i>Thladiantha</i> Bunge. ..	70
<i>Sternbergia</i> W. K. ..	190	<i>Thrinax</i> Linn. ..	199
<i>Steudnera</i> C. Koch ..	207	<i>Thritrinax</i> Mart. ..	199
<i>Stevensonia</i> ..	201	<i>Thunbergia</i> Linn. fil. ..	132
<i>Stiftia</i> Mikian ..	103	<i>Thuya</i> Tournef. ..	164
<i>Stigmaphyllon</i> Juss. ..	23	<i>Thuyopsis</i> Sieb. ..	165
<i>Stillingia</i> Gardn. ..	156	<i>Thymeleae</i> ..	146
<i>Stipa</i> Linn. ..	222	<i>Thymus</i> Linn. ..	138
<i>Strelitzia</i> Banks ..	172	<i>Thysacanthus</i> Nees ..	135
<i>Streptocarpus</i> Lindl. ..	130	<i>Thysanotus</i> R. Br. ..	214
<i>Strobilanthes</i> Blum. ..	133	<i>Tigridia</i> Juss. ..	186
<i>Strophanthes</i> Dec. ..	115	<i>Tiliaceae</i> ..	22
<i>Strumaria</i> Jacq. ..	191	<i>Tilia</i> Linn. ..	22
<i>Strychnos</i> Linn. ..	118	<i>Tillandsia</i> Willd. ..	176
<i>Styliidiae</i> ..	104	<i>Todea</i> Willd. ..	235
<i>Stylium</i> S. W. ..	104	<i>Tolpis</i> Adans. ..	103
<i>Styphelia</i> S. W. ..	107	<i>Torenia</i> Linn. ..	128
<i>Styraceae</i> ..	111	<i>Torreya</i> Arn. ..	166
<i>Styrax</i> Linn. ..	111	<i>Tournefortia</i> Linn. ..	120

	Page.		Page.
Trachelium Linn.	105	Verticordia Dec.	62
Trachymene Rudge.	85	Vesicaria Lam.	9
Tradescantia Linn.	218	Viburnum Linn.	88
Tragopogon Linn.	103	Vicia Linn.	44
Tremandreae	13	Victoria Schomb.	7
Tricholaena Schrad.	220	Vieusseuxia La Roche	185
Trichomanes Sm.	226	Vigna Savi	46
Trichonema Ker.	190	Viminaria Sm.	38
Trichopilia Lindl.	183	Vinca Lin.	114
Trichosanthes Linn.	70	Violarieae	11
Tricyrtis Wall.	215	Virgilia Lam.	47
Trifolium Linn.	41	Vitex Linn.	137
Trigonella Linn.	41	Vitis Linn.	33
Trillium Linn.	216	Vriesia Gaud.	176
Triplaris Linn.	143	Wahlenbergia Schrad.	105
Tristania R. Br.	65	Wallichia Roxb.	197
Triticum Linn.	224	Watsonia Mill.	188
Tritonia Ker.	189	Weigelia Thunb.	90
Tropaeolum Linn.	25	Weinmannia Linn.	59
Tulbacia Linn.	214	Wellingtonia Lindl.	163
Tulipa Linn.	207	Westringia Sm.	141
Tunica Scop.	14	Whitfieldia Hook.	133
Turraea Linn.	30	Widdringtonia Endl.	163
Tussilago Linn.	100	Wigandia Humb. & Bonpl.	119
Twedia Hook.	116	Wistaria Nutt.	42
Tydaea Decsn.	129	Withania Pauq.	123
Tylophora R. Br.	117	Wollastonia Dec.	98
Typha Linn.	202	Woodwardia Smith.	230
Typhaceae	202	Wormia Roxb.	3
Ulex Linn.	40	Wrightia R. Br.	115
Ulmaceae	152	Xanthium Linn.	97
Ulmus Linn.	152	Xanthochymus Roxb.	17
Umbelliferae	85	Xanthorrhoea Sm.	218
Urceolina Reichb.	193	Xanthosema Schott.	205
Urtica Linn.	150	Xeranthemum Linn.	102
Urticeae	150	Xerotideas	218
Vacciniaceae	106	Yucca Linn.	211
Vaccinium Linn.	106	Zalacca Reinw.	198
Valeriana Linn.	94	Zamia Linn.	168
Valerianeae	94	Zanonia Linn.	70
Vallisneria Linn.	169	Zauschneria Presl.	68
Vallota Herb.	191	Zea Willd.	221
Vanda R. Br.	181	Zephyranthes Herb.	190
Vanilla Plum.	184	Zieria Sm.	27
Veratrum Linn.	215	Zingiberaceae	171
Verbascum Linn.	126	Zingiber	171
Verbena Linn.	136	Zinnia Linn.	97
Verbenaceae	136	Zizyphus Juss.	32
Vernonia Schreb.	94	Zygopetalum Hook.	180
Veronica Linn.	128		