

From - Chas. ...

(1)

Jan 23rd 11^o 2nd m. 1879

3 Reddish marked 15 m m to 4

2 1 white faint black with ...

Long black for 4 m m
in fine on water - ...

in Chrys. Piece in 1 ...

by ...

Jan 23rd 12^o 58^o 7
— 4:30 59^o

4' 30' ^{Tip} white tip above
a little brown from
9' 45' white part for color
more than 4 m m
one of black a little black.

Jan 24th white tip. 8 1/2 m m (measured to corner 112)
best section yellow brown.

Long reddish with black tip 8 m m best bit also
with section yellow, so white part curved. —

Thinner Red with black tip of the pointed tip 4 m m
— length best of ... 45^o ...

3 Red length of ^{long black} ... 20 m m

3 Ep _{note 8 m m} from not black gestation (new)

Jan 25th 8^o 30' a. m. - no change

both blocks take but golf iron,

but we can't do with it as

it is white top. - It is

clear that block grows ~~down~~ in

take iron out first yesterday,

my climb shows it, and

is surely more for iron mining.

But the best place for

mining, is my 10 mile a

portion of white beds.

Home - Charlotte - Philadelphia (2)

Feb 2^o 10^o 35' a.m. - Blue

40L 8 m a p. sat - 2 with

pink with nothing like to. 3

with top, well touched with

Caustic, 40 30 P.M. no milk still

Feb 3^o 8^o 45' a.m. - The 2 with

white tops well gathered & 2 with

black tops nearly as much

and down, but the tops are only

very shiffy black - One set with

very by inside is quite Hospital

& it top is well killed, feel

it is now, 11¹/₃ m.m. - bagot L

10 has good 3¹/₃ m.m !!!

Feb 3^o 9^o a.m. Perant all to ⁵ beds + put

fine Caustic in the three (over)

fresh

Feb 5 10⁰ 30' a.m. - The 2 covered²
reclines with white tops have no
renew than tops & an aquatic
gestation, but neither quite at
right angles

[The one with dark top which
was horizontal is later horizontal,
but is killed (see for top & for the
means in length - 11 m long - 10 cm for top)]

[A 2^o with dark top has 11 m long
but is not gestation &
is 25 m long!

[The other with dark top is later gestation
is not renewed means & is 16 m in
length.]

[Very small in length whether the
N.B. tops are affected.]

Feb. 12th 1879. Red-Start of Horn-cherub

10-51' a.m. -

3

1 Horn-cherub 13th 80 a.m. bent down at right
angle -

1 Horn-cherub (juv) with rather a yellow tinge
with from Caerleon.

13th 80 a.m. This was far too much milk for
which they killed some way for eggs -

not in the least cured today but then

has grown back at all very far from

to 8 1/2 in m.

Feb 23^d 8 a. m. 1829

Ride to Oyster

(4)

1 boy & 1 child (young) with my own
paper with J. Custer

The shot was bent & broken ^{down}
The day was, ^{which} ^{was} ^{very} ^{good} ^{the}
^{whole} ^{of} ^{the} ^{day}

1 boy & 1 child - left hardly at all

with nothing to do at all -

Feb 24^d 8 a. m. The shot ^{was} ^{very} ^{hardly} ^{bent}
from - ^{the} ^{boy} ^{was} ^{hardly} ^{at} ^{all}
(Quinn's ^{was} ⁱⁿ ^{the} ^{water})

Feb. 28^d 8 a. m. -

Both to shot was - ^{is} ^{with} ^{center} ^{of}
in water, ^{and} ^{is} ^{very} ^{jettable}
^{with} ^{the} ^{center}

Both to by ^{is} ^{very} ^{jettable}
^{jettable} ^{at} ^{the} ^{center} ^{of} ^{all}
is to by ^{is} ^{very} ^{jettable} ^{at} ^{the} ^{center} ^{of} ^{all}

(This goes for nothing)