

April 26 1879.

Phosporus Practica with Comptes (see A)

8⁰⁰ am Eat with 10 mm fish. Impaled brightly in water in tank
(Pinned in water) Practica with Comptes for 4 or 5" - generated in contact a
dry. 68-70° F. Clay piece. - Place a Clay piece

at 8:30'

at 24 h

(1) Comptes 4.30' - Half a head of fish in tank. Length 14 mm [27° 7' 43" a.m. just horizontal
① had comptes a little length 22 mm. - Black point 1/2 mm
See for mark of it

(2) at 4 30 vert clly gestapic [27° 7' 45" a.m. length 31 mm. about vert. clly gestapic

at comptes

40
32
58

(3) Comptes 4° 30' absolutely horizontal 16 mm [27° 7' 45" length 26 mm. perfectly straight
② See mark for leg of color tip

4 (at 4° 30' ^{20° mm} at 30 for vert clly gestapic [27° 7' 45" up gestapic (look to leg) length 25 mm

(5) Comptes 4° 30' absolutely straight ^{Length for 24} 14 mm [27° 7' 45" at clly gestapic - length 19 mm
③ for mark

6 at 4 30 at 45 for vert clly gestapic ^{32° (new)} Length [27° 7' 50' at clly gestapic, length 21 mm

7 Comptes 4° 30' just straight. Length 13 1/4 mm [27° 7' 50' just straight length 20 mm
④

(8) at 4 30 ^{32° (new)} at 50 for vert clly gestapic [27° 7' 50' ^{like last series} at clly gestapic, length 25 mm

(9) Comptes just straight length 16 mm [27° 7' 50' perfectly straight. length 25 mm
⑤ mark IX for mark

(See Book for marks 13 to 20)

(see)

April 26 1879

Theridion - Redide Black Green

4

Jan F

80-30'


the mouth 10 mm - green top 3 mm - on sides
in dark - green in front - on cherry - from
now placed in study 2 Me.

June 61-62 7.

[Ego 20]

in 24 1/2

(1) Dip. Black 40-50 no further short - length for 9th 11 1/2 mm [27° 8' 15" a. n. - tip guttural
for length of ant. 4 mm - length for 9th to apex 14 1/2 mm

(2) 2.7 Black ⁴⁰⁻⁵⁰ length 15 1/2 mm - broad feet  brown from the end to apex
with guttural

to color of ant [27° 8' 15" in same position a guttural, length 28 mm. (all children on 9th)

(3) 0 40 50 ant 50° to vertically guttural [27 8.15' tip guttural length 24 mm

(4) 2.7 Black 40 50 broad a little laterally, not guttural at all, entire second, length 13 mm.
[27° 8' 15" tip broad laterally & dorsally, length 18 mm 1/2 mm guttural

5 0 40 50 vertically guttural [27° 8' 15' tip guttural, length 24 1/2 mm

6 0 40 50 ant 40° to vertical [27 8.15' tip guttural length 24 1/2 mm

(7) 2.7 Black 40 55 a trace of the guttural. - length 13 mm [27° 8' 15" broad a trace of
guttural length 17 1/2, length of black tip dorsally 9 mm

8 (0) 40 55 ant 20° to vertical guttural [27 8' 15' tip guttural, length ~~19~~ 19 mm
~~length of black tip of ant.~~

The chief part of carinae entire second for 4 to 6 mm for apex

Black Lips Green - nothing

(11) 14 1/2

(3) 24

5 24 1/2

(2) 28

(6) 24 1/2

(4) 18

(7) 17 1/2

(8) 19

4 | 78 (19.5)
 4
 38
 36

 20

4 | 9 2 (23)
 8
 12

any 19.5

 sup.

any 23.

in sub 24°

Lipend near mark L.

4 feet as Lips from 10

20 feet

Jan D.
Apr. 26th 1829
80° 55' 4 m

Placodon - taps with Black gum 5
all like Jan. F of some date
But placed in chimney piece.


4:50 pm Temp. 70° about (9 right to left of the 9th)

(1) 10/ Abt 45 below horizon  {bent near to base} length 14 mm

[27° 8' 30" like gummy, a 4/6 gummy, length 28 mm slightly gummy

(2) from top about 20 below, : root nearly straight length 14 mm

[27° 8' 30" with same gummy than (1) - length of Black tip 11 mm length for Feb 21 on mm slightly gummy

(3) from top about 45 below, only black in 45 below, the rest of root is  [slightly above horizon] length 13 about

[27° 8' 30" not d in gummy - length of Black tip 10 mm length for Feb 20 mm

(4) from top ^{abt} 20 - ~~20~~ below (only black tip) rest of root above horizon 17?

[27° 8' 30" length of Black tip 13 mm length 28 mm

(5) from top abt 15 below (tip); root strongly curved in horizontal plane

² ₃ ^{slightly gummy - more like than gummy}
[27° 8' 30" length of Black tip 10 mm length for Feb 19 mm

(6) 0 abt 45 below, base of root slightly below horizon 14?

[27° 8' 30" slightly gummy length 25 mm

(7) 0. about 45 below, base of root slightly below horizon 14?

[27° 8' 30" slightly gummy length 24 mm



Black gun to go

a.

(2) 21

(3) 20

(4) 28

(5) 19

$$4 \overline{) 88} \left(\begin{array}{l} 22.22 \end{array} \right.$$

avg 22.4

avg

22 m. h.

nothing

m. h.

(1) 28

(6) 25

(7) 24

$$3 \overline{) 77} \left(\begin{array}{l} 25.66 \\ 17 \\ 15 \\ 20 \\ 15 \\ 20 \end{array} \right. \left(\begin{array}{l} 25.66 \\ 17.7 \\ 19.25.7 \end{array} \right.$$

avg 25.7

May 1. 1879
8° 45' a.m.

Phoxinus Phoxinus J. & B. Black gull Jan #6
unpaired together on water in front
from 10 to 100 yds

(1) from 1 m in light 4° 30' slight gesticulation, not nearly so much as (8/10 to (11))
[2° 8° a.m. of a trace of g. length 17 mm]

(2) from 1 m in light 4° 30' about uniformly gesticulation [2° 8° gesticulation in second]

5 cm with 3 m

(3) from 3 m in light 4° 30' of a trace of gesticulation - length 12 mm [2° 8° a.m. length 14 mm, of
1/2 m gesticulation]

(4) from 3 m in light 4° 30' mostly gesticulation; nothing like 8° to 11.

(5) from 3 m in light 4° 35' of a trace of gesticulation, length 11 mm [2° 8° a.m. of a trace
of a trace of g. length 13 1/2 mm.]

(6) from 3 m in light 4° 35' quite identical to (5) - length 12 mm [2° 8° now
and in opposition to g.]

(7) from 3 m in light 4° 35' slight gesticulation close to (6)

(8/10) 4° 35' uniformly gesticulation	} chief part of movement 5-6 m to eye.	} 2° 8° a.m. all the things gesticulation
(9/10) 4° 35' do - length 12 mm. + the upward upward gesticulation		
(10/10) 4° 35' do		
(11/10) 4° 35' about uniformly gesticulation		

May 1. 1879
8° 20' a.m.

Phoradendron. Besides Tips Black gum
sampled the yellow one water in dark
greenish in contact.

Jan A
7

704522

(1) (of) 4° 25' shiny gummy [2° 22' for vertical, length 17 mm

2 mm

(2) green 2 mm in length 4° 25' more gummy than (1) and up the (8/9) [2° 7' 44' a.k.a. leaf
- view of f. & curved - with lobes, length 15 mm

(3) green 2 mm in length 4° 25' like (2) [2° 7' 45' a.k.a. leaf - ^{length} near 14, 13 mm

(4) green 2 mm in length 4° 25' about as gummy as (1) [2° 7' 45' - 35' for vertical gummy

(5) green 2 mm in length 4° 25' very shiny gummy [2° 7' 45' 61' for vertical gummy

(6) green 2 mm in length 4° 25' completely gummy, not as much as 8 & 9 [2° 7' 45'
strong gummy (curved lobes) like 8, 9, & 1

(7) green 1 mm in length 4.25 like (6) [2° 7' 50' strong gummy, like 8, 9 & 1

(8) (of) 4° 25' rectangular gummy [2° 7' 50' rather less gummy, but strong

(9) (of) 4° 25' about rectangular gummy [2° rather less gummy, but strong

4° 25' I consider the 2 mm of green of shiny lops gummy after

8° 10' [2° 8' a.k.a. the 3 without contact has mixed more in water, perhaps
see the to books