



## THE ACTION OF WORMS.\*

Dr. Darwin has again produced a work which will excite the interest of every thoughtful and intelligent person. He has, for half a century, been a persevering student of the habits of worms, and the object of the present volume is to make known the share which worms have taken in the formation of the layer of vegetable mould which covers the whole surface of the land in every moderately humid country. As far back as in the year 1837, Dr. Darwin read a paper before the Geological Society of London "On the Formation of Mould," in which it was shown that small fragments of burnt mari, cinders, &c., which had been thickly strewed over the surface of several meadows, were found, after a few years, lying at the depth of some inches beneath the turf, but still forming a layer. Ever since that period, the action of worms, and the part they play in Nature's operations, have been the subject of careful study by Dr. Darwin. He has pursued his study, not only by the watching of the animals in their places in the garden and the field, but also while kept in a sort of confinement in pots, where their actions could be investigated and carefully noted. While so keeping them, Dr. Darwin says he became interested in them, and wished to learn how far they acted consciously, and how much mental power they displayed. Although they are probably the lowest animals possessing sense-organs, yet there are abundant proofs given throughout the book that they work very much on system, and display intelligence in the manner in which they protect themselves with leaves in their burrows, and in other ways.

The extent to which earthworms are distributed over the humid parts of the globe is marvellous. They abound in England, and their castings may be seen in extraordinary numbers on commons and chalk-downs; but they are shown to be as numerous where the grass grows well, and the soil appears rich. They abound in paved court-yards close to houses, and Dr. Darwin shows how almost universal they are in their occupation of the soil which they do so much themselves to create. They are found in the soil at great elevations,—on some hills near Turin at 3,000 feet above the sea. They are, as most of us know, nocturnal in their habits, and as they lie near the surface of the soil they are subject to the predatory habits of birds, who draw them in the early morning in astonishing numbers from their burrows. Few persons know how complex is the structure of a worm. The body of a large worm consists of from one hundred to two hundred almost cylindrical rings, each furnished with minute bristles. "The muscular system is well developed. Worms can crawl backwards as well as forwards, and by the aid of their affixed tails can retreat with extraordinary rapidity into their burrows." There is a picture of a worm shown in its structure. The mouth is situated at the anterior end of the body, and is provided with a little projection which is used for prehension. The other parts of the body show several distinct purposes of its organism. It has no eyes. The two sexes are united in the same individual, but two individuals pair together. Dr. Darwin describes with much completeness the course that he has adopted to discover their senses as to light and feeling. They do not possess any sense of hearing, but are extremely sensible to vibrations in any solid object. The whole body of a worm is sensible to contact. Their sense of smell, apparently, is confined to the perception of certain odours, and is feeble. Their mental qualities come under consideration, and, indeed, these have had a large share of the author's attention, for we are told that their sexual passion is strong enough to overcome their dread of light, and they have a trace of social feeling, for they are not disturbed by crawling over each other's bodies, and they sometimes lie in contact; in their food they are omnivorous. They swallow an enormous quantity of earth, out of which they extract any digestible matter which it may contain. This subject is most elaborately treated, for the work of the worm—its uses in nature—seems to be mostly in its vast capacity for feeding, for the store that it takes in and digests, and for the castings that it is constantly ejecting from its system. Dr. Darwin shows that the worm secretes a powerful viscid fluid, which operates upon leaves in a remarkable manner, for it

quickly kills and discolors them. All these matters have been the subject of continuous observation, and the information that Dr. Darwin gives of the habits, the burrowing, and the feeding of the worm is most interesting, and very curious. He treats of their manner of prehension, the protection of their burrows in order to keep themselves warm, and their intelligence. It is not many persons who, looking casually at a worm, would think that they worked upon system, yet Dr. Darwin shows by minute-care, in his observations, that they have the habit of drawing leaves into their burrows to stop them up by the apex end in the great majority of cases. They do it systematically, and where they act otherwise it is contrary to rule, and is done for some special reason that influences them in their action. Their burrows are also objects of care, for upon their proper construction depends their future comfort or life. The distribution of earth worms is shown to extend to all parts of the world, and some engravings of their castings are given as they may be found nearly three feet in height in Calcutta and elsewhere in India.

Having treated of the construction of the worm, Dr. Darwin then proceeds to show the part that the worm plays as the great ploughman, whose labours are always going on. The grass-fields are constantly being covered by the castings of worms, and to this action he believes that antiquaries are indebted not only for ancient coins being covered, but even for the burial of some of the ancient cities that have been discovered, deeply covered, in modern times. How great, how incessant, is their action is shown by a large number of instances, drawn from different parts of the world. Indeed, the felicity of his illustrations, the carefulness of observation, and the deductions from ascertained facts, are the charm of the author's writings. It is marvellous how the burrowing of worms has led to the covering up of houses and even of cities. Great stones have been sunk by the action of worms, and to this cause Dr. Darwin traces the prostration of some of the older Druidical stones at Stonehenge. Abundant evidence is given, showing that small objects left on the surface of the land where worms abound soon get buried, and large stones sink slowly through the same cause.

Dr. Darwin next proceeds to show what a vast number of worms live, unseen by us, beneath our feet, and the actual weight of earth which they bring up to the surface within a given space and within a given time. Hensen, a German, calculated that there must be 53,767 in an acre of garden ground, though there is probably but half that number in an acre of ordinary soil. Two chapters are devoted to an account of the action of worms in the denudation of the land, and there is much curious information as to the mode in which they digest the food which they take into their stomachs. In all this there is much that will interest the geologist, whose theories as to the action of animals extending over millions of years will be found to be supported in the theories and calculations of Dr. Darwin.

Before bringing our notice of this valuable contribution to science to a close, we must again express our gratification that Dr. Darwin has placed before the world so important an essay upon a subject which has not usually had much popular attention. The careful reader of this work will come to regard the earth-worm with much more respect than he has been accustomed to accord to it, and he will recognise in its labours one of the wonders of Almighty Power in the world's work, through the instrumentality of the apparently lowest of the animals. From the summary of the volume dealing with the part which worms have played in the history of the world we will quote a passage, which will be especially interesting to the farmer, showing as it does how worms prepare the soil for the growth of plants:—

Worms prepare the ground in an excellent manner for the growth of fibrous-rooted plants and for seedlings of all kinds. They periodically expose the mould to the air, and sift it so that no stones larger than the particles which they can swallow are left in it. They mingle the whole intimately together, like a gardener who prepares fine soil for his choicest plants. In this state it is well fitted to retain moisture and to absorb all soluble substances, as well as for the process of nitrification. The bones of dead animals, the harder parts of insects, the shells of land-molluscs, leaves, twigs, &c., are before long all buried beneath the accumulated castings of worms, and are thus brought in a more or less decayed state within reach of the roots of plants. Worms likewise drag an infinite number of dead leaves, and other parts of plants into their burrows, partly for the sake of plugging them up and partly as food.

The leaves which are dragged into the burrows as food after being torn into the finest shreds, partially digested, and saturated with the intestinal and urinary secretions, are commingled with much earth. This earth forms the dark-coloured, rich humus which almost everywhere covers the surface of the land with a fairly well-defined layer or mantle. Von Hensen placed two worms in a vessel 18 inches in diameter, which was filled with sand, on which fallen leaves were strewed; and these were soon dragged into their burrows to a depth of three inches. After about six weeks an almost uniform layer of sand, a centimeter ( $\frac{1}{4}$  inch) in thickness, was converted into humus by having passed through the alimentary canals of these two worms. It is believed by some persons that worm-burrows, which often penetrate the ground almost perpendicularly to a depth of five or six feet, materially aid in its drainage; notwithstanding that the viscid castings piled over the mouths of the burrows prevent or check the rain-water directly entering them. They allow the air to penetrate deeply into the ground. They also greatly facilitate the downward passage of roots of moderate size; and these will be nourished by the humus with which the burrows are lined. Many seeds owe their germination to having been covered by castings; and others buried to a considerable depth beneath accumulated castings lie dormant, until at some future time they are accidentally uncovered and germinate.

When we behold a wide, turf-covered expanse, we should remember that its smoothness, on which so much of its beauty depends, is mainly due to all the inequalities having been slowly levelled by worms. It is a marvellous reflection that the whole of the superficial mould over any such expanse has passed, and will again pass, every few years through the bodies of worms. The plough is one of the most ancient and most valuable of man's inventions; but long before he tilled the land was in fact regularly ploughed, and still continues to be thus ploughed by earth-worms. It may be doubted whether there are many other animals which have played so important a part in the history of the world as have these lowly-