



56 56
a

Shelly formation
like the 1st of
...
on the surface?

Not Gray name, the same
shells
Gullia of like Buccinum
in form of keys

Mactra 2 or 3 feet
Cypriid -

2nd fact - The Incaids & Spaniards
Pastor Buenos Ayres, at distances varying
from 1 to 6 leagues inland from the present
Shores of the River are found vast banks
of Marine Shells which are quarried for
lime; - in some places they are so
compact as to form a recent lime Stone
sufficiently hard for building, the Church
of Magdalena on the Coast for example
is built of it - on being first dry it
is soft & easily worked but it becomes
extremely hard after ^{long} exposure to the air

The following are some of the
Shells found in these beds of which

Have specimens - it is very good enough to name them for me

Voluta Colocyntus of Tillman
Voluta Angulata - Swainson

Puccinum ~~baseosum~~ ^{of Portman. Keras} - Chemnitz ^{like}
* *Puccinum* ^{no. spec.} ~~baseosum~~ ^{costellatum} ~~baseosum~~ ^{ditto}
Oliva portula ^{by Linn. & Brunn. spec. Linn.} ~~baseosum~~ ^{colander}

Mastra? - or type new genus

same as *Cytherea* ^{proprius (perhaps) spec.} ~~baseosum~~ ^{new genus} -
(*Cytherea* ~~baseosum~~)

Venus flexuosa -

Ortue

Puccinum ^{of Ambrose of Keras}

L. - *Cytherea* ^{of Chemnitz}